

2011

CATALOG



BIN-STORE.com



**THE LARGEST SELECTION OF CONDUCTIVE ESD PLASTIC BINS,
HANGING SYSTEMS AND CHROME WIRE SHELVING**

CONDUCTIVE BINS, HANGING SYSTEMS & RACKS



Conductive Ultra Stack Bins and Dividers

Protect your electronic components from typical electromagnetic interference (EMI), electrostatic or induced fields with these conductive polypropylene bins. The conductive material provides a barrier which these fields cannot penetrate and prevents the build-up of electrostatic charge. Bins are permanently conductive and are unaffected by washing with normal cleaners. Molded from a carbon filled copolymer polypropylene material with an electrostatic decay rate at less than 0.1 second that meets military specification Mil-B-81075B. Its surface resistivity is less than 10^5 Ohms-per square. Easy access to stored items with hopper front bin and label holder provides fast identification. Reinforced side walls and wide ledge allow high stacking on benches or shelving. Be sure all units are properly grounded according to your use. Color is Black.

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT	DIVIDER	CTN QTY
QUS205CO	4-1/2" x 4-1/8" x 3"	24	5 lbs	DUS205CO	6
QUS210CO	5-3/8" x 4-1/8" x 3"	24	6 lbs	DUS210CO	6
QUS220CO	7-3/8" x 4-1/8" x 3"	24	8 lbs	DUS220CO	6
QUS230CO	10-7/8" x 5-1/2" x 5"	12	12 lbs	DUS230CO	6
QUS233CO	13-1/2" x 5-1/2" x 5"	12	13 lbs	DUS233CO	6
QUS235CO	10-7/8" x 11" x 5"	6	10 lbs	DUS235CO	6
QUS239CO	10-3/4" x 8-1/4" x 7"	6	10 lbs	DUS239CO	6
QUS240CO	14-3/4" x 8-1/4" x 7"	12	24 lbs	DUS240CO	6
QUS250CO	14-3/4" x 16-1/2" x 7"	6	21 lbs	DUS250CO	6
QUS255CO	16" x 11" x 8"	4	14 lbs	DUS255CO	6
QUS260CO	18" x 11" x 10"	4	17 lbs	DUS260CO	6
QUS270CO	18" x 16-1/2" x 11"	3	16 lbs	DUS270CO	6



Customize your own unit!

1. Select the unit of your choice.
2. Use the chart above and choose which bin would best fit your needs.
3. Go to the chart at the bottom of this page and determine how many bins fit on the unit you selected.
4. Place your order for both unit and bins (sold in carton quantities).



Conductive Stack & Lock Bins

Be sure all units are properly grounded according to your use. Color is Black.

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
QCS10CO	4" x 3-7/8" x 2"	48	7 lbs
QCS20CO	7" x 3-7/8" x 2-7/8"	48	14 lbs
QCS30CO	10-1/4" x 5-7/8" x 5-1/8"	12	12 lbs
QCS35CO	14" x 4-5/8" x 4-7/8"	12	15 lbs
QCS40CO	13-1/2" x 8-1/8" x 6-1/8"	8	13 lbs

LARGEST CONDUCTIVE SELECTION AVAILABLE ANYWHERE!

Single Sided, Double Sided and Double Sided Mobile Rail Systems

All conductive metal racks and bins resist static build-up. Bins are easily removed, refilled and replaced. All metal components have a powder coated conductive finish which provides years of Heavy-Duty service. Be sure all units are properly grounded according to your use.

QRU-16DCO:

Double Sided Rack 16 Rails

Accepts 3 sizes of Ultra bins (up to 96 bins) 500 lb. capacity. See chart for combinations. **Bins sold separately.** Be sure all units are grounded according to your use.



QRU-16SCO
Bins sold separately.



QRU-16DCO +
QRU-MOBCO
Bins sold separately.

QUANTITY OF ULTRA BINS TO FIT RAIL UNITS

MODEL NO.	DESCRIPTION	DIMENSIONS L" x W" x H"	QUS 205	QUS 210	QUS 220	QUS 230	QUS 233	QUS 235	QUS 239	QUS 240	QUS 250	QUS 255	QUS 260	QUS 270
QRU-12SCO	Rack, 1 Sided 12 Rail	36" x 15" x 53"	96	96	96	-	-	-	24	24	12	12	12	8
QRU-16SCO	Rack, 1 Sided 16 Rail	36" x 15" x 53"	-	-	-	48	48	24	-	-	-	-	-	-
QRU-12DCO	Rack, 2 Sided 12 Rail	36" x 20" x 53"	192	192	192	-	-	-	48	48	24	24	24	16
QRU-16DCO	Rack, 2 Sided 16 Rail	36" x 20" x 53"	-	-	-	96	96	48	-	-	-	-	-	-
QDU-00CO	Mobilizes Double Sided Units													

See chart above for bin dimension






CONDUCTIVE HANGING SYSTEMS & RACKS

QLP-1819CO: Conductive Louvered Panel

18" L x 19" H. Accepts all sizes of Conductive Ultra Bins. **Bins sold separately.** See page 2 for bin dimensions. Be sure all units are properly grounded according to your use. See chart below for additional sizes.



MODEL NO.	DIMENSIONS L" x H"	CTN QTY	SHIP WGT
QLP-1819CO	18" x 19" Louvered Panel	1	6 lbs
QLP-1861CO	18" x 61" Louvered Panel	1	21 lbs
QLP-2721CO	27" x 21" Louvered Panel	1	11 lbs
QLP-3612CO	36" x 12" Louvered Panel	1	8 lbs
QLP-3619CO	36" x 19" Louvered Panel	1	13 lbs
QLP-3661CO	36" x 61" Louvered Panel	1	40 lbs
QLP-4819CO	48" x 19" Louvered Panel	1	18 lbs
QLP-4861CO	48" x 61" Louvered Panel	1	60 lbs

QMD-36HCO: Mobile Double Sided Louvered Rack

36" L x 25" W x 72" H Mobile unit accepts all sizes of Ultra Bins (up to 240 bins, 1,200 lb. capacity). **Bins sold separately.** See page 2 for bin dimensions. Be sure all units are properly grounded according to your use.

MODEL NO.	DIMENSIONS L" x W" x H"	CTN QTY	SHIP WGT
Single Sided Unit - 375 lb. capacity			
QSS-1866HCO	18"L x 12-1/2"W x 66"H	1	40 lbs
Single Sided Unit - 800 lb. capacity			
QSS-3666HCO	36"L x 12-1/2"W x 66"H	1	60 lbs
Double Sided Unit - 2,000 lb. capacity			
QDS-3666HCO	36"L x 25"W x 66"H	1	106 lbs
Double Sided, Mobile Unit - 1,200 lb. capacity			
QMD-36HCO	36"L x 25"W x 72"H	1	112 lbs



QBR-3619CO: Conductive Bench Rack

36" L x 8" W x 19" H. Bench rack accepts 9 sizes of Ultra Bins. **Bins sold separately.** See chart below for additional sizes.

MODEL NO.	DIMENSIONS L" x W" x H"	CTN QTY	SHIP WGT
QBR-1819CO	18" x 8" x 19" Bench Rack	1	8 lbs
QBR-2721CO	27" x 8" x 21" Bench Rack	1	16 lbs
QBR-3612CO	36" x 8" x 12" Bench Rack	1	14 lbs
QBR-3619CO	36" x 8" x 19" Bench Rack	1	19 lbs

Customize your own unit!

1. Select the unit of your choice.
2. Use the chart on **page 2** and choose which bin would best fit your needs.
3. Go to the chart on the right and determine how many bins fit on the unit you selected.
4. Place your order for both unit and bins (sold in carton quantities).



QUANTITY OF ULTRA BINS TO FIT LOUVERED PANELS

MODEL NO.	QUS 205CO	QUS 210CO	QUS 220CO	QUS 230CO	QUS 233CO	QUS 235CO	QUS 239CO	QUS 240CO	QUS 250CO	QUS 255CO	QUS 260CO	QUS 270CO
QLP-1819CO	16	16	16	9	9	3	4	4	2	1	1	1
QLP-1861CO	60	60	60	30	30	15	14	14	7	7	5	5
QLP-2721CO	30	30	30	12	12	6	6	6	2	4	4	1
QLP-3612CO	18	18	18	12	12	6	4	4	2	6	3	2
QLP-3619CO	32	32	32	18	18	9	8	8	4	6	3	2
QLP-3661CO	120	120	120	60	60	30	28	28	14	21	15	10
QLP-4819CO	40	40	40	24	24	12	10	10	4	8	8	2
QLP-4861CO	165	165	165	80	80	40	35	35	14	28	20	10
QBR-1819CO	16	16	16	9	9	3	4	4	2	1	1	1
QBR-2721CO	30	30	30	12	12	6	6	6	2	4	4	1
QBR-3612CO	18	18	18	12	12	6	4	4	2	6	3	2
QBR-3619CO	32	32	32	18	18	9	8	8	4	6	3	2
QSS-1866HCO	60	60	60	30	30	15	14	14	7	7	5	5
QSS-3666HCO	12	12	12	60	60	30	28	28	14	21	15	10
QDS-3666HCO	240	240	240	120	120	60	56	56	28	42	30	20
QMD-36HCO	240	240	240	120	120	60	56	56	28	42	30	20

See page 2 for bin dimensions

CONDUCTIVE SHELF BINS & DIVIDABLE CONTAINERS



Conductive Shelf Bins

Protect your electronic components from typical electromagnetic interference (EMI), electrostatic or induced fields with these molded, carbon-filled, copolymer polypropylene bins. Surface resistivity is less than 10^5 Ohms-per square. Easy access to stored items with hopper front bin and label holder provides fast identification. The conductive material provides a barrier which these fields cannot penetrate and prevents the build-up of electrostatic charge. Bins are permanently conductive and are unaffected by washing with normal cleaners. Be sure all units are properly grounded according to your use. Color is Black.

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT	DIVIDER	CTN QTY
QSB100CO	11-5/8" x 2-3/4" x 4"	36	14 lbs	-	-
QSB101CO	11-5/8" x 4-1/8" x 4"	36	17 lbs	DSB101CO	50
QSB102CO	11-5/8" x 6-5/8" x 4"	30	18 lbs	DSB102CO	50
QSB107CO	11-5/8" x 8-3/8" x 4"	20	15 lbs	DSB107CO	50
QSB109CO	11-5/8" x 11-1/8" x 4"	8	8 lbs	DSB109CO	50
QSB103CO	17-7/8" x 4-1/8" x 4"	20	13 lbs	DSB103CO	50
QSB104CO	17-7/8" x 6-5/8" x 4"	20	18 lbs	DSB104CO	50
QSB108CO	17-7/8" x 8-3/8" x 4"	10	10 lbs	DSB108CO	50
QSB110CO	17-7/8" x 11-1/8" x 4"	8	12 lbs	DSB110CO	50
QSB105CO	23-5/8" x 4-1/8" x 4"	16	14 lbs	DSB105CO	50
QSB106CO	23-5/8" x 6-5/8" x 4"	8	12 lbs	DSB106CO	50
QSB114CO	23-5/8" x 8-3/8" x 4"	6	10 lbs	DSB114CO	50
QSB116CO	23-5/8" x 11-1/8" x 4"	6	11 lbs	DSB116CO	50

12", 18" & 24" DEPTHS!



13 SIZES TO CHOOSE FROM!

LARGEST CONDUCTIVE SELECTION AVAILABLE ANYWHERE!



Conductive Dividable Grid Containers

Protect your electronic components from typical electromagnetic interference (EMI), electrostatic or induced fields with these molded, carbon-filled, copolymer polypropylene dividable grid containers. Surface resistivity is less than 10^5 Ohms-per square. The conductive material provides a barrier which these fields cannot penetrate and prevents the build-up of electrostatic charge. Containers, dividers and covers are permanently conductive and are unaffected by washing with normal cleaners. Containers have a load capacity of 100 lbs. Dividers available to customize your box into compartments at 1-1/8" intervals and snap covers protect contents from dust or damage. Be sure all units are properly grounded according to your use. Color is Black.



Dividers



Snap On Covers



Clear Label Holders

MODEL NO.	DIMENSIONS H" x W"	FITS BIN MODEL NO.	CTN QTY
LBL2x8CO	2" x 8"	DG91035CO, DG92035CO, DG93030CO	6
LBL3x5CO	3" x 5"	DG91050CO, DG92060CO, DG93060CO	6
LBL5x8CO	5" x 8"	DG92080CO, DG93080CO, DG93120CO	6



MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT	LONG DIVIDER	CTN QTY	SHORT DIVIDER	CTN QTY	COVER	CTN QTY
DG91035CO	10-7/8" x 8-1/4" x 3-1/2"	20	24 lbs	DL91035CO	6	DS91035CO	6	COV91000CO	10
DG91050CO	10-7/8" x 8-1/4" x 5"	20	32 lbs	DL91050CO	6	DS91050CO	6	COV91000CO	10
DG92035CO	16-1/2" x 10-7/8" x 3-1/2"	12	23 lbs	DL92035CO	6	DS92035CO	6	COV92000CO	4
DG92060CO	16-1/2" x 10-7/8" x 6"	8	20 lbs	DL92060CO	6	DS92060CO	6	COV92000CO	4
DG92080CO	16-1/2" x 10-7/8" x 8"	8	27 lbs	DL92080CO	6	DS92080CO	6	COV92000CO	4
DG93030CO	22-1/2" x 17-1/2" x 3"	6	20 lbs	DL93030CO	6	DS93030CO	6	COV93000CO	3
DG93060CO	22-1/2" x 17-1/2" x 6"	3	19 lbs	DL93060CO	6	DS93060CO	6	COV93000CO	3
DG93080CO	22-1/2" x 17-1/2" x 8"	3	16 lbs	DL93080CO	6	DS93080CO	6	COV93000CO	3
DG93120CO	22-1/2" x 17-1/2" x 12"	3	23 lbs	DL93120CO	6	DS93120CO	6	COV93000CO	3



CONDUCTIVE MODULAR TRAYS & TRAY CARTS

Trays

Heavy-duty 18" x 26". Perimeter ends are reinforced for additional strength. New 20" x 26" size offers a deep stacking tray. Both tray sizes are available in ESD complying to ANSI / ESD standards for the use in PC board assembly and handling. All trays are manufactured of fiberglass reinforced thermoset material, allowing up to 200 lbs weight capacity when evenly distributed. Modular trays will withstand temperatures of -40°F to +250°F. 18" x 26" Trays available in ESD, 20" x 26" Trays available in ESD.

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT	PRICE EACH
18" x 26" Trays			
1826TR	18" x 26" x 1-1/8" White Tray	4 lbs	\$20.93
1826ESD	18" x 26" x 1-1/8" Black ESD Tray	4 lbs	\$22.75
20" x 26" Trays			
2026TRGY	20" x 26" x 1-1/2" Gray Tray	5 lbs	\$38.85
2026TRWT	20" x 26" x 1-1/2" White Tray	5 lbs	\$38.85
2026ESD	20" x 26" x 1-1/2" Black ESD Tray	5 lbs	\$54.62



1826ESD

TS62C
Optional Tray
Stop

**LOWEST
PRICE
GUARANTEED!**



Conductive Modular Tray Carts

Tray Carts are offered in half size and full size units, designed to handle work in process. ESD trays can be used on tray cart for conductive applications with the addition of aluminum split sleeves (ESD-SS) and a drag chain (ESD-DC). Optional Tray Stop prevents trays from falling out. Finish: Chrome

MODEL NO.	DIMENSIONS W" x L" x H"	CAPACITY	SHIP WGT	PRICE EACH	TRAY STOP MODEL NO.
39"H Tray Cart					
TC-19CO	18" x 30" x 39"	19 Trays	45 lbs	\$154.70	TS32C
69"H Tray Carts					
TC-39CO	18" x 30" x 69"	39 Trays	74 lbs	\$182.00	TS62C
TC-31CO	21" x 30" x 69"	31 Trays	68 lbs	\$173.41	TS62C


Trays are sold separately.

ESD-DC

Drag chain used to ground standard wire shelving units. Recommended to be used in conjunction with aluminum split sleeves (ESD-SS)




TC-19CO



TC-39CO + TS62C

Tray Stops can be used on back as shown here or one in the back and one in the front. (Trays sold separately)

CONDUCTIVE 54" WIRE SHELVING SYSTEMS



Starter Kits

Heavy-duty shelving unit allows up to 800 lb. shelf capacity. Starter kits come complete with 4 posts, 4 shelves, aluminum split sleeves and drag chain. Additional shelves and aluminum split sleeves may be purchased separately. Mobilize starter shelving unit using optional conductive mobile kit, WR-00CO.



Add-On Kits

Additional Add-On kit allows you to expand your Starter kit by sharing a set of posts. Configuration options include straight line, back to back and right angles (L-Shape). Add-On kits come complete with 2 posts, 4 shelves, 8 S-Hooks, aluminum split sleeves and drag chain. Additional shelves and aluminum split sleeves may be purchased separately. Units with Add-On kit cannot be made mobile.



	54"H WIRE SHELVING STARTER KIT		54"H WIRE SHELVING ADD-ON KIT	
SHELF W" x L"	CHROME MODEL NO.	SHIP WGT	CHROME MODEL NO.	SHIP WGT
12" x 36"	WR54-1236CO	40 lbs	AD54-1236CO	36 lbs
12" x 42"	WR54-1242CO	44 lbs	AD54-1242CO	40 lbs
12" x 48"	WR54-1248CO	48 lbs	AD54-1248CO	44 lbs
12" x 60"	WR54-1260CO	56 lbs	AD54-1260CO	52 lbs
12" x 72"	WR54-1272CO	64 lbs	AD54-1272CO	60 lbs
14" x 24"	WR54-1424CO	36 lbs	AD54-1424CO	32 lbs
14" x 30"	WR54-1430CO	40 lbs	AD54-1430CO	36 lbs
14" x 36"	WR54-1436CO	44 lbs	AD54-1436CO	40 lbs
14" x 42"	WR54-1442CO	52 lbs	AD54-1442CO	48 lbs
14" x 48"	WR54-1448CO	56 lbs	AD54-1448CO	52 lbs
14" x 54"	WR54-1454CO	60 lbs	AD54-1454CO	56 lbs
14" x 60"	WR54-1460CO	68 lbs	AD54-1460CO	64 lbs
14" x 72"	WR54-1472CO	80 lbs	AD54-1472CO	76 lbs
18" x 24"	WR54-1824CO	40 lbs	AD54-1824CO	36 lbs
18" x 30"	WR54-1830CO	44 lbs	AD54-1830CO	40 lbs
18" x 36"	WR54-1836CO	52 lbs	AD54-1836CO	48 lbs
18" x 42"	WR54-1842CO	56 lbs	AD54-1842CO	52 lbs
18" x 48"	WR54-1848CO	60 lbs	AD54-1848CO	56 lbs
18" x 54"	WR54-1854CO	72 lbs	AD54-1854CO	68 lbs
18" x 60"	WR54-1860CO	80 lbs	AD54-1860CO	76 lbs
18" x 72"	WR54-1872CO	92 lbs	AD54-1872CO	88 lbs
21" x 24"	WR54-2124CO	44 lbs	AD54-2124CO	40 lbs
21" x 30"	WR54-2130CO	48 lbs	AD54-2130CO	44 lbs
21" x 36"	WR54-2136CO	56 lbs	AD54-2136CO	52 lbs
21" x 42"	WR54-2142CO	60 lbs	AD54-2142CO	56 lbs
21" x 48"	WR54-2148CO	68 lbs	AD54-2148CO	64 lbs
21" x 54"	WR54-2154CO	76 lbs	AD54-2154CO	72 lbs
21" x 60"	WR54-2160CO	84 lbs	AD54-2160CO	88 lbs
21" x 72"	WR54-2172CO	108 lbs	AD54-2172CO	104 lbs
24" x 24"	WR54-2424CO	48 lbs	AD54-2424CO	44 lbs
24" x 30"	WR54-2430CO	56 lbs	AD54-2430CO	52 lbs
24" x 36"	WR54-2436CO	64 lbs	AD54-2436CO	60 lbs
24" x 42"	WR54-2442CO	72 lbs	AD54-2442CO	68 lbs
24" x 48"	WR54-2448CO	76 lbs	AD54-2448CO	72 lbs
24" x 54"	WR54-2454CO	84 lbs	AD54-2454CO	80 lbs
24" x 60"	WR54-2460CO	96 lbs	AD54-2460CO	92 lbs
24" x 72"	WR54-2472CO	116 lbs	AD54-2472CO	112 lbs
30" x 36"	WR54-3036CO	72 lbs	AD54-3036CO	68 lbs
30" x 42"	WR54-3042CO	84 lbs	AD54-3042CO	80 lbs
30" x 48"	WR54-3048CO	96 lbs	AD54-3048CO	92 lbs
30" x 60"	WR54-3060CO	120 lbs	AD54-3060CO	116 lbs
30" x 72"	WR54-3072CO	136 lbs	AD54-3072CO	132 lbs
36" x 36"	WR54-3636CO	84 lbs	AD54-3636CO	80 lbs
36" x 48"	WR54-3648CO	104 lbs	AD54-3648CO	100 lbs
36" x 60"	WR54-3660CO	128 lbs	AD54-3660CO	124 lbs
36" x 72"	WR54-3672CO	136 lbs	AD54-3672CO	132 lbs




Shelving units include 4 posts and 4 shelves. Add-On units include 2 posts, 4 shelves and 8 S-Hooks, aluminum split sleeves & drag chain.



CONDUCTIVE 63" WIRE SHELVING SYSTEMS



Back to Back Unit



MOBILIZE YOUR WIRE SHELVING



DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00CO (Mobile Kit)

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity.

Starter Kits

Heavy-duty shelving unit allows up to 800 lb. shelf capacity. Starter kits come complete with 4 posts, 4 shelves, aluminum split sleeves and drag chain. Additional shelves and aluminum split sleeves may be purchased separately. Mobilize starter shelving unit using optional conductive mobile kit, WR-00CO.

Add-On Kits

Additional Add-On kit allows you to expand your Starter kit by sharing a set of posts. Configuration options include straight line, back to back and right angles (L-Shape). Add-On kits come complete with 2 posts, 4 shelves, 8 S-Hooks, aluminum split sleeves and drag chain. Additional shelves and aluminum split sleeves may be purchased separately. Units with Add-On kit cannot be made mobile.

	63"H WIRE SHELVING STARTER KIT		63"H WIRE SHELVING ADD-ON KIT	
SHELF W" x L"	CHROME MODEL NO.	SHIP WGT	CHROME MODEL NO.	SHIP WGT
12" x 36"	WR63-1236CO	42 lbs	AD63-1236CO	37 lbs
12" x 42"	WR63-1242CO	46 lbs	AD63-1242CO	41 lbs
12" x 48"	WR63-1248CO	52 lbs	AD63-1248CO	43 lbs
12" x 60"	WR63-1260CO	60 lbs	AD63-1260CO	51 lbs
12" x 72"	WR63-1272CO	68 lbs	AD63-1272CO	59 lbs
14" x 24"	WR63-1424CO	40 lbs	AD63-1424CO	31 lbs
14" x 30"	WR63-1430CO	44 lbs	AD63-1430CO	35 lbs
14" x 36"	WR63-1436CO	48 lbs	AD63-1436CO	39 lbs
14" x 42"	WR63-1442CO	56 lbs	AD63-1442CO	47 lbs
14" x 48"	WR63-1448CO	60 lbs	AD63-1448CO	51 lbs
14" x 54"	WR63-1454CO	64 lbs	AD63-1454CO	55 lbs
14" x 60"	WR63-1460CO	72 lbs	AD63-1460CO	63 lbs
14" x 72"	WR63-1472CO	84 lbs	AD63-1472CO	75 lbs
18" x 24"	WR63-1824CO	44 lbs	AD63-1824CO	35 lbs
18" x 30"	WR63-1830CO	48 lbs	AD63-1830CO	39 lbs
18" x 36"	WR63-1836CO	54 lbs	AD63-1836CO	49 lbs
18" x 42"	WR63-1842CO	58 lbs	AD63-1842CO	53 lbs
18" x 48"	WR63-1848CO	62 lbs	AD63-1848CO	57 lbs
18" x 54"	WR63-1854CO	74 lbs	AD63-1854CO	69 lbs
18" x 60"	WR63-1860CO	82 lbs	AD63-1860CO	77 lbs
18" x 72"	WR63-1872CO	94 lbs	AD63-1872CO	89 lbs
21" x 24"	WR63-2124CO	46 lbs	AD63-2124CO	41 lbs
21" x 30"	WR63-2130CO	50 lbs	AD63-2130CO	45 lbs
21" x 36"	WR63-2136CO	58 lbs	AD63-2136CO	53 lbs
21" x 42"	WR63-2142CO	62 lbs	AD63-2142CO	57 lbs
21" x 48"	WR63-2148CO	70 lbs	AD63-2148CO	65 lbs
21" x 54"	WR63-2154CO	78 lbs	AD63-2154CO	73 lbs
21" x 60"	WR63-2160CO	86 lbs	AD63-2160CO	81 lbs
21" x 72"	WR63-2172CO	110 lbs	AD63-2172CO	105 lbs
24" x 24"	WR63-2424CO	50 lbs	AD63-2424CO	45 lbs
24" x 30"	WR63-2430CO	58 lbs	AD63-2430CO	53 lbs
24" x 36"	WR63-2436CO	66 lbs	AD63-2436CO	61 lbs
24" x 42"	WR63-2442CO	74 lbs	AD63-2442CO	69 lbs
24" x 48"	WR63-2448CO	78 lbs	AD63-2448CO	73 lbs
24" x 54"	WR63-2454CO	86 lbs	AD63-2454CO	81 lbs
24" x 60"	WR63-2460CO	98 lbs	AD63-2460CO	93 lbs
24" x 72"	WR63-2472CO	118 lbs	AD63-2472CO	113 lbs
30" x 36"	WR63-3036CO	74 lbs	AD63-3036CO	69 lbs
30" x 42"	WR63-3042CO	86 lbs	AD63-3042CO	81 lbs
30" x 48"	WR63-3048CO	98 lbs	AD63-3048CO	93 lbs
30" x 60"	WR63-3060CO	122 lbs	AD63-3060CO	117 lbs
30" x 72"	WR63-3072CO	138 lbs	AD63-3072CO	133 lbs
36" x 36"	WR63-3636CO	86 lbs	AD63-3636CO	81 lbs
36" x 48"	WR63-3648CO	106 lbs	AD63-3648CO	101 lbs
36" x 60"	WR63-3660CO	130 lbs	AD63-3660CO	125 lbs
36" x 72"	WR63-3672CO	138 lbs	AD63-3672CO	133 lbs

Shelving units include 4 posts and 4 shelves. Add-On units include 2 posts, 4 shelves and 8 S-Hooks, aluminum split sleeves & drag chain.

**LOWEST
PRICE
GUARANTEED!**

Fastest
Shipping
IN THE INDUSTRY

CONDUCTIVE 74" WIRE SHELVING SYSTEMS



Starter Kits

Heavy-duty shelving unit allows up to 800 lb. shelf capacity. Starter kits come complete with 4 posts, 4 shelves, aluminum split sleeves and drag chain. Additional shelves and aluminum split sleeves may be purchased separately. Mobilize starter shelving unit using optional conductive mobile kit, WR-00CO.

Add-On Kits




Additional Add-On kit allows you to expand your Starter kit by sharing a set of posts. Configuration options include straight line, back to back and right angles (L-Shape). Add-On kits come complete with 2 posts, 4 shelves, 8 S-Hooks, aluminum split sleeves and drag chain. Additional shelves and aluminum split sleeves may be purchased separately. **Units with Add-On kit cannot be made mobile.**

74"H WIRE SHELVING STARTER KIT			74"H WIRE SHELVING ADD-ON KIT	
SHELF W" x L"	CHROME MODEL NO.	SHIP WGT	CHROME MODEL NO.	SHIP WGT
12" x 36"	WR74-1236CO	44 lbs	AD74-1236CO	38 lbs
12" x 42"	WR74-1242CO	48 lbs	AD74-1242CO	42 lbs
12" x 48"	WR74-1248CO	52 lbs	AD74-1248CO	46 lbs
12" x 60"	WR74-1260CO	60 lbs	AD74-1260CO	54 lbs
12" x 72"	WR74-1272CO	68 lbs	AD74-1272CO	62 lbs
14" x 24"	WR74-1424CO	40 lbs	AD74-1424CO	34 lbs
14" x 30"	WR74-1430CO	44 lbs	AD74-1430CO	38 lbs
14" x 36"	WR74-1436CO	48 lbs	AD74-1436CO	42 lbs
14" x 42"	WR74-1442CO	56 lbs	AD74-1442CO	50 lbs
14" x 48"	WR74-1448CO	60 lbs	AD74-1448CO	54 lbs
14" x 54"	WR74-1454CO	64 lbs	AD74-1454CO	58 lbs
14" x 60"	WR74-1460CO	72 lbs	AD74-1460CO	66 lbs
14" x 72"	WR74-1472CO	84 lbs	AD74-1472CO	78 lbs
18" x 24"	WR74-1824CO	44 lbs	AD74-1824CO	38 lbs
18" x 30"	WR74-1830CO	48 lbs	AD74-1830CO	42 lbs
18" x 36"	WR74-1836CO	56 lbs	AD74-1836CO	50 lbs
18" x 42"	WR74-1842CO	60 lbs	AD74-1842CO	54 lbs
18" x 48"	WR74-1848CO	64 lbs	AD74-1848CO	58 lbs
18" x 54"	WR74-1854CO	76 lbs	AD74-1854CO	70 lbs
18" x 60"	WR74-1860CO	84 lbs	AD74-1860CO	78 lbs
18" x 72"	WR74-1872CO	96 lbs	AD74-1872CO	90 lbs
21" x 24"	WR74-2124CO	48 lbs	AD74-2124CO	42 lbs
21" x 30"	WR74-2130CO	52 lbs	AD74-2130CO	46 lbs
21" x 36"	WR74-2136CO	60 lbs	AD74-2136CO	54 lbs
21" x 42"	WR74-2142CO	64 lbs	AD74-2142CO	58 lbs
21" x 48"	WR74-2148CO	72 lbs	AD74-2148CO	66 lbs
21" x 54"	WR74-2154CO	80 lbs	AD74-2154CO	74 lbs
21" x 60"	WR74-2160CO	88 lbs	AD74-2160CO	82 lbs
21" x 72"	WR74-2172CO	112 lbs	AD74-2172CO	106 lbs
24" x 24"	WR74-2424CO	52 lbs	AD74-2424CO	46 lbs
24" x 30"	WR74-2430CO	60 lbs	AD74-2430CO	54 lbs
24" x 36"	WR74-2436CO	68 lbs	AD74-2436CO	62 lbs
24" x 42"	WR74-2442CO	76 lbs	AD74-2442CO	70 lbs
24" x 48"	WR74-2448CO	80 lbs	AD74-2448CO	74 lbs
24" x 54"	WR74-2454CO	88 lbs	AD74-2454CO	82 lbs
24" x 60"	WR74-2460CO	100 lbs	AD74-2460CO	94 lbs
24" x 72"	WR74-2472CO	120 lbs	AD74-2472CO	114 lbs
30" x 36"	WR74-3036CO	76 lbs	AD74-3036CO	70 lbs
30" x 42"	WR74-3042CO	88 lbs	AD74-3042CO	82 lbs
30" x 48"	WR74-3048CO	100 lbs	AD74-3048CO	94 lbs
30" x 60"	WR74-3060CO	124 lbs	AD74-3060CO	118 lbs
30" x 72"	WR74-3072CO	140 lbs	AD74-3072CO	134 lbs
36" x 36"	WR74-3636CO	88 lbs	AD74-3636CO	82 lbs
36" x 48"	WR74-3648CO	108 lbs	AD74-3648CO	102 lbs
36" x 60"	WR74-3660CO	132 lbs	AD74-3660CO	126 lbs
36" x 72"	WR74-3672CO	140 lbs	AD74-3672CO	134 lbs

Shelving units include 4 posts and 4 shelves. Add-On units include 2 posts, 4 shelves and 8 S-Hooks, aluminum split sleeves & drag chain.



L Shape Unit



Conductive ESD Bins Available on page 2-4



Fastest
Shipping
IN THE INDUSTRY

LOWEST PRICE
GUARANTEED!



CONDUCTIVE 86" WIRE SHELVING SYSTEMS

Starter Kits

Heavy-duty shelving unit allows up to 800 lb. shelf capacity. Starter kits come complete with 4 posts, 4 shelves, aluminum split sleeves and drag chain. Additional shelves and aluminum split sleeves may be purchased separately. Mobilize starter shelving unit using optional conductive mobile kit, WR-00CO.

Add-On Kits



Additional Add-On kit allows you to expand your Starter kit by sharing a set of posts. Configuration options include straight line, back to back and right angles (L-Shape). Add-On kits come complete with 2 posts, 4 shelves, 8 S-Hooks, aluminum split sleeves and drag chain. Additional shelves and aluminum split sleeves may be purchased separately. Units with Add-On kit cannot be made mobile.

86"H WIRE SHELVING STARTER KIT			86"H WIRE SHELVING ADD-ON KIT	
SHELF W" x L"	CHROME MODEL NO.	SHIP WGT	CHROME MODEL NO.	SHIP WGT
12" x 36"	WR86-1236CO	48 lbs	AD86-1236CO	40 lbs
12" x 42"	WR86-1242CO	52 lbs	AD86-1242CO	44 lbs
12" x 48"	WR86-1248CO	56 lbs	AD86-1248CO	48 lbs
12" x 60"	WR86-1260CO	64 lbs	AD86-1260CO	56 lbs
12" x 72"	WR86-1272CO	72 lbs	AD86-1272CO	64 lbs
14" x 24"	WR86-1424CO	44 lbs	AD86-1424CO	36 lbs
14" x 30"	WR86-1430CO	48 lbs	AD86-1430CO	40 lbs
14" x 36"	WR86-1436CO	52 lbs	AD86-1436CO	44 lbs
14" x 42"	WR86-1442CO	60 lbs	AD86-1442CO	52 lbs
14" x 48"	WR86-1448CO	64 lbs	AD86-1448CO	56 lbs
14" x 54"	WR86-1454CO	68 lbs	AD86-1454CO	60 lbs
14" x 60"	WR86-1460CO	76 lbs	AD86-1460CO	68 lbs
14" x 72"	WR86-1472CO	88 lbs	AD86-1472CO	80 lbs
18" x 24"	WR86-1824CO	48 lbs	AD86-1824CO	40 lbs
18" x 30"	WR86-1830CO	52 lbs	AD86-1830CO	44 lbs
18" x 36"	WR86-1836CO	60 lbs	AD86-1836CO	52 lbs
18" x 42"	WR86-1842CO	64 lbs	AD86-1842CO	56 lbs
18" x 48"	WR86-1848CO	68 lbs	AD86-1848CO	60 lbs
18" x 54"	WR86-1854CO	80 lbs	AD86-1854CO	72 lbs
18" x 60"	WR86-1860CO	88 lbs	AD86-1860CO	80 lbs
18" x 72"	WR86-1872CO	100 lbs	AD86-1872CO	92 lbs
21" x 24"	WR86-2124CO	52 lbs	AD86-2124CO	44 lbs
21" x 30"	WR86-2130CO	56 lbs	AD86-2130CO	48 lbs
21" x 36"	WR86-2136CO	64 lbs	AD86-2136CO	56 lbs
21" x 42"	WR86-2142CO	68 lbs	AD86-2142CO	60 lbs
21" x 48"	WR86-2148CO	76 lbs	AD86-2148CO	68 lbs
21" x 54"	WR86-2154CO	84 lbs	AD86-2154CO	76 lbs
21" x 60"	WR86-2160CO	92 lbs	AD86-2160CO	84 lbs
21" x 72"	WR86-2172CO	116 lbs	AD86-2172CO	108 lbs
24" x 24"	WR86-2424CO	56 lbs	AD86-2424CO	48 lbs
24" x 30"	WR86-2430CO	64 lbs	AD86-2430CO	56 lbs
24" x 36"	WR86-2436CO	72 lbs	AD86-2436CO	64 lbs
24" x 42"	WR86-2442CO	80 lbs	AD86-2442CO	72 lbs
24" x 48"	WR86-2448CO	84 lbs	AD86-2448CO	76 lbs
24" x 54"	WR86-2454CO	92 lbs	AD86-2454CO	84 lbs
24" x 60"	WR86-2460CO	104 lbs	AD86-2460CO	96 lbs
24" x 72"	WR86-2472CO	124 lbs	AD86-2472CO	116 lbs
30" x 36"	WR86-3036CO	80 lbs	AD86-3036CO	72 lbs
30" x 42"	WR86-3042CO	92 lbs	AD86-3042CO	84 lbs
30" x 48"	WR86-3048CO	104 lbs	AD86-3048CO	96 lbs
30" x 60"	WR86-3060CO	128 lbs	AD86-3060CO	120 lbs
30" x 72"	WR86-3072CO	144 lbs	AD86-3072CO	136 lbs
36" x 36"	WR86-3636CO	92 lbs	AD86-3636CO	84 lbs
36" x 48"	WR86-3648CO	112 lbs	AD86-3648CO	104 lbs
36" x 60"	WR86-3660CO	136 lbs	AD86-3660CO	128 lbs
36" x 72"	WR86-3672CO	144 lbs	AD86-3672CO	136 lbs


Shelving units include 4 posts and 4 shelves. Add-On units include 2 posts, 4 shelves and 8 S-Hooks, aluminum split sleeves & drag chain.



Side to Side Unit



**LOWEST
PRICE
GUARANTEED!**



Fastest
Shipping
IN THE INDUSTRY



PO Box 14-0932
Coral Gables, FL 33114

(877) 285-8684
sales@bin-store.com

ACCEPTING:

