BIN-STORE.com

HEALTHCARE STORAGE SOLUTIONS



CALL US TODAY: 1-877-285-8684

VISIT US ONLINE: WWW.BIN-STORE.COM




QSB101PK

QSB102PK

QSB104PK

QSB103PK

LAYOUT ASSISTANCE



to shelving or cart design. We'll create and develop an integrated system around your requirements. Layouts can be created to accommodate your space with the appropriate product mix consisting of:

- Wire Shelving
- Stationary Shelving
- Bins
- Wall Systems
- Baskets
- Containers .
- Hi-Density Mobile Track Systems

TO ACHIEVE THE BEST RESULTS, PLEASE PROVIDE THE FOLLOWING INFORMATION:

- (L x W) and ceiling height For shelving units, provide the number of shelf tiers, post height and indicate
- stationary or mobile If bins are required, indicate the appropriate size and whether they are to be used on shelving or wall mounted louvered panels



DESIGN ASSISTANCE






TABLE OF CONTENTS

VERSA WALL

	PARtition Wall Systems
	PARtition Wall Systems
	PARtition Wall Systems
	PARtition Wall Systems - Accessories
10	Mesh Stack & Hang Bins
11	Wall Mount Wire Louvered Panels
12	Wall Mount Louvered Panels
13	Grid-Store Wall Mounted Systems
14	Wall Mount Cantilever Systems
15	Wall Mount Cantilever Packages

VERSA WORKS

16	PARtition Store
17	PARtition Store
18	PARtition Store Single Bay Carts
19	PARtition Store Double Bay Carts
20	PARtition Store - Accessories
21	High Density Storage Carts
22	High Density Racks
23	High Density Racks & Accessories

VERSA STORE

Medical Carts
Medical Carts
Medical Carts
Medical Carts
Medical Supply Carts
Medical Supply Carts
Medical Supply Carts & Cabinets
Medical Supply Cabinets

VERSA COMPLIMENTS

32	

Utility Carts - Wire
Utility Carts - Polymer
Hamper & Sterile Wrap Carts
Surgical Case Carts & Tables
Bin Transport Carts

WIRE

	Labels
	Wire Shelving
	Shelving Posts & Solid Shelves
	54" Wire Shelving Units
	63"Wire Shelving Units
42	74" Wire Shelving Units
	86" Wire Shelving Units
	Stainless Steel Solid Shelving Units
	Stainless Steel Solid Shelving Units
	Galvanized Steel Solid Shelving Uni
	Galvanized Steel Solid Shelving Un
	Modular Wire Stacking Baskets
	Modular Wire Basket Units
	Post Baskets & Mobile Units
	Garment Racks / Patient Apparel Ca
	4 Shelf Stem Caster Carts
	5 Shelf Stem Caster Carts
	4 Shelf Enclosure Carts
	5 Shelf Enclosure Carts
	4 Shelf Enclosure Carts
	5 Shelf Enclosure Carts
	4 Shelf Linen Carts
	5 Shelf Linen Carts
	Security Units
	Cart Covers
	Slanted Shelf Carts
	Slanted Shelf Carts
	High Density Wire Systems
	Catheter Carts
	Bin Carts
	Double & Triple Bay Bin Carts
	High Density Sliding Track System
	High Density Sliding Track System
	Sliding Top Track System

	Sliding Top Track System
	Dunnage & Platform Racks
	Dunnage & Platform Racks
	Cafeteria Trays and Tray Carts
	Wire Shelving - Accessories
79	Wire Shelving - Accessories

BINS

Clear-View Ultra Stack and Hang Bins
Clear-View HULK 24" Containers
Clear-View Dividable Grid Containers
Clear-View Giant Stack & Stock Bins

- Clear-View Economy Shelf Bins
- Clear-View STORE-MORE 6" Shelf Bins
- Clear-View STORE-MAX 8" Shelf Bins
- Labels
- Ultra Stack and Hang Bins
- Ultra Stack and Hang Bins
- Ultra Stack and Hang Bins
- Ultra Stack and Hang Wire Shelving Systems
- Mesh Stack & Hang Bins
- Wall Mount Wire Louvered Panels
- Wall Mount Louvered Panels
- Stackable Shelf Bins
- Stackable Shelf Bin Wire Shelving Systems
- Hulk 24" Containers
- Hulk 24" Container Wire Shelving Systems
- Hulk 30" & 36" Containers
- Hulk 30" Container Wire Shelving Systems
- Hulk 36" Container Wire Shelving Systems
- 103 104 Rackbin 42" Containers and Wire Shelving Systems
- Giant Stack & Stock Containers
- Giant Stack & Stock Container Wire Shelving Systems
- Magnum Bins
- Magnum Bin Wire Shelving Systems
- Economy Shelf Bins
- 108 109 Economy Shelf Bin Wire Shelving Systems
- STORE-MORE 6" Shelf Bins
- STORE-MORE 6" Shelf Bin Wire Shelving Systems
- STORE-MAX 8" Shelf Bins
- STORE-MAX 8" Shelf Bin Wire Shelving Systems
- **OuickPick Bins**
- QuickPick Bin Wire Shelving Systems
- Super Tuff Euro Drawers
- **Dividable Grid Containers**
- Genuine Stack and Nest Totes
- Wire Shelving Systems
- Cross Stack Tubs and Quantub
- Attached Top Distribution Containers
- First Aid Caddy / Computer Work Center
- Clear Tip Out Bin Systems
- Clear Tip Out Bin Systems
- Clear Tip Out Bin Floor Stands
- Mobile Clear Tip Out Bin Floor Stands
- Clear Tip Out Bin Rails & Frames
- Free Standing & Gondola Slider Systems

FACILITIES STORAGE

Interlocking Storage Cabinets 130 Polymer Utility Carts & Tool Caddy 132 Heavy-Duty 36" Wide All-Welded Cabinets Heavy-Duty 36" and 60" Wide Specialty Cabinets Heavy-Duty 48" Wide All-Welded Cabinets Work Benches **Bulk Storage Racks** 137 Open & Closed Steel Shelving Steel Shelving Systems 138 Steel Shelving Systems 139 HULK 24" Container Steel Shelving Systems 140 Super Tuff Euro Drawers Shelving Systems 141



142

Shelf Bin Steel Shelving Systems




We offer you the largest selection of bins, totes, and complete storage solutions in the industry. Our plastic storage products range from small parts and high density storaae to extra larae stackable containers used to organize and sort your heavy-duty or bulky items. Our vast line specializes in unique instrument storage as well as NSF approved storage systems. Whether your requirement is for our new clear storage bins or mobile transport carts, we can fulfill your every need.


With over 25 years of experience, we are healthcare's 'go to' for professional and complete storage solutions. We strive to provide more than just quality products and services. We would like to be your partner for all design and organizational opportunities. Reach out to us today and let us show you our full range of services and products.

Your partner for Healthcare **Storage Solutions!**

TABLE OF CONTENTS









Starter Units

Starter units come complete with two uprights and three tie-bars.

Add-On Units

Add-On units allow you to expand your Starter unit by sharing an upright. Add-On unit includes one common upright and three tie-bars.



							ACCESSORIES		
	STARTER U	NIT	ADD-ON		HANG BAR	12" DUST SHELF	18" DUST SHELF	LOUVERED PANEL	PANEL FRAME
L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	MODEL NO.	MODEL NO.	MODEL NO.	MODEL NO.
					Sin	gle Side Unit			
18"	WS-SS18HC	31 lbs	WS-SS18ADHC	19 lbs	-	WS-1218DSHC	WS-1818DSHC	QLP-1861HC	WS-PM18HC
36"	WS-SS36HC	37 lbs	WS-SS36ADHC	25 lbs	WS-HB36HC	WS-1236DSHC	WS-1836DSHC	QLP-3661HC	WS-PM36HC
48"	WS-SS48HC	42 lbs	WS-SS48ADHC	30 lbs	WS-HB48HC	WS-1248DSHC	WS-1848DSHC	QLP-4861HC	WS-PM48HC
	Double Side Unit								
18"	WS-DS18HC	34 lbs	WS-DS18ADHC	21 lbs	-	WS-1218DSHC	WS-1818DSHC	QLP-1861HC	WS-PM18HC
36"	WS-DS36HC	40 lbs	WS-DS36ADHC	27 lbs	WS-HB36HC	WS-1236DSHC	WS-1836DSHC	QLP-3661HC	WS-PM36HC
48"	WS-DS48HC	45 lbs	WS-DS48ADHC	32 lbs	WS-HB48HC	WS-1248DSHC	WS-1848DSHC	QLP-4861HC	WS-PM48HC

CUSTOMIZE YOUR OWN UNIT!


- For Units using Hanging Brackets:Determine total space you want to fill from left to right
- Select a Starter Unit (either 18" or 36" wide)
- Fill remaining space by utilizing Add-Or Units
- Determine how many basket levels you want to have per unit, which will correspond to the total number of brackets needed
- 5. Dividers and label holders are available for all basket sizes

For Units using Louvered Panels:

- 1. Determine total space you want to fill from left to right
- 2. Select a Starter Unit (either 18", 36" or 48" wide)
- 3. Fill remaining space by utilizing Add-C Units
- Each unit (both Starter or Add-On) will fit a corresponding 18", 36" or 48" louvered panel (note: Louvered panel requires one panel frame)
- 5. Louvered panel will accommodate:
 Hanging Baskets available on pg. 9
 Clear Tip Out Bins available on pg. 124 (note: one hanging bracket pair QTB-LP-BKT is needed per Tip Out Bin)
 Mesh Bins - available on pg. 10
 Plastic Bins - available on pg. 20, 20 to determine quantity of bins that fit on panel)

Hanging Baskets

- 125 lb. load capacity per basket (up to twice as strong as plastic bins)
- Mesh design ensures no accumulation of dirt or dust and instant visibility
- Brilliant chrome finish ensures professional appearance and years of heavy-duty service
- Baskets can be divided allowing maximization of all space



UNIQUELY DESIGNED

for high visibility & easy access!



VERSA WALL | PARTITION WALL SYSTEMS





MODEL NO.	NO. OF BASKETS	BASKET MODEL NO.	NO. OF DIVIDERS	DIVIDER MODEL NO.	NO. OF LABEL HOLDERS	DUST SHELF MODEL NO.
		18" Single Sided System	s - Complete with Baskets, D	vividers, Label Holders and Du	st Shelf	
WS-SS18-7S	7	1017HBC	21	1006DHB	7	WS-1218DSHC
WC CC10 4C21	4	1017HBC	12	1006DHB	7	
WS-SS18-4S3L	3	1617HBC	9	1606DHB	7	WS-1818DSHC
		36" Single Sided System	s - Complete with Baskets, D	vividers, Label Holders and Du	st Shelf	
WS-SS36-7S	7	1035HBC	35	1006DHB	7	WS-1236DSHC
WE EE26 4521	4	1035HBC	20	1006DHB	7	WE 1026DELIG
WS-SS36-4S3L	3	1635HBC	15	1606DHB	7	WS-1836DSH

PARTITION WALL SYSTEMS - ACCESSORIES | VERSA WALL



Dividers

2 SIZES AVAILABLE!

Separate product in basket with use of optional dividers. Dividers are used front to back to create individual compartments.


MODEL NO.	DIMENSIONS W" x H"	SHIP WGT
н	anging Basket Dividers	
1006DHB	10" x 6"	1 lb
1606DHB	16" x 6"	2 lbs

Clear Label Holders

Spikes and Holders

A user friendly method for identifying product. Affixes directly to the front on any basket. Three lengths available.

MODEL NO.	DESCRIPTION	SHIP WGT
	Clear Label Holders	
HBL3C	3" Clear Label Holder	1 lb
HBL165C	16-1/2" Clear Label Holder	1 lb
HBL345C	34-1/2" Clear Label Holder	1 lb





HBL165C



Dust Shelves

MODEL NO.	DIMENSIONS W" x L"	SHIP WGT
	Dust Shelves	
WS-1218DSHC	12" x 18"	5 lbs
WS-1236DSHC	12" x 36"	10 lbs
WS-1248DSHC	12" x 48"	15 lbs
WS-1818DSHC	18" x 18"	7 lbs
WS-1836DSHC	18" x 36"	15 lbs
WS-1848DSHC	18" x 48"	20 lbs
* Dust Shelves not designed	for load bearing	

Horiz Vert

Louvered Panels

MODEL NO.	DIMENSIONS L" x H"	SHIP WGT
Oys	ter White Louvered Panels	;
QLP-1861HC	18" x 61"	21 lbs
QLP-3661HC	36" x 61"	40 lbs
QLP-4861HC	48" x 61"	60 lbs
* Louvered Panels require	frame in order to affix to PARtitio	on Wall Systems





WS-HTH



Hanging Brackets

MODEL NO.	DESCRIPTION	SHIP WGT
	Hanging Brackets	
WS-HBB	90° Bracket Pair (2 pcs)	1 lb
WS-HBBA	Adjustable Bracket Pair (2 pcs)	1 lb

Hang Bars

WS-1218DSHC

Used to mount wire louvered panels on PARtition Wall Systems.

MODEL NO.	DESCRIPTION	SHIP WGT
	Hang Bars	
WS-HB36HC	36" Hang Bar	4 lbs
WS-HB48HC	48" Hang Bar	5 lbs



WS-HB36HC





Exclusive! Mesh Stack & Hang Bins



New patented Wire Mesh Bins are an industry exclusive. Our innovative mesh design offers a nickel-chrome finish and a 3/8" x 3/8" grid pattern allowing complete visibility of the bin's contents. This unique mesh pattern provides a dust and dirt free storage environment. Ultra strong design allows for superior hang capacity perfect for IV fluid storage or anything where hang capacities are vital. Available in 9 popular sizes, Quantum's Mesh Bins stack one on top of the other and feature a rear hanger that allows them to hang from any louvered wall panel or rail system. The open hopper design allows for easy picking while allowing visual access to stored contents. Two optional label holders are available for all Mesh Bins. Finish: Chrome

CHROME MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
QMB510C	5-1/4" x 4-1/4" x 3"	4-3/4" x 4" x 2-7/8"	20	12 lbs
QMB520C	7-1/4" x 4-1/4" x 3"	6-3/4" x 4" x 2-7/8"	20	15 lbs
QMB530C	10-3/4" x 5-1/2" x 5"	10-1/4" x 5-1/2" x 4-3/4"	10	12 lbs
QMB535C	10-3/4" x 11" x 5"	10-1/4" x 10-3/4" x 4-3/4"	10	19 lbs
QMB539C	10-1/2" x 8" x 7"	10" x 7-1/2" x 6-3/4"	10	20 lbs
QMB540C	14-1/2" x 8" x 7"	14" x 7-2/5" x 6-3/4"	10	30 lbs
QMB550C	14-1/2" x 16-1/4" x 7"	14" x 15-3/4" x 6-3/4"	5	17 lbs
QMB560C	18-1/2" x 11" x 10-1/4"	18" x 10-5/8" x 10"	5	21 lbs
QMB570C	18-1/2" x 17" x 11-1/4"	18" x 16-5/8" x 11"	5	28 lbs











OMB560C

QMB539C


Shown with optional

HBL3C

Label Holder

Clear (Sold separately)

QMB520C



QMB530C

QMB539C Shown with optional PS-LH3 Hanging Label Tag Clear, Red, Yellow, Blue and Green (Sold separately)

HIGH VISIBILITY! EASY TO CLEAN! ALL WELDED! Mesh Bins!



OMB560C Mesh Bin Stacked



REAR HANGER All mesh bins have a super strong rear hanger that allows hanging from a louvered panel or rail system



OUTWARD PIVOTING ARM Allows full use and visibility of the entire bin



INWARD PIVOTING ARM Provides a flat stable surface enabling the bins to stack



MESH STACK & HANG BINS



Shipping NHE ROUSIRY					
	WLP-1836C 36"L x 18"H Accepts all sizes of Ultra Stack & Hang Bins and Mesh Bins. Includes 8 direct mount clips. 175 lb. load capacity.	Quantum's new comounting solution hanging bins. Un can be the occasi Quantum's exclusi sizes, completely direct mounting of wood, concrete, dry not included as they are being mounted can be used in place mounted offset (a clean behind the p duty chrome wire	hrome wire louvered pane of all plastic hanging and like a standard louvered pl ional concern of dust or d ve offering of wire panels, resist any buildup of dust clips enable fastening to a <i>ywall, etc.</i>) a snap (<i>note: mc</i> <i>y differ based on what type of</i> <i>to</i>). Offset mounting clips a e of WLP-DMC if you want t <i>way</i>) from a wall surface m anel (<i>sold separately</i>). Manufe, Quantum's wire panels w	d new wi anel whe irt accum available or dirt. I ny surface surface th are also a o have wi aking it e accured c	perfect re mesh re there nulation, in three ncluded ce (wall, rews are pe panels vailable, re panel easier to of heavy-
		dependable and h	eavy-duty service.		
	new	MODEL NO.	DIMENSIONS L" x H"	CTN QTY	CTN WGT
		W	ire Wall Mounted Louvered Panel		
			36" x 18" Wire Louvered Panel	1	12 lbs
		WLP-3036C	36" x 30" Wire Louvered Panel	1	19 lbs
		WLP-3048C	48" x 30" Wire Louvered Panel	1	26 lbs
	WLP-3036C 36"L x 30"H Accepts all sizes of Ultra Stack & Hang Bins and Mesh Bins. Includes 12 direct mount clips. 175 lb. load capacity. (Bins sold separately)		Accessories		
			WLP-DMC Direct Mount Clips - 4 pack	,	
		(1)	ncluded with wire louvered panels)	
			WLP-OSC		
			Offset Mount Clips - 4 pack		
			(Sold separately)		
		WLP-3048C	HIGH VISI		VI
		48"L x 30"H			
		ts all sizes of Ultra Stac		ILEA	N!
		ng Bins and Mesh Bins es 12 direct mount clip			
لصقصاب جاب قصاب ما ا		75 lb. load capacity.	ALL WEL	UED	

	QL	JANTIT	Y OF M	ESH BIN	IS TO FI	T LOU	/ERED F	PANELS			QUANTITY OF ULTRA BINS TO FIT LOUVERED PANELS																
MODEL NO.	QMB 510	QMB 520	QMB 530	QMB 535	QMB 539	QMB 540	QMB 550	QMB 560	QMB 570	QUS 200	QUS 210	QUS 220	QUS 221	QUS 224	QUS 230	QUS 234	QUS 235	QUS 239	QUS 240	QUS 241	QUS 242	QUS 245	QUS 250	QUS 255	QUS 260	QUS 265	QUS 270
WLP-1836C	32	32	18	9	8	8	4	3	2	32	32	32	18	18	18	18	9	8	8	8	8	б	4	6	3	4	2
WLP-3036C	56	56	30	15	16	16	6	6	6	56	56	56	30	30	30	30	15	16	16	16	16	10	6	9	6	8	6
WLP-3048C	77	77	40	20	20	20	8	12	б	77	77	77	40	40	40	40	20	20	20	20	20	10	8	12	12	15	6
See pg. 10 & 88 fo	r bin dim	ensions.																									

www.bin-store.com | 1-877-285-8684



Ultra Hanging Louvered Panels

Quantum Ultra Bins will hang on louvered panels in a wide range of configurations designed to meet all application needs. Use the system best suited to your needs with your choice of Ultra Bins. Systems are formed from heavy-duty 16 gauge cold rolled steel and have a Oyster White or Gray baked-enamel finish which ensures years of heavy-duty use. Louvered panels may be mounted on any suitable wall surface. Fasten securely to assure adequate load bearing.



QLP-1819HC 18"L x 19"H Accepts all sizes of Ultra Bins. 175 lb. load capacity. (Bins sold separately)



QLP-1861HC 18"L x 61"H Accepts all sizes of Ultra Bins. 250 lb. load capacity. (Bins sold separately)



QLP-3619HC 36"L x 19"H Accepts all sizes of Ultra Bins. 175 lb. load capacity. (Bins sold separately)



QLP-3661HC 36"L x 61"H Accepts all sizes of Ultra Bins. 500 lbs. load capacity. (*Bins sold separately*)

MODEL NO.	DIMENSIONS L" x H"	CTN QTY	CTN WGT								
Oyster White Wall Mounted Louvered Panels											
QLP-1819HC	18" x 19" Oyster White Louvered Panel	1	6 lbs								
QLP-1861HC	18" x 61" Oyster White Louvered Panel	1	21 lbs								
QLP-3619HC	36" x 19" Oyster White Louvered Panel	1	13 lbs								
QLP-3661HC	36" x 61" Oyster White Louvered Panel	1	40 lbs								
QLP-4861HC	48" x 61" Oyster White Louvered Panel	1	60 lbs								
Gray Wall Mounted Louvered Panels											
QLP-1819	18" x 19" Gray Louvered Panel	1	6 lbs								
QLP-1861	18" x 61" Gray Louvered Panel	1	21 lbs								
QLP-2721	27" x 21" Gray Louvered Panel	1	11 lbs								
QLP-3612	36" x 12" Gray Louvered Panel	1	8 lbs								
QLP-3619	36" x 19" Gray Louvered Panel	1	13 lbs								
QLP-3661	36" x 61" Gray Louvered Panel	1	40 lbs								
QLP-4819	48" x 19" Gray Louvered Panel	1	18 lbs								
QLP-4861	48" x 61" Gray Louvered Panel	1	60 lbs								

OYSTER WHITE OR GRAY color!



QLP-4861HC 48"L x 61"H Accepts all sizes of Ultra Bins. 500 lbs. load capacity. (Bins sold separately)

		QUANTITY OF ULTRA BINS TO FIT LOUVERED PANELS																
MODEL NO.	QUS 200	QUS 210	QUS 220	QUS 221	QUS 224	QUS 230	QUS 234	QUS 235	QUS 239	QUS 240	QUS 241	QUS 242	QUS 245	QUS 250	QUS 255	QUS 260	QUS 265	QU9 270
QLP-1819	16	16	16	9	12	9	9	3	4	4	4	4	3	2	1	1	4	1
QLP-1861	60	60	60	30	30	30	30	15	14	14	14	14	10	7	7	5	12	5
QLP-2721	30	30	30	12	12	12	12	6	6	6	6	6	3	2	4	4	6	1
QLP-3612	18	18	18	12	12	12	12	6	4	4	4	4	4	2	6	3	8	2
QLP-3619	40	40	40	18	24	18	18	9	8	8	8	8	6	4	6	3	8	2
QLP-3661	120	120	120	60	80	60	60	30	28	28	28	28	20	14	21	15	24	10
QLP-4819	55	55	55	24	24	24	24	12	10	10	10	10	6	4	8	8	10	2
QLP-4861	165	165	165	80	80	80	80	40	35	35	35	35	20	14	28	20	30	10
See pg. 88 for bin d	imensions.																	





Grid-Store Wall Mounted Systems

Grid-Store System provides a strong, versatile solution for organization and storage of small, medium and large supplies. A wide selection of accessories allow for easy storage of items ranging from catheters to crutches. Heavy-duty wall brackets firmly secure panels to walls or any flat surface. Heavy gauge wire grid (1/4" rod) construction allows for secure storage as well as visibility and dust and dirt free storage. Durable white gloss finish is aesthetically pleasing. Grid hooks and accessories are fabricated using 1/4" diameter wire, allowing heavyduty application storage.

GRID-STORE HOOKS

Each hook is a full 1/4" in diameter and ideal for hanging prepackaged items. Available in 3 lengths.

GRID-STORE HOOK TUBE WITH 5 HOOKS

16" Rectangular tubing with 5 hooks.


GRID-STORE SLANTED SHELF

Slanted shelf allows you to display products higher up yet still easy to see. Measures 15-1/4"L x 22-3/8"W.


GRID-STORE BASKETS


 $12^{\prime\prime}L$ x $12^{\prime\prime}W$ x $8^{\prime\prime}H$ baskets, one also available with a $4^{\prime\prime}$ front lip allowing easy access to items stored.

MODEL NO.	DESCRIPTION	CTN QTY	CTN WGT							
	Grid Panels									
GSP-2448	24" x 48" Grid-Store Panel	1	12 lbs							
GSP-2460	24" x 60" Grid-Store Panel	1	15 lbs							
GSP-2472	24" x 72" Grid-Store Panel	1	17 lbs							
Grid Panels Accessories										
GSP-HOOK6	6" Grid-Store Hook	1	1 lb							
GSP-HOOK8	8" Grid-Store Hook	1	1 lb							
GSP-HOOK10	10" Grid-Store Hook	1	1 lb							
GSP-B12128	12" x 12" x 8" Grid-Store Basket	1	3 lbs							
GSP-5HOOK-16	16" Rectangular Tube w/ 5 Hooks	1	2 lbs							
GSP-WMHD	Heavy-Duty Wall Mounting Bracket	1	1 lb							
GSP-SB12128	12" x 12" x 8" Slanted Grid-Store Basket	1	2 lbs							
GSP-SS2215	22-3/8" x 15-1/4" Slanted Shelf	1	4 lbs							



STRONG & VERSATILE SOLUTION for small, medium and large supplies!





Accessories












Cantilever Single Shelf Wall Mount

Cantilever shelving is an excellent way to create storage space when floor space isn't available. Simple in design, our cantilever shelving systems are easy to assemble and install. Cantilever Arm is available in 14", 18" and 24" depths. Two cantilever arms and 2 mounting brackets are included per order. Chrome wire shelves are sold separately and are available on *pg. 38*.

MODEL NO.	DESCRIPTION	SHIP WGT
DWB14	2 - 14" cantilever arms & 2 mounting brackets	3 lbs
DWB18	2 - 18" cantilever arms & 2 mounting brackets	4 lbs
DWB24	2 - 24" cantilever arms & 2 mounting brackets	5 lbs



BRACKET





Adjustable post wall mount systems use a post cantilever single arm of 14", 18" or 24" with appropriate shelf size and post height. Two post cantilever single arms and 4 post mount brackets are included per order.

Post Cantilever Double Arm is available in 14", 18" and 24" and uses the center post for continuous or add-on shelf sections. One post cantilever double arm and 2 post mount brackets are included per order. Wire shelves and post are sold separately and available on *pg. 38 & 39*.

MODEL N	O. DESCRIPTION	SHIP WGT
	Single Post Cantilever Arms	
CB14	2 - 14" single post cantilever arms & 4 post mount brackets	5 lbs
CB18	2 - 18" single post cantilever arms & 4 post mount brackets	6 lbs
CB24	2 - 24" single post cantilever arms & 4 post mount brackets	7 lbs
	Double Post Cantilever Arms	
DCB14	1 - 14" double post cantilever arm & 2 post mount brackets	10 lbs
DCB18	1 - 18" double post cantilever arm & 2 post mount brackets	12 lbs
DCB24	1 - 24" double post cantilever arm & 2 post mount brackets	14 lbs



PWB Post Mount Bracket Used to secure cantilever post mount units and free standing shelving units to wall. Sold in a pack of 4. (Mounting Screws are not included)

TO ORDER THE ABOVE CONFIGURATION,
YOU WOULD ORDER THE FOLLOWING:
2 - CB18
2 - DCB18
4 - 1836C
3 - P34C
To further extend the configuration shown by an additional
section to the left or right, simply order:
2 - DCB18
2 - 1836C
1 - P34C
To further extend the configuration shown by an additional
shelf level, simply order:
1 - CB18
1 - DCB18
2 - 1836C
Your options are unlimited!





Basket Dividers

Optional dividers can be used to separate product. *Finish:* Chrome

DIVIDER MODEL NO.	DIMENSIONS L" x H"	SHIP WGT
149DC	14" x 9"	1 lb
209DC	20" x 9"	2 lbs
2012DC	20" x 12"	2 lbs



Post Wall Mount Cantilever with Bin Holders Complete Packages

Easy access, adjustable wall mounted bin systems. Available in 36", 48" and 60" widths. Bins available in Blue, Green, Ivory, Red, Yellow, Black and Clear. Optional bin dividers, windows and clear label holders are available on *pg.* 88.

Available in:	Blue Green	Ivory Re	d <mark>O</mark> Yellov	v ●Black Clear	
MODEL NO.	NO. OF BIN HOLDERS	DIMENSIONS L" x H"	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
Wire Cantilever Bin Holder Complete with Bins Available in Blue, Green, Ivory, Red, Yellow, Black and Clear					
CAN-34-36BH-230	3	36" x 34"	18 QUS230	10-7/8" x 5-1/2" x 5"	26 lbs
CAN-34-48BH-230	3	48" x 34"	24 QUS230	10-7/8" x 5-1/2" x 5"	34 lbs



Post Wall Mount Cantilever with Baskets *Complete Packages*

Modular Wire Baskets mount to standard post to utilize wall space efficiently. Baskets allow for high visibility and quick accessibility. Baskets are adjustable and removable. *Finish:* Chrome

MODEL NO.	NO. OF BASKETS	BASKET MODEL NO.	BASKET DIMENSIONS W" x L" x H"	SHIP WGT
34"H Wire	e Cantilever wi	th Baskets Com	plete Packages	
CAN-34-1436BC-PWB	2	1436BC	14" x 36" x 9"	26 lbs
CAN-34-1448BC-PWB	2	1448BC	14" x 48" x 9"	32 lbs
CAN-34-2036BC-PWB	2	2036BC	20" x 36" x 9"	30 lbs
CAN-34-2048BC-PWB	2	2048BC	20" x 48" x 9"	36 lbs
CAN-34-203612BC-PWB	2	203612BC	20" x 36" x 12"	34 lbs
CAN-34-204812BC-PWB	2	204812BC	20" x 48" x 12"	38 lbs









PARtition Store Starter Unit

Starter units come complete with 2 frames, 4 cross bars, top wire shelf, full extension slides, bottom dust cover and four 4"H casters, 2 with brakes.



Add-on units come complete with 1 frames, 4 cross bars, top wire shelf, full extension slides, bottom dust cover and two 4"H casters, 1 with brake.



PARtition Store Add-On Unit

PARtition Store Single Bay Carts

PERFORMANCE **FEATURES**

- Designed for transport of sterile supplies All-welded 1" square tubular •
- epoxy-coated steel frame
- Sturdy base with solid shelf

-3-

BIII

58-1/2" H

-3-



QUANTUM

your medical storage solution!

PS-SBC58-6WB 29-1/2"D x 25"W x 58-1/2"H 1 - 3" wire baskets 4 - 5" wire baskets 1 - 8" wire baskets

PS-SBC58-6PT 29-1/2"D x 25"W x 58-1/2"H 5 - 4" trays 1 - 8" tray

PS-SBC58-6S 29-1/2"D x 25"W x 58-1/2"H 6 - wire shelves

Shipping

FULL CAPACITY COMPARTMENTS

and minimizes dust



PS-SBC58-6WB Wire Basket



Plastic Mesh Trays



PS-SBC58-6S Wire Shelves



MAXIMUM CAPACITY and versatility

COMPLETE PACKAGES with drawers!





PS-DBC-7WB7S Cart with Wire Baskets & Shelves 29-1/2"D x 44"W x 74-1/2"H 7 - 5" wire baskets 7 - wire shelves

Also available: **PS-DBC-14WB Cart with Wire Baskets** 29-1/2"D x 44"W x 74-1/2"H **14** - 5" wire baskets


PS-DBC-14S Cart with Wire Shelves 29-1/2"D x 44"W x 74-1/2"H 14 - wire shelves

QUANTUM your medical storage solution!

PARtition Store Double Bay Carts

- Features designed for transport of sterile supplies
- All-welded 1-1/2" square tubular epoxy-coated steel frame
- Sturdy base with solid shelf insert for infection control
- 5" quiet poly swivel casters
- Standard donut bumpers on corners which protect walls and provide cushion impact
- Accessories include dividers and label holders
- Custom configurations are available, call a product specialist for details





- Slide Extension Pair **PS-SSE**
- Slant Slide Extension Pair **PS-WS2414** F
- Flat Shelf Available in: - White - Chrome
- F **PS-TS22184WT** White Top Shelf PS-TS22184C G
- Chrome Top Shelf

- 8" Basket Long Divider PS-WBSD-8 8" Basket Short Divider
- WIRE AND **PLASTIC OPTIONS AVAILABLE!**
- PS-PMT16248 8" Mesh Tray
- 24" x 16" x 8" **PS-DC2214** Е Bottom Dust Cover
- 22" x 14" F **PS-PLD2** 2"Tray Long Divider PS-PSD2 2"Tray Short Divider PS-PLD4 4"Tray Long Divider
- **PS-PLH** Label Holder **PS-PDL** Divider Lock PS-LH3 3" x 1-3/8" Hanging Label Tag Available in: - Clear - Blue - Yellow
- Red Green

1

Κ





Open Frame Cart

- Open Frame Carts complete with Trays
- Extended robust base, used for convening of material between department
- Optional dividers allow trays to be divided every two inches, see *pg. 20*.

QUANTUM your medical storage solution!

SINGLE & DOUBLE BAY CARTS complete with trays





High Density Racks with Plastic Trays

- Achieves the highest level of storage capacity per square foot. Up to 60% additional storage capacity as compared to wire shelving
- Baskets can be divided every 2". Compartments can be made to fit the exact size and quantity of the supplies being stored
- Top basket is angled so those at the higher levels can still be fully accessed
- Top basket creates a gravity feed system
- Great for suture storage
- Tray stops PS-PTS are provided to prevent the accidental removal of baskets
- More cost effective than other similar systems available
- Two sizes are available to fit most space requirements



PS-P2674-1A9 Starter Unit 26"D x 18"W x 74"H **1** - 2" tray **8** - 4" trays

1 - 8" tray Also available: PS-PA2674-1A9

Add-on Unit 26"D x 18"W x 74"H 1 - 2" tray 8 - 4" trays 1 - 8" tray



Starter units come complete with 2 frames, cross bars, full extension slides, trays and four $4^{\prime\prime}H$ casters.

Add-on units come complete with 1 frame, cross bars, full extension slides, trays and two 4"H casters.

QUANTUM your medical storage solution!



STARTER UNITS shown with 3 add-on units



PS-P1874-1A7 Starter Unit 18"D x 26"W x 74"H 1 - 2" trays 6 - 4" tray 1 - 8" tray

Also available: **PS-PA1874-1A7 Add-on Unit** 18"D x 26"W x 74"H **1** - 2" trays **6** - 4" tray **1** - 8" tray

HIGH DENSITY RACKS & ACCESSORIES VERSA WORKS





VERSA STORE | MEDICAL CARTS





W-MC-232436-5 24-1/2"D x 23"W x 36"H Drawer configuration from top down: 3"-3"-5"-6"-6"



Economy 5 Drawer Cart

PERFORMANCE **FEATURES**

- Antimicrobial properties built-in to protect portions of the product
- Centralized key locking standard
- Drawers with ball bearing slides designed to push in and lock even after the cart is secure
- · Ergonomic push handles for ease while pushing
- Removable, easy to clean ABS plastic top
- 5" premium easy roll casters, 1 swivel, 2 with brake and 1 convertible tracking caster
- Stabilizer base with non-marking high impact plastic bumper
- Integrated drawer handles run the length of • the drawer for easy access
- Cart is available in Light Gray
- Accessories W-MC-OTB W-MC-CBB W-MC-SR1 W-MC-IV **Oxygen Tank Bracket** IV Pole & Bracket **Cardiac Board & Bracket** Side Rail 16" adjustable velcro strap.

6 Drawer Aluminum Crash Cart

PERFORMANCE **FEATURES**

- New dual pull-out shelves provide additional work surface on both sides of the cart
- Antimicrobial properties built-in to protect portions of the product
- 4 vertical aluminum corner mounting tracks to mount accessories without the need of pre-drilled holes
- 2 side mounting panels to assist in placement of accessories
- Dual push handles
- ABS cutaway plastic top minimizes wrist strain when writing or working on the cart's surface
- Centralized locking with 5 available options
- Ability to configure drawers to fit individual needs at no additional charge
- 5" premium easy roll casters, 1 full swivel, 2 swivel with brake and 1 swivel with tracking
- · Stabilizer Base with high impact, non-marking plastic bumper to add stability and help keep cart from tipping
- Drawers with ball bearing slides were designed to push in and lock even after the cart has been secured
- Custom configurations are available, call a product specialist for details



Aluminum Five-Drawer 24" Auto-Locking Mini Cart

PERFORMANCE FEATURES

- Lightweight aluminum construction
- Master code for all programming
- Access code for normal, daily use
- Up to 250 user codes possible
- Manual or automatic locking
- Auto-Lock timer can be set from 1 to 998 minutes, or it can be shut off so that the cart never auto-locks
- Auto-Lock timer programming can be limited to master code only
- Battery operated; never needs to be plugged into an outlet
- "Low Battery" indicator light
- Manual key override for emergency access

FRON AVA

A-MC-PR Optional Proximity Reader

Simply wave the card in front

of the reader to open. Lock

the cart by pressing the "Lock" button or set the Auto-Lock

Timer for anywhere from 1 to

998 minutes. The Proximity


Reader will read most low frequency HID[™] Prox Cards

(125 kHz.)

A-MC-AA34-33369 + A-MC-PR 21-5/8"D x 21-1/2"W x 34-3/4"H

Drawer configuration from top down: 3"- 3"- 6" - 9"

11 DRAWER FRONT COLORS AVAILABLE!



4 Drawer Steel Isolation Cart

PERFORMANCE FEATURES

- Antimicrobial properties built-in to protect portions of the product
- Ball bearing slides with quick release
- Dual push handles
- ABS plastic molded top
- 5" premium easy roll casters, 1 full swivel, 2 swivel with brake and 1 swivel with tracking
- Stabilizer Base with high impact, non-marking plastic bumper to add stability and help keep cart from tipping
- Pre-threaded holes on sides & back to easily mount accessories
- Latex Free
- Custom configurations are available, call a product specialist for details



STORES UNDER

Counters

QUANTUM your medical storage solution!

W-MC-SI43-4699 24-1/2"D x 29"W x 43-1/2"H Drawer Configuration from top down: 4"- 6"- 9"- 9"



W-MC-GBH Glove Box Holder



()



W-MC-SH Sharps Container Holder (Sharps container not included)



W-MC-CR Coat Rack

Steel Push-Button Cart

PERFORMANCE FEATURES

- Antimicrobial properties built-in to protect portions of the product
- Push-button locking with key override
- Ball bearing slides with quick release
- Dual push handles
- ABS plastic molded top
- 5" Premium easy roll casters, 1 full swivel,
 2 swivel with brake and 1 swivel with tracking
- Stabilizer base with high impact, non-marking plastic bumper to add stability and help keep cart from tipping
- Pre-threaded holes on sides & back to easily mount accessories
- Latex free
- Custom configurations are available, call a product specialist for details

QUANTUM your medical storage solution!

5 & 6 Drawer Junior Tall Lightweight Aluminum Bedside/Slim Cart

PERFORMANCE FEATURES

- The patented U-Divide[™] divider system included in every drawer
- New dual pull-out shelves provide additional work surface on both sides of the cart
- Antimicrobial properties built-in to protect portions of the product
- 4 vertical aluminum corner mounting tracks to mount accessories without the need of pre-drilled holes
- 2 side mounting panels to assist in placement of accessories.
- Dual push handles
- ABS plastic top minimizes wrist strain when writing or working on the cart's surface
- Centralized locking with 5 available options
- Ability to configure drawers to fit individual needs at no additional charge
- 5" premium easy roll casters, 1 full swivel, 2 swivel with brake and 1 swivel with tracking
- Stabilizer Base with high impact, non-marking plastic bumper to add stability and help keep cart from tipping
- Drawers with ball bearing slides were designed to push in and lock even after the cart has been secured
- Custom configurations are available, call a product specialist for details



W-MC-SP43-43669 24-1/2"D x 29"W x 43-1/2"H Drawer configuration from top down: 4" - 3" - 6" - 6" - 9"



W-MC-AB42-33669 24-1/2"D x 23"W x 42"H Drawer configuration from top down: 3"- 3"- 6"- 6"- 9"



MEDICAL CARTS | VERSA STORE



Aluminum Five-Drawer 24" Auto-Locking Cart

PERFORMANCE **FEATURES**

- Aluminum auto-locking cart
- Beige shell with eighteen •
- drawer colors available 5" casters, 4 swivel, 2 with brake and 1 with tracking
- Custom configurations are available, call a product specialist for details



A-MC-AA39-33369 25-1/5"D x 34-1/2"W x 39-1/2"H Includes bumper, handles and casters

THINK LIGHT!

Drawer configuration from top down: 3" - 3" - 3" - 6" - 9"



LESS RUNNING,

more patient time!





Aluminum Cart

S-MC-A36-6666 20-1/2"D x 27-1/4"W x 36-3/4"H Drawer configuration from top down: 6"-6"-6"-6"

PERFORMANCE **FEATURES**

- Durable lightweight aluminum construction with powder coat/ anodized aluminum finish
- Aluminum drawer box, with auto-return glides
- Adjustable drawer inserts for customized configurations
- Drawers can accommodate plastic trays with dividers
- Central key lock
- Seamless plastic top with raised edges and work surface that will pull-out on either side of the cart
- Accessory rails for mounting easy-access storage, convenience items, and many other accessories
- Integrated label holders on the drawers for quick identification of contents
- 4" medical grade plate locking casters
- Custom configurations are available, call a product specialist for details

4 TRIM COLORS AVAILABLE!



QUANTUM

your medical storage solution!





Medical Supply Carts



Quantum Medical supply carts are made of durable anodized aluminum weighing in at half the weight of traditional metal carts. Roll top tambour doors secure contents when closed and store out of the way when open. Carts are also available with glass doors. The interior provides a modular storage system that accepts a wide range of trays, baskets and department-specific accessories. An integrated rail system for accessories creates efficient storage on the exterior of the carts. These systems combine to make these carts infinitely customized to your specific medical storage needs. Custom configurations are available, call a product specialist for details.



PERFORMANCE FEATURES

- 5" medical grade plate casters
- Central key lock
- · Durable interior provides a modular system that accepts a wide range of trays, baskets and other storage accessories
- Built using a lightweight aluminum composite base and frame
- Side mounted accessory rail system with full line of height adjustable exterior accessories
- Easy-grip push/pull aluminum handle
- Custom configurations are available, call a product specialist for details





Shown with optional accessory (Sold separately)

MEDICAL SUPPLY CARTS | VERSA STORE







Suture Carts

PERFORMANCE FEATURES

- 5" medical grade plate casters
- Central key lock
- Built using a lightweight aluminum composite base and frame
- Closed suture cart includes side mounted accessory rail system with full line of height adjustable exterior accessories
- Easy-grip push/pull aluminum handle
- Custom configurations are available, call a product specialist for details



S-MC-A60-SC16 Double Sided Suture Cart 20-1/4"D x 32"W x 60"H 16 - adjustable shelves for suture box storage (8 on each side)



S-MC-A60-CSC10 Closed Double Sided Suture Cart 24-1/4"D x 35-3/4"W x 60"H 10 - adjustable shelves for suture box storage (5 on each side) 3 - 4" tray with 3 short and 3 long dividers

DURABLE & LIGHTWEIGHT

Medical Supply Carts!

(5 on each side) **3** - 4" tray with **3** short and **3** long dividers central key lock

Scope Storage Cabinets



PERFORMANCE FEATURES

- Foam scope cue with adjustable arms fits multiple sizes
- Cushioned upper and lower cord managers allow for easier management of both short and extra long endoscopes
- Cushioned removable drip pan slopes to center for easy cleaning
- Full cushioned back panel
- Optional HEPA fan unit available, model S-SC-HFVU

MODEL NO.	OUTSIDE DIMENSIONS W" x L" x H"	NO. OF SCOPES CABINET HOLDS	SHIP WGT
S-SC-182448B-5	18" x 24" x 48"	5	125 lbs
S-SC-182460B-5	18" x 24" x 60"	5	130 lbs
S-SC-182492E-5	18" x 24" x 92"	5	215 lbs
S-SC-182492E-10	18" x 24" x 92"	10	215 lbs
S-SC-183692E-8	18" x 36" x 92"	8	220 lbs
S-SC-183692E-16	18" x 36" x 92"	16	220 lbs
S-SC-184292E-9	18" x 42" x 92"	9	225 lbs
S-SC-184292E-18	18" x 42" x 92"	18	225 lbs
	HEPA Filtered Fan Ventil	ation Unit	
S-SC-HFVU	-	-	4 lbs



S-SC-183692E 18"D x 36"W x 92"H **8** - foam scope cue with adjustable arms



ROLL TOP TAMBOUR DOOR INCLUDED WITH ALL SCOPE CABINETS

MEDICAL SUPPLY CABINETS | VERSA STORE





S-SC-1836-1S5D7CM 18-3/4"D x 36"W x 84"H 1 - shelf with 5 adjustable dividers 7 - 7 hook catheter managers

S-SC-1842-1S7D9CM 18-3/4"D x 42"W x 84"H 1 - shelf with 7 adjustable dividers 9 - 7 hook catheter managers

S-SC-2436-1S5D7CM 24-3/4"D x 36"W x 84"H 1 - shelf with 5 adjustable dividers 7 - 9 hook catheter managers

S-SC-1836-5S25D

18-3/4"D x 36"W x 84"H

5 - adjustable shelves

25 - adjustable shelf dividers

S-SC-1842-5S35D

18-3/4"D x 42"W x 84"H

5 - adjustable shelves

35 - adjustable shelf dividers

S-SC-2436-5S25D

24-3/4"D x 36"W x 84"H

5 - adjustable shelves

25 - adjustable shelf dividers



S-SC-1836-1S5DBC 18-3/4"D x 36"W x 84"H 1 - shelf with 5 adjustable dividers 1 - box catheter cabinet

S-SC-1842-1S7DBC 18-3/4"D x 42"W x 84"H 1 - shelf with 7 - adjustable dividers 1 - box catheter cabinet

AIRECORE CABINETS ARE MOISTURE-RESISTANT

and easily cleaned!

S-SC-1836-1S7CM 18-3/4"D x 36"W x 84"H **7** - 7 hook catheter managers

S-SC-1842-1S7CM 18-3/4"D x 42"W x 84"H **7** - 7 hook catheter managers

S-SC-2436-1S7CM 24-3/4"D x 36"W x 84"H **7** - 9 hook catheter managers





S-SC-1836-654CM 18-3/4"D x 36"W x 84"H **6** - adjustable shelves **4** - 7 hook catheter managers

S-SC-1842-6S4CM 18-3/4"D x 42"W x 84"H **6** - adjustable shelves **4** - 7 hook catheter managers



S-SC-2436-254D22 24-3/4"D x 36"W x 84"H 2 - adjustable shelves 4 - adjustable shelf dividers 14 - 4" tray with 3 short and 3 long dividers 6 - 6" tray with 2 short and 2 long dividers 2 - 10" wire basket



ROLL TOP TAMBOUR DOOR INCLUDED WITH ALL CABINETS

VERSA COMPLIMENTS | UTILITY CARTS - WIRE





	WIRE SHEL	F	WIRE & SOLID SHE	LF	SOLID SHELF	:
DIMENSIONS W" x L" x H"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
	2 Wire She Mobile Utility	-	1 Wire & 1 Solid Sh Mobile Utility Car		2 Solid Shel Mobile Utility C	
18" x 36" x 37-1/2"	WRC-1836-2	30 lbs	WRC-1836-2CG	37 lbs	WRC-1836-2G	44 lbs
18" x 42" x 37-1/2"	WRC-1842-2	32 lbs	WRC-1842-2CG	41 lbs	WRC-1842-2G	50 lbs
18" x 48" x 37-1/2"	WRC-1848-2	37 lbs	WRC-1848-2CG	45 lbs	WRC-1848-2G	56 lbs
24" x 36" x 37-1/2"	WRC-2436-2	36 lbs	WRC-2436-2CG	42 lbs	WRC-2436-2G	48 lbs
24" x 42" x 37-1/2"	WRC-2442-2	40 lbs	WRC-2442-2CG	47 lbs	WRC-2442-2G	54 lbs
24" x 48" x 37-1/2"	WRC-2448-2	44 lbs	WRC-2448-2CG	52 lbs	WRC-2448-2G	60 lbs
	3 Wire She Mobile Utility		2 Wire & 1 Solid Sh Mobile Utility Car		3 Solid Shel Mobile Utility C	
18" x 36" x 37-1/2"	WRC-1836-3	37 lbs	WRC-1836-3CG	46 lbs	WRC-1836-3G	60 lbs
18" x 42" x 37-1/2"	WRC-1842-3	42 lbs	WRC-1842-3CG	49 lbs	WRC-1842-3G	68 lbs
18" x 48" x 37-1/2"	WRC-1848-3	48 lbs	WRC-1848-3CG	52 lbs	WRC-1848-3G	76 lbs
24" x 36" x 37-1/2"	WRC-2436-3	49 lbs	WRC-2436-3CG	55 lbs	WRC-2436-3G	67 lbs
24" x 42" x 37-1/2"	WRC-2442-3	55 lbs	WRC-2442-3CG	62 lbs	WRC-2442-3G	76 lbs
24" x 48" x 37-1/2"	WRC-2448-3	60 lbs	WRC-2448-3CG	68 lbs	WRC-2448-3G	84 lbs





CARTS OFFER 550 lb. load capacity!

Polymer Utility Carts

Rugged, heavy-duty carts are ideal for any application. Carts will not rust, dent, chip or peel and are impervious to most chemicals, making them easy to clean. Set of 2 swivel and 2 rigid $5'' \times 1-1/4''$ heavy-duty casters allow for 550 lb. load capacity and provide a soft ride, even on rough surfaces. Comfort grip push handle allows for easy handling. Available in two sizes with a 2 or 3 shelf combination. Also available, Flat Top Shelf cart with a 2 or 3 shelf combination. All carts available in Gray.



PFTC4026-33-3 40"L x 26"W x 32-1/2"H (Also available in a 2 shelf design)





OUTSIDE DIMENSIONS	INSIDE SHELF	NO. OF	SHIP
L" x W" x H"	DIMENSIONS L" x W"	SHELVES	WGT
34-1/4" x 17-1/2" x 32-1/2"	29-1/4" x 15-1/4"	2	38 lbs
34-1/4" x 17-1/2" x 32-1/2"	29-1/4" x 15-1/4"	3	51 lbs
40" x 26" x 32-1/2"	35" x 23"	2	54 lbs
40" x 26" x 32-1/2"	35" x 23"	3	74 lbs
	Plastic Flat Top Shelf Cart		
40" x 26" x 32-1/2"	35" x 23"	2	51 lbs
40" x 26" x 32-1/2"	35" x 23"	3	71 lbs
	Additional Shelves		
34-1/4" x 17-1/2"	29-1/4" x 15-1/4"	1	13 lbs
40" x 26"	35" x 23"	1	20 lbs
	34-1/4" x 17-1/2" x 32-1/2" 34-1/4" x 17-1/2" x 32-1/2" 40" x 26" x 32-1/2" 40" x 26" x 32-1/2" 40" x 26" x 32-1/2" 40" x 26" x 32-1/2" 34-1/4" x 17-1/2"	34-1/4" x 17-1/2" x 32-1/2" 29-1/4" x 15-1/4" 34-1/4" x 17-1/2" x 32-1/2" 29-1/4" x 15-1/4" 40" x 26" x 32-1/2" 35" x 23" 40" x 26" x 32-1/2" 35" x 23" Plastic Flat Top Shelf Cat 40" x 26" x 32-1/2" 35" x 23" dot x 26" x 32-1/2" Adot x 26" x 32-1/2" Adot x 26" x 32-1/2" Additional Shelves 34-1/4" x 17-1/2" 29-1/4" x 15-1/4"	34-1/4" x 17-1/2" x 32-1/2" 29-1/4" x 15-1/4" 2 34-1/4" x 17-1/2" x 32-1/2" 29-1/4" x 15-1/4" 3 40" x 26" x 32-1/2" 35" x 23" 2 40" x 26" x 32-1/2" 35" x 23" 3 Plastic Flat Top Shelf Catt 40" x 26" x 32-1/2" 35" x 23" 3 Ad" x 26" x 32-1/2" 35" x 23" 3 Ad" x 26" x 32-1/2" 35" x 23" 3 Additional Shelves 34-1/4" x 17-1/2" 29-1/4" x 15-1/4" 1



SHIP WGT

21 lbs

SHIP WGT

103 lbs

46 lbs









Open Surgical Case Carts

3 Sided Frame

STAINLESS MODEL NO

2436FS

2448FS

2460FS

Finish: 304 Stainless Steel

DIMENSIONS W" x L"

24" x 36"

24" x 48"

24" x 60"

SHIP WGT

8 lbs

9 lbs

10 lbs

Corrosion-free surgical case cart transports and delivers surgical instrumentation packs from the OR supply center to the operating room. *Finish:* 304 Stainless Steel

Each unit consists of:

- 4 42" stainless steel posts
- 2 stainless steel wire shelves
- 1 stainless steel solid shelf
- 1 stainless steel 3-sided frame
- 1 stainless steel push handle
- 4 5" swivel, stainless steel poly stem casters and 2 with brake (casters come with Zerk grease fittings)
- 4 donut bumpers

MODEL NO.	DIMENSIONS W" x L" x H"	NO. OF SHELVES	SHIP WGT
WRSC3-42-2436FS	24" x 36" x 48"	3	77 lbs
WRSC3-42-2448FS	24" x 48" x 48"	3	88 lbs
WRSC3-42-2460FS	24" x 60" x 48"	3	106 lbs

Each unit consists of:

- 4 54" stainless steel posts
- 3 stainless steel wire shelves
- 1 stainless steel solid shelf
- 1 stainless steel 3-sided frame
- 1 stainless steel push handle
- 4 5" swivel, stainless steel poly stem casters and 2 with brake
 - (casters come with Zerk grease fittings)
- 4 donut bumpers

MODEL NO.	DIMENSIONS W" x L" x H"	NO. OF SHELVES	SHIP WGT
WRSC4-54-2436S	24" x 36" x 60"	4	94 lbs
WRSC4-54-2448S	24" x 48" x 60"	4	108 lbs
WRSC4-54-2460S	24" x 60" x 60"	4	131 lbs

Stainless Steel Work Table with Adjustable Undershelf

Heavy-duty 304 stainless steel processing tables are ideal for pack and prep in sterile environments. Units consist of a flat top work surface with hemmed edges and the lower flat bottom shelf is adjustable from 3" to 27" high. Tables are NSF approved. The support legs are 1-5/8" diameter with a leveling foot which can be converted to a mobile unit with a 3" conductive caster kit, all swivel and 2 with brake. (Sold separately) **Finish:** 304 Stainless Steel

MODEL NO.	DIMENSIONS W" x L" x H"	NO. OF SHELVES	SHIP WGT			
	Stationary Instrument					
SST-2436U	24" x 36" x 34"	1	50 lbs			
SST-2448U	24" x 48" x 34"	1	60 lbs			
SST-2460U	24" x 60" x 34"	1	70 lbs			
SST-2472U	24" x 72" x 34"	1	80 lbs			
Mobile Kit						
SST-MOB	4 Swivel Casters, 2	with Brakes	4 lbs			

NSE



Bin Transport Carts

Modular in design, the Bin Transport Cart provides an integrated system to transfer items. Carts enable you to color code, hold or transport inventories and supplies. Ideal for use in central supply and laundry. Bins are autoclavable up to 250°F. Bins available in Blue, Red and Yellow. *Cart Finish:* Chrome

Available in: Blue	🛡 Red 💛	Yellow		
MODEL NO.	NO. OF SHELVES		BIN DIMENSIONS L" x W" x H"	SHIP WGT
30"x 36" x 69" Wire Shelving Unit with HULK Containers				
WRC2-63-3036-974976	2	2	29-7/8" x 16-1/2" x 11"	150 lbs
WRC2-03-3030-974970	2	6	29-7/8" x 16-1/2" x 15"	100103
30"x 36" x 42" Wire Shelving Unit with HULK Containers				
WRC2-36-3036-976	2	4	29-7/8" x 16-1/2" x 15"	88 lbs

COMPLETE PACKAGES with bins!



Bins & Wire Shelves Transport Cart

The combination of bins and modular shelving creates a highly efficient method of visually identifying and transporting multiple items. The large capacity bins allow for color coding and the rotation of inventories. This multi-tasked unit is excellent for a wide variety of applications and transport solutions. Bins are available in Blue, Red, Yellow and Clear. *Cart Finish:* Chrome

Each unit consists of:

- **4** 63" posts
- **2** 54" posts
- **2** 24" x 60" wire shelves
- **3** 24" x 36" wire shelves
- 4 5" swivel poly stem casters, 2 with brakes
- 4 donut bumpers
- **4 QUS955** (23-7/8" x 18-1/4" x 12")

Available in:
Blue
Red
Yellow
Clear

MODEL NO.	ODEL NO. DIMENSIONS W" x L" x H"		SHIP WGT
WRCPL-63-2460-955	24" x 60" x 69"	4 QUS955	165 lbs

COMPLETE PACKAGES with bins!





A user friendly method for identifying product. Affixes directly to the front on any hanging basket. Available in three lengths. (Sold separately)

MODEL NO.	DESCRIPTION	SHIP WGT
	Clear Label Holders	
HBL3C	3" Clear Label Holder	1 lb
HBL165C	16-1/2" Clear Label Holder	1 lb
HBL345C	34-1/2" Clear Label Holder	1 lb



LH3C and LH3B Front Shelf View



QUANTUM

your medical storage solution!

LHA3C Top Shelf View



LHA3C Bottom Shelf View

Shelf Label Holders

lengths. (Sold separately)

MODEL NO.

BLH3C

BLH14C

BLH32C

Are an excellent method for identifying pro-duct. Affix directly to truss on any size shelf. Ten lengths to choose from.

A user friendly method for identifying product. Affixes

directly to the front on any stacking basket. Available in three

DESCRIPTION Clear Label Holders

3" Clear Label Holder

14" Clear Label Holder

32" Clear Label Holder

MODEL NO.	DESCRIPTION	SHIP WGT
LH3B	3" Gray Label Holder	1 lb
LH3C	3" Clear Label Holder	1 lb
LH12C	12" Clear Label Holder	1 lb
LH24C	24" Clear Label Holder	1 lb
	Full Length Label Holders	
LH33C	33" Clear Label Holder Fits 36" Shelf	1 lb
LH39C	39" Clear Label Holder Fits 42" Shelf	1 lb
LH45C	45" Clear Label Holder Fits 40" Shelf	1 lb
LH51C	51" Clear Label Holder Fits 54" Shelf	1 lb
LH57C	57" Clear Label Holder Fits 60" Shelf	1 lb
LH69C	69" Clear Label Holder Fits 72" Shelf	1 lb
	Angled Label Holder - 30°, 60° and 90°	
LHA3C	3" Angled Clear Label Holder	1 lb



SHIP WGT

1 lb

1 lb

1 lb



Shelves - Finish Options



Chrome - A bright, shiny surface which comes from a plating process where hard chrome is deposited over a nickel surface. This finish is the most popular utilized due to it being extremely durable and able to be used in almost any type of application.

304 Stainless Steel - 304 Stainless with an electropolish finish represents the highest industry standard in the prevention of corrosion. This finish is highly effective in clean rooms, sanitary environments, or anywhere corrosion is possible.

Proform - Is an economical solution for high humidity or wet environment. The carbon steel is treated with a zinc phosphate base. A hybrid epoxy with an antibacterial agent is electrostatically applied over the treated surface offering antimicrobial protection. **Color:** Light Green

PERFORMANCE FEATURES

- All welded construction with additional wire trussing for high strength characteristics
- Top mat wires run front to back (except on 12" x 36" size) for ease of loading and unloading
- Wire allows air to circulate and light to penetrate for increased product visibility
- Minimal dirt accumulation
- Split conical sleeve adaptors secure shelf corner to post
- Numbered grooved posts on 1" increments for quick assembly
- No tools required for assembly
- Adjustable foot levelers
- Durable finishes
- Aesthetically pleasing
- Optional accessories
- National Sanitation Foundation (NSF) Approved
- Shipped KD Class 70
- 600 to 800 lb. capacity per shelf



Wi	ro	Sh		DC
• • • •	10	211	EIV	C 3

Genuine Quantum modular wire systems offer a unique combination of shelf and post sizes in a variety of finishes to compliment any application. The all welded shelf construction is supported with architectural wire trusses to provide between 600 lb. and 800 lb. capacity per shelf.

		CHROME	STAINLESS STEEL	PROFORM
SHELF W" x L"	SHIP WGT	MODEL NO.	MODEL NO.	MODEL NO.
IT AL	WG1	12" Deep W		
12" - 24"	C llba	12 Deep W		1224D*
12" x 24"	6 lbs	_	1224S*	1224P*
12" x 30" 12" x 36"	6 lbs 7 lbs	1230C 1236C	1230S* 1236S	1230P*
				1236P
12" x 42"	8 lbs	1242C	1242S*	1242P*
12" x 48"	9 lbs	1248C	12485	1248P
12" x 60"	14 lbs	1260C	12605	1260P
12" x 72"	17 lbs	1272C	12725	1272P
		14" Deep W		
14" x 24"	6 lbs	1424C	1424S*	1424P*
14" x 30"	7 lbs	1430C	1430S	1430P*
14" x 36"	8 lbs	1436C	1436S	1436P
14" x 42"	10 lbs	1442C	1442S	1442P*
14" x 48"	11 lbs	1448C	1448S	1448P
14" x 54"	12 lbs	1454C	1454S	1454P*
14" x 60"	14 lbs	1460C	1460S	1460P
14" x 72"	17 lbs	1472C	1472S	1472P
		18" Deep W	ire Shelves	
18" x 24"	7 lbs	1824C	18245	1824P*
18" x 30"	8 lbs	1830C	18305	1830P
18" x 36"	10 lbs	1836C	18365	1836P
18" x 42"	11 lbs	1842C	18425	1842P
18" x 48"	14 lbs	1848C	18485	1848P
18" x 54"	15 lbs	1854C	18545	1854P
18" x 60"	17 lbs	1860C	18605	1860P
18" x 72"	20 lbs	1872C	18725	1872P
10 x72	20103			10721
21"	Q line	21" Deep W		21240*
21" x 24"	8 lbs	2124C	21245	2124P*
21" x 30"	9 lbs	2130C	21305	2130P*
21" x 36"	11 lbs	2136C	21365	2136P
21" x 42"	12 lbs	2142C	21425	2142P*
21" x 48"	14 lbs	2148C	21485	2148P
21" x 54"	16 lbs	2154C	2154S	2154P*
21" x 60"	18 lbs	2160C	2160S	2160P
21" x 72"	24 lbs	2172C	21725	2172P
		24" Deep W	ire Shelves	
24" x 24"	9 lbs	2424C	2424S	2424P*
24" x 30"	11 lbs	2430C	2430S	2430P
24" x 36"	13 lbs	2436C	2436S	2436P
24" x 42"	15 lbs	2442C	2442S	2442P
24" x 48"	16 lbs	2448C	2448S	2448P
24" x 54"	18 lbs	2454C	2454S	2454P
24" x 60"	21 lbs	2460C	2460S	2460P
24" x 66"	23 lbs	2466C	2466S*	2466P
24" x 72"	26 lbs	2472C	24725	2472P
		30" Deep W		
30" x 36"	15 lbs	3036C	30365	3036P
30" x 30 30" x 42"	13 lbs	3038C	30425	3042P
		3042C		
30" x 48"	21 lbs		30485	3048P
30" x 60"	27 lbs	3060C	30605	3060P
30" x 72"	31 lbs	3072C	30725	3072P
			ire Shelves	
		36" Deep W		
36" x 36"	18 lbs	3636C	36365	3636P
36" x 36" 36" x 48"	18 lbs 23 lbs	•		3636P 3648P
		3636C	36365	

* Special order. Minimum quantity and extended lead time may apply. Please call for details.



Shelving Posts

All posts are fabricated from 16 gauge carbon steel with location grooves on 1" increments and ease for shelf installation. Numbers are printed between grooves for quick assembly. Posts are double grooved in consistent intervals for quick identification. Leveling legs are enclosed with all posts. Leveling legs cannot be used in conjunction with stem casters. See *pg. 79* to order caster sets. Custom post heights are available, call for pricing.

W-PC-STUD Fully threaded Stud Connector can be utilized to connect two posts enabling any post height to be achieved

		CHROME	STAINLESS STEEL	PROFORM
DESCRIPTION	SHIP WGT	MODEL NO.	MODEL NO.	MODEL NO.
6"H Post	1 lb	P6C	P6S	P6P
14"H Post	1 lb	P14C	P14S	P14P
34"H Post	2 lbs	P34C	P34S	P34P
36"H Post	2 lbs	P36C	P36S*	P36P*
39"H Post	2 lbs	P39C	P39S*	P39P*
42"H Post	2 lbs	P42C*	P425	P42P*
54"H Post	3 lbs	P54C	P54S	P54P
63"H Post	4 lbs	P63C	P63S	P63P
74"H Post	4 lbs	P74C	P74S	P74P
86"H Post	5 lbs	P86C	P86S	P86P
96"H Post	6 lbs	P96C	P96S	P96P

* Not a standard inventory size. To purchase, order next size up and apply cut charge to cut to this custom height.

Solid Shelves

- Designed for storage of small parts that might normally fall through wire shelves
- Dual layer construction with double hemmed perimeter with marine edge ensures maximum strength while retaining spillage
- Excellent corrosion resistance

GALVANIZED STEEL STAINLESS STEEL

		GALVANIZED STEEL	STAINLESS STEEL							
DIMENSIONS W" x L"	SHIP	MODEL NO.	MODEL NO.							
VV XL			MODEL NO.							
14" x 26"		Deep Solid Shelves 1436SG	1436SS							
14" x 36"	14 lbs									
14" x 42"	15 lbs	1442SG	144255							
14" x 48"	17 lbs	1448SG	1448SS							
14" x 54"	20 lbs	1454SG	1454SS							
14" x 60"	22 lbs	1460SG	1460SS							
14" x 72"	26 lbs	1472SG	1472SS							
	18"	Deep Solid Shelves								
18" x 24"	11 lbs	1824SG	1824SS							
18" x 30"	14 lbs	1830SG	1830SS							
18" x 36"	16 lbs	1836SG	1836SS							
18" x 42"	18 lbs	1842SG	1842SS							
18" x 48"	20 lbs	1848SG	1848SS							
18" x 54"	22 lbs	1854SG	1854SS							
18" x 60"	24 lbs	1860SG	1860SS							
18" x 72"	27 lbs	1872SG	1872SS							
21" Deep Solid Shelves										
21" x 24"	13 lbs	2124SG	2124SS							
21" x 30"	15 lbs	2130SG	2130SS							
21" x 36"	18 lbs	2136SG	2136SS							
21" x 42"	21 lbs	2142SG	2142SS							
21" x 48"	23 lbs	2148SG	2148SS							
21" x 54"	25 lbs	2154SG	2154SS							
21" x 60"	28 lbs	2160SG	2160SS							
21" x 72"	30 lbs	2172SG	2172SS							
	24"	Deep Solid Shelves								
24" x 24"	15 lbs	2424SG	242455							
24" x 30"	17 lbs	2430SG	2430SS							
24" x 36"	19 lbs	2436SG	243655							
24" x 42"	22 lbs	2442SG	244255							
24" x 48"	24 lbs	2448SG	244855							
24" x 54"	26 lbs	2454SG	2454SS							
24" x 60"	31 lbs	2460SG	246055							
24" x 72"	34 lbs	2472SG	247255							
	555	2200								



LASER PRINTED NUMBERS For quick shelf positioning

Post Leveler adjusts up or down allowing height flexibility

18 Gauge Galvanized or 304 Stainless Steel

ASSEMBLING WIRE SHELVING UNITS is as easy as 1 - 2 - 3...



1. Snap plastic sleeve around post.



2. Slide shelf over sleeve for secure locking.



3. Two "S-Hooks" are used to connect add-on wire shelf to starter units.



Starter Kits

Heavy-duty shelving unit allows up to 800 lb. shelf capacity. Starter kits come complete with 4 posts and 4 or 5 shelves. Additional shelves may be purchased separately. See chart on pg. 38. Mobilize starter kit shelving unit using optional mobile kit WR-00H. See pg. 79. Finishes: Chrome, Stainless Steel and Proform



MOBILIZE YOUR WIRE SHELVING DB - Donut Bumper


Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.



Additional Add-On kit allows you to expand your Starter kit by sharing a set of posts. Configuration options include straight line, back to back and right angles (L-Shape). Add-On kits come complete with 2 posts, 4 or 5 shelves and 8 or 16 S-Hooks. Additional shelves may be purchased separately. See chart on pg. 38. Units with Add-On kit cannot be made mobile. Finishes: Chrome, Stainless Steel and Proform





STARTER KITS



	54"H W	54"H WIRE SHELVING 4 SHELVES			54"H W	IRE SHEL	VING 5 SHELVES		AVAILABLE		
	STARTER	кіт	ADD-ON	кіт	STARTER H	кіт	ADD-ON I	кіт	FI	NISH	ES
SHELF		SHIP		SHIP		SHIP		SHIP			
W" x L"	MODEL NO.	WGT	MODEL NO.	WGT	MODEL NO.	WGT	MODEL NO.	WGT	С	S	Ρ
12" x 36"	WR54-1236	40 lbs	AD54-1236	36 lbs	WR54-1236-5	47 lbs	AD54-1236-5	45 lbs	Y	Υ	Υ
12" x 42"	WR54-1242	44 lbs	AD54-1242	40 lbs	WR54-1242-5	52 lbs	AD54-1242-5	50 lbs	Y	Ν	Ν
12" x 48"	WR54-1248	48 lbs	AD54-1248	44 lbs	WR54-1248-5	57 lbs	AD54-1248-5	55 lbs	Y	Y	Y
12" x 60"	WR54-1260	56 lbs	AD54-1260	52 lbs	WR54-1260-5	70 lbs	AD54-1260-5	68 lbs	Y	Y	Y
12" x 72"	WR54-1272	64 lbs	AD54-1272	60 lbs	WR54-1272-5	81 lbs	AD54-1272-5	79 lbs	Y	Y	Y
14" x 24"	WR54-1424	36 lbs	AD54-1424	32 lbs	WR54-1424-5	42 lbs	AD54-1424-5	40 lbs	Y	Ν	Ν
14" x 30"	WR54-1430	40 lbs	AD54-1430	36 lbs	WR54-1430-5	47 lbs	AD54-1430-5	45 lbs	Y	Y	Ν
14" x 36"	WR54-1436	44 lbs	AD54-1436	40 lbs	WR54-1436-5	52 lbs	AD54-1436-5	50 lbs	Y	Y	Y
14" x 42"	WR54-1442	52 lbs	AD54-1442	48 lbs	WR54-1442-5	62 lbs	AD54-1442-5	60 lbs	Y	Y	Ν
14" x 48"	WR54-1448	56 lbs	AD54-1448	52 lbs	WR54-1448-5	67 lbs	AD54-1448-5	65 lbs	Y	Y	Y
14" x 54"	WR54-1454	60 lbs	AD54-1454	56 lbs	WR54-1454-5	72 lbs	AD54-1454-5	70 lbs	Y	Y	Ν
14" x 60"	WR54-1460	68 lbs	AD54-1460	64 lbs	WR54-1460-5	82 lbs	AD54-1460-5	80 lbs	Y	Y	Y
14" x 72"	WR54-1472	80 lbs	AD54-1472	76 lbs	WR54-1472-5	97 lbs	AD54-1472-5	95 lbs	Y	Y	Y
18" x 24"	WR54-1824	40 lbs	AD54-1824	36 lbs	WR54-1824-5	47 lbs	AD54-1824-5	45 lbs	Y	Y	Ν
18" x 30"	WR54-1830	44 lbs	AD54-1830	40 lbs	WR54-1830-5	52 lbs	AD54-1830-5	50 lbs	Y	Y	Y
18" x 36"	WR54-1836	52 lbs	AD54-1836	48 lbs	WR54-1836-5	62 lbs	AD54-1836-5	60 lbs	Y	Y	Y
18" x 42"	WR54-1842	56 lbs	AD54-1842	52 lbs	WR54-1842-5	67 lbs	AD54-1842-5	65 lbs	Y	Y	Y
18" x 48"	WR54-1848	60 lbs	AD54-1848	56 lbs	WR54-1848-5	74 lbs	AD54-1848-5	72 lbs	Y	Y	Y
18" x 54"	WR54-1854	72 lbs	AD54-1854	68 lbs	WR54-1854-5	87 lbs	AD54-1854-5	81 lbs	Y	Y	Y
18" x 60"	WR54-1860	80 lbs	AD54-1860	76 lbs	WR54-1860-5	97 lbs	AD54-1860-5	95 lbs	Y	Y	Y
18" x 72"	WR54-1872	92 lbs	AD54-1872	88 lbs	WR54-1872-5	112 lbs	AD54-1872-5	58 lbs	Y	Y	Y
21" x 24"	WR54-2124	44 lbs	AD54-2124	40 lbs	WR54-2124-5	52 lbs	AD54-2124-5	50 lbs	Y	Y	N
21" x 30"	WR54-2130	48 lbs	AD54-2130	44 lbs	WR54-2130-5	57 lbs	AD54-2130-5	59 lbs	Y	Y	N
21" x 36"	WR54-2136	56 lbs	AD54-2136	52 lbs	WR54-2136-5	67 lbs	AD54-2136-5	65 lbs	Y	Y	Y
21" x 42"	WR54-2142	60 lbs	AD54-2142	56 lbs	WR54-2142-5	72 lbs	AD54-2142-5	70 lbs	Y	Y	N
21" x 48"	WR54-2148	68 lbs	AD54-2148	64 lbs	WR54-2148-5	82 lbs	AD54-2148-5	84 lbs	Y	Y	Y
21" x 54"	WR54-2154	76 lbs	AD54-2154	72 lbs	WR54-2154-5	92 lbs	AD54-2154-5	94 lbs	Y	Y	N
21" x 60"	WR54-2160	84 lbs	AD54-2160	88 lbs	WR54-2160-5	102 lbs	AD54-2160-5	108 lbs	Y	Y	Y
21" x 72"	WR54-2172	108 lbs	AD54-2172	104 lbs	WR54-2172-5	132 lbs	AD54-2172-5	130 lbs	Y	Y	Y
24" x 24"	WR54-2424	48 lbs	AD54-2424	44 lbs	WR54-2424-5	57 lbs	AD54-2424-5	55 lbs	Y	Y	N
24" x 30"	WR54-2430	56 lbs	AD54-2430	52 lbs	WR54-2430-5	67 lbs	AD54-2430-5	65 lbs	Y	Y	Y Y
24" x 36" 24" x 42"	WR54-2436 WR54-2442	64 lbs 72 lbs	AD54-2436	60 lbs	WR54-2436-5	77 lbs 87 lbs	AD54-2436-5	75 lbs 85 lbs	Y Y	Y Y	Y Y
24 x 42 24" x 48"	-		AD54-2442	68 lbs	WR54-2442-5		AD54-2442-5		Y	r Y	Y
24" x 40 24" x 54"	WR54-2448	76 lbs 84 lbs	AD54-2448	72 lbs 80 lbs	WR54-2448-5	92 lbs 102 lbs	AD54-2448-5	90 lbs 100 lbs	Y	Y	Y
24 x 54 24" x 60"	WR54-2454 WR54-2460	96 lbs	AD54-2454 AD54-2460	92 lbs	WR54-2454-5 WR54-2460-5	102 lbs	AD54-2454-5 AD54-2460-5	115 lbs	Y	Y	Y
24" x 72" 30" x 36"	WR54-2472 WR54-3036	116 lbs 72 lbs	AD54-2472 AD54-3036	112 lbs 68 lbs	WR54-2472-5 WR54-3036-5	142 lbs 87 lbs	AD54-2472-5 AD54-3036-5	142 lbs 85 lbs	Y	Y	Y
30" x 30 30" x 42"		72 lbs 84 lbs		80 lbs		87 lbs 102 lbs	AD54-3036-5 AD54-3042-5	100 lbs	Y Y	Y Y	Y Y
30" x 42 30" x 48"	WR54-3042 WR54-3048	84 lbs 96 lbs	AD54-3042 AD54-3048	80 lbs	WR54-3042-5 WR54-3048-5	102 lbs	AD54-3042-5 AD54-3048-5	115 lbs	Y	Y	Y
30" x 48 30" x 60"	WR54-3048 WR54-3060	120 lbs	AD54-3048 AD54-3060	92 lbs	WR54-3048-5 WR54-3060-5	147 lbs	AD54-3048-5 AD54-3060-5	145 lbs	Y Y	r Y	Y
30" x 72"	WR54-3000 WR54-3072	136 lbs	AD54-3080 AD54-3072	132 lbs	WR54-3000-5	147 lbs	AD54-3060-5 AD54-3072-5	145 lbs	Y	r Y	Y
36" x 36"	WR54-3072 WR54-3636	84 lbs	AD54-3072 AD54-3636	80 lbs	WR54-3072-5 WR54-3636-5	107 lbs	AD54-3072-5 AD54-3636-5	100 lbs	Y	r Y	Y
36" x 48"	WR54-3648	104 lbs	AD54-3636 AD54-3648	100 lbs	WR54-3648-5	102 lbs	AD54-3636-5	125 lbs	Y	Y	Y
36" x 60"	WR54-3660	128 lbs	AD54-3660	124 lbs	WR54-3660-5	127 lbs	AD54-3660-5	125 lbs	Y	Y	Y
36" x 72"	WR54-3672	136 lbs	AD54-3600	132 lbs	WR54-3672-5	171 lbs	AD54-3672-5	169 lbs	Y	Y	Y
					posts. 4 or 5 shelves a					Yes)	

Shelving units include 4 posts and 4 or 5 shelves. Add-On units include 2 posts, 4 or 5 shelves and 8 or 10 S-Hooks.





O CHOOSE FINISH ADD FINISH SUFFI TO MODEL NO. Example: Chrome WR63-1236C Stainless WR63-1236S Proform WR63-1236P

+		18-0-04000	101010420	+
	 +	~~~~~	0000	-

CHOOSE FINISH ADD FINISH SUFFIX TO MODEL NO. Example: Chrome WR63-1236C-5 Stainless WR63-1236S-5 Proform WR63-1236P-5

	63"H WIRE SHELVING 4 SHELVES			ES	63"H W	IRE SHEL	VING 5 SHELVES	5	AVAILABLE		
	STARTER	КІТ	ADD-ON	кіт	STARTER	кіт	ADD-ON	кіт	FI	NISH	ES
SHELF		SHIP		SHIP		SHIP		SHIP			
W" x L"	MODEL NO.	WGT	MODEL NO.	WGT	MODEL NO.	WGT	MODEL NO.	WGT	C	S	Р
12" x 36"	WR63-1236	42 lbs	AD63-1236	37 lbs	WR63-1236-5	49 lbs	AD63-1236-5	46 lbs	Y	Y	Y
12" x 42"	WR63-1242	46 lbs	AD63-1242	41 lbs	WR63-1242-5	54 lbs	AD63-1242-5	51 lbs	Y	Ν	Ν
12" x 48"	WR63-1248	52 lbs	AD63-1248	43 lbs	WR63-1248-5	61 lbs	AD63-1248-5	56 lbs	Y	Y	Y
12" x 60"	WR63-1260	60 lbs	AD63-1260	51 lbs	WR63-1260-5	74 lbs	AD63-1260-5	69 lbs	Y	Y	Y
12" x 72"	WR63-1272	68 lbs	AD63-1272	59 lbs	WR63-1272-5	85 lbs	AD63-1272-5	80 lbs	Y	Y	Y
14" x 24"	WR63-1424	40 lbs	AD63-1424	31 lbs	WR63-1424-5	46 lbs	AD63-1424-5	41 lbs	Y	N	N
14" x 30"	WR63-1430	44 lbs	AD63-1430	35 lbs	WR63-1430-5	51lbs	AD63-1430-5	46 lbs	Y	Y	N
14" x 36"	WR63-1436	48 lbs	AD63-1436	39 lbs	WR63-1436-5	56 lbs	AD63-1436-5	51 lbs	Y	Y	Y
14" x 42"	WR63-1442	56 lbs	AD63-1442	47 lbs	WR63-1442-5	66 lbs	AD63-1442-5	61 lbs	Y	Y	N
14" x 48"	WR63-1448	60 lbs	AD63-1448	51 lbs	WR63-1448-5	71 lbs	AD63-1448-5	66 lbs	Y	Y	Y
14" x 54"	WR63-1454	64 lbs	AD63-1454	55 lbs	WR63-1454-5	76 lbs	AD63-1454-5	71 lbs	Y	Y	N
14" x 60"	WR63-1460	72 lbs	AD63-1460	63 lbs	WR63-1460-5	86 lbs	AD63-1460-5	81 lbs	Y	Y	Y
14" x 72"	WR63-1472	84 lbs	AD63-1472	75 lbs	WR63-1472-5	101 lbs	AD63-1472-5	96 lbs	Y Y	Y Y	Y
18" x 24"	WR63-1824	44 lbs	AD63-1824	35 lbs	WR63-1824-5	51 lbs	AD63-1824-5	46 lbs	r Y	Y	N Y
18" x 30" 18" x 36"	WR63-1830	48 lbs	AD63-1830	39 lbs	WR63-1830-5 WR63-1836-5	56 lbs	AD63-1830-5	51 lbs	Y	Y	Y
18" x 42"	WR63-1836 WR63-1842	54 lbs	AD63-1836 AD63-1842	49 lbs	WR63-1830-5	64 lbs	AD63-1836-5 AD63-1842-5	61 lbs	Y	Y	Y
18" x 48"	WR63-1842	58 lbs 62 lbs	AD63-1842 AD63-1848	53 lbs 57 lbs	WR63-1842-5	69 lbs 76 lbs	AD63-1842-5 AD63-1848-5	66 lbs 73 lbs	Y	Y	Y
18" x 54"	WR63-1848	74 lbs	AD63-1848 AD63-1854	69 lbs	WR63-1854-5	89 lbs	AD63-1848-5 AD63-1854-5	86 lbs	Y	Y	Y
18" x 60"	WR63-1860	82 lbs	AD63-1854 AD63-1860	77 lbs	WR63-1854-5	99 lbs	AD63-1854-5	96 lbs	Y	Y	Y
18" x 72"	WR63-1872	94 lbs	AD63-1800	89 lbs	WR63-1872-5	114 lbs	AD63-1800-5	111 lbs	Y	Y	Y
21" x 24"	WR63-2124	46 lbs	AD63-1072	41 lbs	WR63-2124-5	54 lbs	AD63-2124-5	51 lbs	Y	Y	N
21" x 30"	WR63-2130	50 lbs	AD63-2130	45 lbs	WR63-2130-5	59 lbs	AD63-2130-5	56 lbs	Ŷ	Ŷ	N
21" x 36"	WR63-2136	58 lbs	AD63-2136	53 lbs	WR63-2136-5	69 lbs	AD63-2136-5	66 lbs	Ŷ	Ŷ	Y
21" x 42"	WR63-2142	62 lbs	AD63-2142	57 lbs	WR63-2142-5	74 lbs	AD63-2142-5	71 lbs	Y	Y	N
21" x 48"	WR63-2148	70 lbs	AD63-2148	65 lbs	WR63-2148-5	84 lbs	AD63-2148-5	81 lbs	Y	Ŷ	Y
21" x 54"	WR63-2154	78 lbs	AD63-2154	73 lbs	WR63-2154-5	94 lbs	AD63-2154-5	91 lbs	Y	Y	N
21" x 60"	WR63-2160	86 lbs	AD63-2160	81 lbs	WR63-2160-5	104 lbs	AD63-2160-5	101 lbs	Ŷ	Ŷ	Y
21" x 72"	WR63-2172	110 lbs	AD63-2172	105 lbs	WR63-2172-5	134 lbs	AD63-2172-5	131 lbs	Y	Y	Y
24" x 24"	WR63-2424	50 lbs	AD63-2424	45 lbs	WR63-2424-5	59 lbs	AD63-2424-5	56 lbs	Y	Y	Ν
24" x 30"	WR63-2430	58 lbs	AD63-2430	53 lbs	WR63-2430-5	69 lbs	AD63-2430-5	66 lbs	Y	Y	Y
24" x 36"	WR63-2436	66 lbs	AD63-2436	61 lbs	WR63-2436-5	79 lbs	AD63-2436-5	76 lbs	Y	Y	Y
24" x 42"	WR63-2442	74 lbs	AD63-2442	69 lbs	WR63-2442-5	89 lbs	AD63-2442-5	86 lbs	Y	Y	Y
24" x 48"	WR63-2448	78 lbs	AD63-2448	73 lbs	WR63-2448-5	94 lbs	AD63-2448-5	91 lbs	Y	Y	Y
24" x 54"	WR63-2454	86 lbs	AD63-2454	81 lbs	WR63-2454-5	104 lbs	AD63-2454-5	101 lbs	Y	Y	Υ
24" x 60"	WR63-2460	98 lbs	AD63-2460	93 lbs	WR63-2460-5	119 lbs	AD63-2460-5	116 lbs	Y	Y	Y
24" x 72"	WR63-2472	118 lbs	AD63-2472	113 lbs	WR63-2472-5	144 lbs	AD63-2472-5	141 lbs	Y	Y	Υ
30" x 36"	WR63-3036	74 lbs	AD63-3036	69 lbs	WR63-3036-5	89 lbs	AD63-3036-5	86 lbs	Y	Y	Υ
30" x 42"	WR63-3042	86 lbs	AD63-3042	81 lbs	WR63-3042-5	104 lbs	AD63-3042-5	101 lbs	Y	Y	Υ
30" x 48"	WR63-3048	98 lbs	AD63-3048	93 lbs	WR63-3048-5	119 lbs	AD63-3048-5	116 lbs	Y	Υ	Υ
30" x 60"	WR63-3060	122 lbs	AD63-3060	117 lbs	WR63-3060-5	149 lbs	AD63-3060-5	146 lbs	Y	Y	Υ
30" x 72"	WR63-3072	138 lbs	AD63-3072	133 lbs	WR63-3072-5	169 lbs	AD63-3072-5	166 lbs	Y	Υ	Υ
36" x 36"	WR63-3636	86 lbs	AD63-3636	81 lbs	WR63-3636-5	104 lbs	AD63-3636-5	101 lbs	Y	Υ	Υ
36" x 48"	WR63-3648	106 lbs	AD63-3648	101 lbs	WR63-3648-5	129 lbs	AD63-3648-5	126 lbs	Y	Υ	Υ
36" x 60"	WR63-3660	130 lbs	AD63-3660	125 lbs	WR63-3660-5	159 lbs	AD63-3660-5	156 lbs	Y	Υ	Υ
36" x 72"	WR63-3672	138 lbs	AD63-3672	133 lbs	WR63-3672-5	173 lbs	AD63-3672-5	170 lbs	Y	Υ	Υ

Shelving units include 4 posts and 4 or 5 shelves. Add-On units include 2 posts, 4 or 5 shelves and 8 or 10 S-Hooks.



Heavy-duty shelving unit allows up to 800 lb. shelf capacity. Starter kits come complete with 4 posts and 4 or 5 shelves. Additional shelves may be purchased separately. See chart on *pg. 38*. Mobilize starter kit shelving unit using optional mobile kit WR-00H. See *pg. 79*. *Finishes:* Chrome, Stainless Steel and Proform



MOBILIZE YOUR WIRE SHELVING DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*


Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.



Add-On Kits

Y (Yes) N (No)

Additional Add-On kit allows you to expand your Starter kit by sharing a set of posts. Configuration options include straight line, back to back and right angles (*L-Shape*). Add-On kits come complete with 2 posts, 4 or 5 shelves and 8 or 16 S-Hooks. Additional shelves may be purchased separately. See chart on *pg. 38*. Units with Add-On kit cannot be made mobile. *Finishes:* Chrome, Stainless Steel and Proform





Starter Kits

Heavy-duty shelving unit allows up to 800 lb. shelf capacity. Starter kits come complete with 4 posts and 4 or 5 shelves. Additional shelves may be purchased separately. See chart on pg. 38. Mobilize starter kit shelving unit using optional mobile kit WR-00H. See pg. 79. Finishes: Chrome, Stainless Steel and Proform



MOBILIZE YOUR WIRE SHELVING DB - Donut Bumper


Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.



Additional Add-On kit allows you to expand your Starter kit by sharing a set of posts. Configuration options include straight line, back to back and right angles (L-Shape). Add-On kits come complete with 2 posts, 4 or 5 shelves and 8 or 16 S-Hooks. Additional shelves may be purchased separately. See chart on pg. 38. Units with Add-On kit cannot be made mobile. Finishes: Chrome, Stainless Steel and Proform









	74"H W	74"H WIRE SHELVING 4 SHELVES			74"H W	IRE SHEL	VING 5 SHELVES	5	AVAILABLE		
	STARTER	кіт	ADD-ON	кіт	STARTER	кіт	ADD-ON	кіт	FIN	NISH	IES
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	с	s	Р
12" x 36"	WR74-1236	44 lbs	AD74-1236	38 lbs	WR74-1236-5	51 lbs	AD74-1236-5	47 lbs	Y	Y	Y
12" x 42"	WR74-1242	48 lbs	AD74-1242	42 lbs	WR74-1242-5	56 lbs	AD74-1242-5	52 lbs	Y	Ν	Ν
12" x 48"	WR74-1248	52 lbs	AD74-1248	46 lbs	WR74-1248-5	61 lbs	AD74-1248-5	57 lbs	Y	Y	Υ
12" x 60"	WR74-1260	60 lbs	AD74-1260	54 lbs	WR74-1260-5	74 lbs	AD74-1260-5	70 lbs	Y	Y	Y
12" x 72"	WR74-1272	68 lbs	AD74-1272	62 lbs	WR74-1272-5	85 lbs	AD74-1272-5	81 lbs	Y	Y	Υ
14" x 24"	WR74-1424	40 lbs	AD74-1424	34 lbs	WR74-1424-5	46 lbs	AD74-1424-5	42 lbs	Y	Ν	Ν
14" x 30"	WR74-1430	44 lbs	AD74-1430	38 lbs	WR74-1430-5	51 lbs	AD74-1430-5	47 lbs	Y	Υ	Ν
14" x 36"	WR74-1436	48 lbs	AD74-1436	42 lbs	WR74-1436-5	56 lbs	AD74-1436-5	52 lbs	Y	Y	Y
14" x 42"	WR74-1442	56 lbs	AD74-1442	50 lbs	WR74-1442-5	66 lbs	AD74-1442-5	62 lbs	Y	Υ	Ν
14" x 48"	WR74-1448	60 lbs	AD74-1448	54 lbs	WR74-1448-5	71 lbs	AD74-1448-5	67 lbs	Y	Y	Υ
14" x 54"	WR74-1454	64 lbs	AD74-1454	58 lbs	WR74-1454-5	76 lbs	AD74-1454-5	72 lbs	Y	Y	Ν
14" x 60"	WR74-1460	72 lbs	AD74-1460	66 lbs	WR74-1460-5	86 lbs	AD74-1460-5	82 lbs	Y	Y	Y
14" x 72"	WR74-1472	84 lbs	AD74-1472	78 lbs	WR74-1472-5	101 lbs	AD74-1472-5	97 lbs	Y	Y	Y
18" x 24"	WR74-1824	44 lbs	AD74-1824	38 lbs	WR74-1824-5	51 lbs	AD74-1824-5	47 lbs	Y	Y	Ν
18" x 30"	WR74-1830	48 lbs	AD74-1830	42 lbs	WR74-1830-5	56 lbs	AD74-1830-5	52 lbs	Y	Y	Y
18" x 36"	WR74-1836	56 lbs	AD74-1836	50 lbs	WR74-1836-5	66 lbs	AD74-1836-5	62 lbs	Y	Y	Y
18" x 42"	WR74-1842	60 lbs	AD74-1842	54 lbs	WR74-1842-5	71 lbs	AD74-1842-5	67 lbs	Y	Y	Y
18" x 48"	WR74-1848	64 lbs	AD74-1848	58 lbs	WR74-1848-5	78 lbs	AD74-1848-5	74 lbs	Y	Y	Y
18" x 54"	WR74-1854	76 lbs	AD74-1854	70 lbs	WR74-1854-5	91 lbs	AD74-1854-5	87 lbs	Y	Y	Y
18" x 60"	WR74-1860	84 lbs	AD74-1860	78 lbs	WR74-1860-5	101 lbs	AD74-1860-5	97 lbs	Y	Y	Y
18" x 72"	WR74-1872	96 lbs	AD74-1872	90 lbs	WR74-1872-5	116 lbs	AD74-1872-5	112 lbs	Y	Y	Y
21" x 24"	WR74-2124	48 lbs	AD74-2124	42 lbs	WR74-2124-5	56 lbs	AD74-2124-5	52 lbs	Y	Y	Ν
21" x 30"	WR74-2130	52 lbs	AD74-2130	46 lbs	WR74-2130-5	61 lbs	AD74-2130-5	57 lbs	Y	Y	N
21" x 36"	WR74-2136	60 lbs	AD74-2136	54 lbs	WR74-2136-5	71 lbs	AD74-2136-5	67 lbs	Y	Y	Y
21" x 42"	WR74-2142	64 lbs	AD74-2142	58 lbs	WR74-2142-5	76 lbs	AD74-2142-5	72 lbs	Y	Y	N
21" x 48"	WR74-2148	72 lbs	AD74-2148	66 lbs	WR74-2148-5	86 lbs	AD74-2148-5	82 lbs	Y	Y	Y
21" x 54"	WR74-2154	80 lbs	AD74-2154	74 lbs	WR74-2154-5	96 lbs	AD74-2154-5	92 lbs	Y	Y	N
21" x 60"	WR74-2160	88 lbs	AD74-2160	82 lbs	WR74-2160-5	106 lbs	AD74-2160-5	102 lbs	Y	Y	Y
21" x 72"	WR74-2172	112 lbs	AD74-2172	106 lbs	WR74-2172-5	136 lbs	AD74-2172-5	132 lbs	Y	Y	Y
24" x 24"	WR74-2424	52 lbs	AD74-2424	46 lbs	WR74-2424-5	61 lbs	AD74-2424-5	57 lbs	Y	Y	N
24" x 30" 24" x 36"	WR74-2430 WR74-2436	60 lbs 68 lbs	AD74-2430	54 lbs 62 lbs	WR74-2430-5 WR74-2436-5	71 lbs 81 lbs	AD74-2430-5	67 lbs 77 lbs	Y	Y Y	Y Y
24 x 30 24" x 42"	WR74-2430 WR74-2442	76 lbs	AD74-2436 AD74-2442	70 lbs	WR74-2430-5	91 lbs	AD74-2436-5	87 lbs	Y	Y	Y
24 x 42 24" x 48"	WR74-2442 WR74-2448	80 lbs	AD74-2442 AD74-2448	74 lbs	WR74-2442-5	96 lbs	AD74-2442-5 AD74-2448-5	92 lbs	Y	Y	Y
24" x 40 24" x 54"	WR74-2446 WR74-2454	88 lbs	AD74-2448 AD74-2454	82 lbs	WR74-2446-5 WR74-2454-5	106 lbs	AD74-2446-5	102 lbs	Y	Y	Y
24 x 54 24" x 60"	WR74-2454 WR74-2460	100 lbs	AD74-2454 AD74-2460	94 lbs	WR74-2454-5	121 lbs	AD74-2454-5	117 lbs	Y	Y	Y
24" x 72"	WR74-2400 WR74-2472	120 lbs	AD74-2400 AD74-2472	114 lbs	WR74-2400-5	146 lbs	AD74-2400-5	142 lbs	Y	Y	Y
30" x 36"	WR74-2472 WR74-3036	76 lbs	AD74-2472 AD74-3036	70 lbs	WR74-2472-3	91 lbs	AD74-3036-5	87 lbs	Y	Y	Y
30" x 42"	WR74-3030	88 lbs	AD74-3030	82 lbs	WR74-3042-5	106 lbs	AD74-3042-5	102 lbs	Y	Y	Y
30" x 48"	WR74-3042	100 lbs	AD74-3042	94 lbs	WR74-3048-5	121 lbs	AD74-3042-5	117 lbs	Y	Y	Y
30" x 60"	WR74-3040	124 lbs	AD74-3040	118 lbs	WR74-3060-5	151 lbs	AD74-3060-5	147 lbs	Y	Y	Y
30" x 72"	WR74-3072	140 lbs	AD74-3072	134 lbs	WR74-3072-5	171 lbs	AD74-3072-5	167 lbs	Y	Ŷ	Y
36" x 36"	WR74-3636	88 lbs	AD74-3636	82 lbs	WR74-3636-5	106 lbs	AD74-3636-5	102 lbs	Y	Y	Ŷ
36" x 48"	WR74-3648	108 lbs	AD74-3648	102 lbs	WR74-3648-5	131 lbs	AD74-3648-5	127 lbs	Ŷ	Ŷ	Ŷ
36" x 60"	WR74-3660	132 lbs	AD74-3660	126 lbs	WR74-3660-5	161 lbs	AD74-3660-5	157 lbs	Ŷ	Ŷ	Ŷ
36" x 72"	WR74-3672	140 lbs	AD74-3672	134 lbs	WR74-3672-5	175 lbs	AD74-3672-5	171 lbs	Y	Y	Y
Shelving unit	s include 4 posts a		elves. Add-On uni		posts, 4 or 5 shelves a		5-Hooks.		Y	(Yes)	N (No



36" x 48"

36" x 60"



STARTER KITS

								ess WR86-1236S- rm WR86-1236P-					
				·•									
	86"H W		VING 4 SHELV	FS		86"H W	IRE SHEL	VING 5 SHELVES	5			RI F	
	STARTER		ADD-ON			STARTER		ADD-ON					
	JIANILN				+	STARTERT		ADD-ON		- TH	1311	13	
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT		MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	С	s	Р	
12" x 36"	WR86-1236	48 lbs	AD86-1236	40 lbs		WR86-1236-5	55 lbs	AD86-1236-5	49 lbs	Y	Y	Y	
12" x 42"	WR86-1242	52 lbs	AD86-1242	44 lbs		WR86-1242-5	60 lbs	AD86-1242-5	54 lbs	Y	Ν	Ν	
12" x 48"	WR86-1248	56 lbs	AD86-1248	48 lbs		WR86-1248-5	65 lbs	AD86-1248-5	59 lbs	Y	Y	Y	
12" x 60"	WR86-1260	64 lbs	AD86-1260	56 lbs		WR86-1260-5	78 lbs	AD86-1260-5	72 lbs	Y	Υ	Y	
12" x 72"	WR86-1272	72 lbs	AD86-1272	64 lbs		WR86-1272-5	89 lbs	AD86-1272-5	83 lbs	Y	Y	Y	
14" x 24"	WR86-1424	44 lbs	AD86-1424	36 lbs		WR86-1424-5	50 lbs	AD86-1424-5	44 lbs	Y	Ν	Ν	
14" x 30"	WR86-1430	48 lbs	AD86-1430	40 lbs		WR86-1430-5	55 lbs	AD86-1430-5	49 lbs	Y	Υ	Ν	
14" x 36"	WR86-1436	52 lbs	AD86-1436	44 lbs		WR86-1436-5	60 lbs	AD86-1436-5	54 lbs	Y	Y	Y	
14" x 42"	WR86-1442	60 lbs	AD86-1442	52 lbs		WR86-1442-5	70 lbs	AD86-1442-5	64 lbs	Y	Υ	Ν	
14" x 48"	WR86-1448	64 lbs	AD86-1448	56 lbs		WR86-1448-5	75 lbs	AD86-1448-5	69 lbs	Y	Y	Y	
14" x 54"	WR86-1454	68 lbs	AD86-1454	60 lbs		WR86-1454-5	80 lbs	AD86-1454-5	74 lbs	Y	Υ	Ν	
14" x 60"	WR86-1460	76 lbs	AD86-1460	68 lbs		WR86-1460-5	90 lbs	AD86-1460-5	84 lbs	Y	Υ	Y	
14" x 72"	WR86-1472	88 lbs	AD86-1472	80 lbs		WR86-1472-5	105 lbs	AD86-1472-5	99 lbs	Y	Y	Y	
18" x 24"	WR86-1824	48 lbs	AD86-1824	40 lbs		WR86-1824-5	55 lbs	AD86-1824-5	49 lbs	Y	Υ	Ν	
18" x 30"	WR86-1830	52 lbs	AD86-1830	44 lbs		WR86-1830-5	60 lbs	AD86-1830-5	54 lbs	Y	Υ	Υ	
18" x 36"	WR86-1836	60 lbs	AD86-1836	52 lbs		WR86-1836-5	60 lbs	AD86-1836-5	64 lbs	Y	Y	Υ	
18" x 42"	WR86-1842	64 lbs	AD86-1842	56 lbs		WR86-1842-5	75 lbs	AD86-1842-5	69 lbs	Y	Υ	Y	
18" x 48"	WR86-1848	68 lbs	AD86-1848	60 lbs		WR86-1848-5	82 lbs	AD86-1848-5	76 lbs	Y	Υ	Y	
18" x 54"	WR86-1854	80 lbs	AD86-1854	72 lbs		WR86-1854-5	95 lbs	AD86-1854-5	89 lbs	Y	Υ	Y	
18" x 60"	WR86-1860	88 lbs	AD86-1860	80 lbs		WR86-1860-5	105 lbs	AD86-1860-5	99 lbs	Y	Y	Y	
18" x 72"	WR86-1872	100 lbs	AD86-1872	92 lbs		WR86-1872-5	120 lbs	AD86-1872-5	114 lbs	Y	Υ	Y	
21" x 24"	WR86-2124	52 lbs	AD86-2124	44 lbs		WR86-2124-5	60 lbs	AD86-2124-5	54 lbs	Y	Υ	Ν	
21" x 30"	WR86-2130	56 lbs	AD86-2130	48 lbs		WR86-2130-5	65 lbs	AD86-2130-5	59 lbs	Y	Y	Ν	
21" x 36"	WR86-2136	64 lbs	AD86-2136	56 lbs		WR86-2136-5	75 lbs	AD86-2136-5	69 lbs	Y	Y	Υ	
21" x 42"	WR86-2142	68 lbs	AD86-2142	60 lbs		WR86-2142-5	80 lbs	AD86-2142-5	74 lbs	Y	Y	Ν	
21" x 48"	WR86-2148	76 lbs	AD86-2148	68 lbs		WR86-2148-5	90 lbs	AD86-2148-5	114 lbs	Y	Υ	Y	
21" x 54"	WR86-2154	84 lbs	AD86-2154	76 lbs		WR86-2154-5	100 lbs	AD86-2154-5	94 lbs	Y	Υ	Ν	
21" x 60"	WR86-2160	92 lbs	AD86-2160	84 lbs		WR86-2160-5	110 lbs	AD86-2160-5	104 lbs	Y	Y	Υ	
21" x 72"	WR86-2172	116 lbs	AD86-2172	108 lbs		WR86-2172-5	140 lbs	AD86-2172-5	134 lbs	Y	Y	Y	
24" x 24"	WR86-2424	56 lbs	AD86-2424	48 lbs		WR86-2424-5	65 lbs	AD86-2424-5	59 lbs	Y	Y	Ν	
24" x 30"	WR86-2430	64 lbs	AD86-2430	56 lbs		WR86-2430-5	75 lbs	AD86-2430-5	69 lbs	Y	Y	Υ	
24" x 36"	WR86-2436	72 lbs	AD86-2436	64 lbs		WR86-2436-5	85 lbs	AD86-2436-5	79 lbs	Y	Y	Y	
24" x 42"	WR86-2442	80 lbs	AD86-2442	72 lbs		WR86-2442-5	95 lbs	AD86-2442-5	89 lbs	Y	Y	Y	
24" x 48"	WR86-2448	84 lbs	AD86-2448	76 lbs		WR86-2448-5	100 lbs	AD86-2448-5	94 lbs	Y	Y	Y	
24" x 54"	WR86-2454	92 lbs	AD86-2454	84 lbs		WR86-2454-5	110 lbs	AD86-2454-5	104 lbs	Y	Y	Y	
24" x 60"	WR86-2460	104 lbs	AD86-2460	96 lbs		WR86-2460-5	125 lbs	AD86-2460-5	119 lbs	Y	Y	Y	
24" x 72"	WR86-2472	124 lbs	AD86-2472	116 lbs		WR86-2472-5	150 lbs	AD86-2472-5	144 lbs	Y	Y	Y	
30" x 36"	WR86-3036	80 lbs	AD86-3036	72 lbs		WR86-3036-5	95 lbs	AD86-3036-5	89 lbs	Y	Y	Y	
30" x 42"	WR86-3042	92 lbs	AD86-3042	84 lbs		WR86-3042-5	110 lbs	AD86-3042-5	104 lbs	Y	Y	Y	
30" x 48"	WR86-3048	104 lbs	AD86-3048	96 lbs		WR86-3048-5	125 lbs	AD86-3048-5	119 lbs	Y	Y	Y	
30" x 60"	WR86-3060	128 lbs	AD86-3060	120 lbs		WR86-3060-5	155 lbs	AD86-3060-5	149 lbs	Y	Y	Y	
30" x 72"	WR86-3072	144 lbs	AD86-3072	136 lbs		WR86-3072-5	175 lbs	AD86-3072-5	169 lbs	Y	Y	Y	
36" x 36"	WR86-3636	92 lbs	AD86-3636	84 lbs		WR86-3636-5	110 lbs	AD86-3636-5	104 lbs	Y	Y	Y	

WR86-3648-5 135 lbs AD86-3648-5 129 lbs

WR86-3672-5 179 lbs AD86-3672-5 173 lbs

AD86-3660-5

165 lbs

Υ Y Υ

Y Υ Y

Υ

Υ Y

Y (Yes) N (No)

159 lbs

Shelving units include 4 posts and 4 or 5 shelves. Add-On units include 2 posts, 4 or 5 shelves and 8 or 10 S-Hooks

AD86-3648 104 lbs

128 lbs

WR86-3660-5

AD86-3660

Heavy-duty shelving unit allows up to 800 lb. shelf capacity. Starter kits come complete with 4 posts and 4 or 5 shelves. Additional shelves may be purchased separately. See chart on pg. 38. Mobilize starter kit shelving unit using optional mobile kit WR-00H. See pg. 79. Finishes: Chrome, Stainless Steel and Proform




MOBILIZE YOUR WIRE SHELVING DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.


WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.



Add-On Kits

Additional Add-On kit allows you to expand your Starter kit by sharing a set of posts. Configuration options include straight line, back to back and right angles (L-Shape). Add-On kits come complete with 2 posts, 4 or 5 shelves and 8 or 16 S-Hooks. Additional shelves may be purchased separately. See chart on pg. 38. Units with Add-On kit cannot be made mobile. Finishes: Chrome, Stainless Steel and Proform



136 lbs

36" x 72" WR86-3672 144 lbs AD86-3672 136 lbs

WR86-3648 112 lbs

WR86-3660



4 Shelf Starter Kits

Solid shelves are a solution where dirt, dust and spills are a potential issue. The solid flat surface allows for storage from small to large items and the marine edge perimeter prevents spillage. The double hemmed 18 gauge 304 stainless steel gives the solid shelf excellent strength characteristics. All solid shelf units consist of 4 shelves and 4 posts. Mobilize starter kit shelving unit using optional mobile kit WR-00H. See pg. 79. *Finish:* Stainless Steel



MOBILIZE YOUR SHELVING DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)* Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.




QSMC Shelf Clamp Shelf Clamp eliminates 2 post per shelving section. Two QSMC clamps are required per shelf.

Finish: Aluminum

4 Shelf Add-On Kits

Additional Add-On kit allows you to expand your Starter kit by sharing a set of posts. Configuration options include straight line, back to back and right angles (*L-Shape*). Add-On units consist of 4 shelves, 2 posts and 8 shelf clamps. Additional shelves may be purchased separately. See chart on *pg. 39*. Units with Add-On kit cannot be made mobile. *Finish:* Stainless Steel



	54"H STAINI	ESS SOL	ID SHELVING 4 SHELVE	s	63"H STAINLESS SOLID SHELVING 4 SHELVES					
	STARTER KI	г	ADD-ON KIT		STARTER KIT	г	ADD-ON KIT			
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT		
14" x 36"	WRS4-54-1436SS	68 lbs	WRSAD4-54-1436SS	65 lbs	WRS4-63-1436SS	72 lbs	WRSAD4-63-1436SS	67 lbs		
14" x 42"	WRS4-54-1442SS	72 lbs	WRSAD4-54-1442SS	69 lbs	WRS4-63-1442SS	76 lbs	WRSAD4-63-1442SS	71 lbs		
14" x 48"	WRS4-54-1448SS	80 lbs	WRSAD4-54-1448SS	77 lbs	WRS4-63-1448SS	84 lbs	WRSAD4-63-1448SS	79 lbs		
14" x 54"	WRS4-54-1454SS	92 lbs	WRSAD4-54-1454SS	89 lbs	WRS4-63-1454SS	96 lbs	WRSAD4-63-1454SS	91 lbs		
14" x 60"	WRS4-54-1460SS	100 lbs	WRSAD4-54-1460SS	97 lbs	WRS4-63-1460SS	104 lbs	WRSAD4-63-1460SS	99 lbs		
14" x 72"	WRS4-54-1472SS	116 lbs	WRSAD4-54-1472SS	113 lbs	WRS4-63-1472SS	120 lbs	WRSAD4-63-1472SS	115 lbs		
18" x 24"	WRS4-54-1824SS	56 lbs	WRSAD4-54-1824SS	53 lbs	WRS4-63-1824SS	60 lbs	WRSAD4-63-1824SS	55 lbs		
18" x 30"	WRS4-54-1830SS	68 lbs	WRSAD4-54-1830SS	65 lbs	WRS4-63-1830SS	72 lbs	WRSAD4-63-1830SS	67 lbs		
18" x 36"	WRS4-54-1836SS	76 lbs	WRSAD4-54-1836SS	73 lbs	WRS4-63-1836SS	80 lbs	WRSAD4-63-1836SS	75 lbs		
18" x 42"	WRS4-54-1842SS	84 lbs	WRSAD4-54-1842SS	81 lbs	WRS4-63-1842SS	88 lbs	WRSAD4-63-1842SS	83 lbs		
18" x 48"	WRS4-54-1848SS	92 lbs	WRSAD4-54-1848SS	89 lbs	WRS4-63-1848SS	96 lbs	WRSAD4-63-1848SS	91 lbs		
18" x 54"	WRS4-54-1854SS	100 lbs	WRSAD4-54-1854SS	97 lbs	WRS4-63-1854SS	104 lbs	WRSAD4-63-1854SS	99 lbs		
18" x 60"	WRS4-54-1860SS	108 lbs	WRSAD4-54-1860SS	105 lbs	WRS4-63-1860SS	112 lbs	WRSAD4-63-1860SS	107 lbs		
18" x 72"	WRS4-54-1872SS	120 lbs	WRSAD4-54-1872SS	117 lbs	WRS4-63-1872SS	124 lbs	WRSAD4-63-1872SS	119 lbs		
21" x 24"	WRS4-54-2124SS	64 lbs	WRSAD4-54-2124SS	61 lbs	WRS4-63-2124SS	68 lbs	WRSAD4-63-2124SS	63 lbs		
21" x 30"	WRS4-54-2130SS	72 lbs	WRSAD4-54-2130SS	69 lbs	WRS4-63-2130SS	76 lbs	WRSAD4-63-2130SS	71 lbs		
21" x 36"	WRS4-54-2136SS	84 lbs	WRSAD4-54-2136SS	81 lbs	WRS4-63-2136SS	88 lbs	WRSAD4-63-2136SS	83 lbs		
21" x 42"	WRS4-54-2142SS	96 lbs	WRSAD4-54-2142SS	93 lbs	WRS4-63-2142SS	100 lbs	WRSAD4-63-2142SS	95 lbs		
21" x 48"	WRS4-54-2148SS	104 lbs	WRSAD4-54-2148SS	101 lbs	WRS4-63-2148SS	108 lbs	WRSAD4-63-2148SS	103 lbs		
21" x 54"	WRS4-54-2154SS	112 lbs	WRSAD4-54-2154SS	109 lbs	WRS4-63-2154SS	116 lbs	WRSAD4-63-2154SS	111 lbs		
21" x 60"	WRS4-54-2160SS	124 lbs	WRSAD4-54-2160SS	121 lbs	WRS4-63-2160SS	128 lbs	WRSAD4-63-2160SS	123 lbs		
21" x 72"	WRS4-54-2172SS	132 lbs	WRSAD4-54-2172SS	129 lbs	WRS4-63-2172SS	136 lbs	WRSAD4-63-2172SS	131 lbs		
24" x 24"	WRS4-54-2424SS	72 lbs	WRSAD4-54-2424SS	69 lbs	WRS4-63-2424SS	76 lbs	WRSAD4-63-2424SS	71 lbs		
24" x 30"	WRS4-54-2430SS	80 lbs	WRSAD4-54-2430SS	77 lbs	WRS4-63-2430SS	84 lbs	WRSAD4-63-2430SS	79 lbs		
24" x 36"	WRS4-54-2436SS	88 lbs	WRSAD4-54-2436SS	85 lbs	WRS4-63-2436SS	92 lbs	WRSAD4-63-2436SS	87 lbs		
24" x 42"	WRS4-54-2442SS	100 lbs	WRSAD4-54-2442SS	97 lbs	WRS4-63-2442SS	104 lbs	WRSAD4-63-2442SS	99 lbs		
24" x 48"	WRS4-54-2448SS	108 lbs	WRSAD4-54-2448SS	105 lbs	WRS4-63-2448SS	112 lbs	WRSAD4-63-2448SS	107 lbs		
24" x 54"	WRS4-54-2454SS	124 lbs	WRSAD4-54-2454SS	121 lbs	WRS4-63-2454SS	128 lbs	WRSAD4-63-2454SS	123 lbs		
24" x 60"	WRS4-54-2460SS	136 lbs	WRSAD4-54-2460SS	133 lbs	WRS4-63-2460SS	140 lbs	WRSAD4-63-2460SS	135 lbs		
24" x 72"	WRS4-54-2472SS	140 lbc	WRSAD4-54-2472SS	145 160	WRS4-63-2472SS	152 11	WRSAD4-63-2472SS	1 4 7 11.		

Shelving units include 4 posts and 4 shelves. Add-On units include 2 posts, 4 shelves and 8 shelf clamps.

18 Gauge 304 Stainless Steel

	74"H STAINI	LESS SOLI	D SHELVING 4 SHELVE	86"H STAINLESS SOLID SHELVING 4 SHELVES				
	STARTER KIT	г	ADD-ON KIT		STARTER KIT	г	ADD-ON KIT	
SHELF		SHIP		SHIP		SHIP		SHIP
W" x L"	MODEL NO.	WGT	MODEL NO.	WGT	MODEL NO.	WGT	MODEL NO.	WGT
14" x 36"	WRS4-74-1436SS	72 lbs	WRSAD4-74-1436SS	67 lbs	WRS4-86-1436SS	76 lbs	WRSAD4-86-1436SS	69 lbs
14" x 42"	WRS4-74-1442SS	76 lbs	WRSAD4-74-1442SS	71 lbs	WRS4-86-1442SS	80 lbs	WRSAD4-86-1442SS	73 lbs
14" x 48"	WRS4-74-1448SS	84 lbs	WRSAD4-74-1448SS	79 lbs	WRS4-86-1448SS	88 lbs	WRSAD4-86-1448SS	81 lbs
14" x 54"	WRS4-74-1454SS		WRSAD4-74-1454SS	91 lbs	WRS4-86-1454SS		WRSAD4-86-1454SS	93 lbs
14" x 60"	WRS4-74-1460SS	104 lbs	WRSAD4-74-1460SS	99 lbs	WRS4-86-1460SS	108 lbs	WRSAD4-86-1460SS	101 lbs
14" x 72"	WRS4-74-1472SS	120 lbs	WRSAD4-74-1472SS	115 lbs	WRS4-86-1472SS	124 lbs	WRSAD4-86-1472SS	117 lbs
18" x 24"	WRS4-74-1824SS	60 lbs	WRSAD4-74-1824SS	55 lbs	WRS4-86-182455	64 lbs	WRSAD4-86-1824SS	57 lbs
18" x 30"	WRS4-74-1830SS	72 lbs	WRSAD4-74-1830SS	67 lbs	WRS4-86-1830SS	76 lbs	WRSAD4-86-1830SS	69 lbs
18" x 36"	WRS4-74-1836SS	80 lbs	WRSAD4-74-1836SS	75 lbs	WRS4-86-1836SS	84 lbs	WRSAD4-86-1836SS	77 lbs
18" x 42"	WRS4-74-1842SS	88 lbs	WRSAD4-74-1842SS	83 lbs	WRS4-86-1842SS	92 lbs	WRSAD4-86-1842SS	85 lbs
18" x 48"	WRS4-74-1848SS	96 lbs	WRSAD4-74-1848SS	91 lbs	WRS4-86-1848SS	100 lbs	WRSAD4-86-1848SS	93 lbs
18" x 54"	WRS4-74-1854SS	104 lbs	WRSAD4-74-1854SS	99 lbs	WRS4-86-1854SS	108 lbs	WRSAD4-86-1854SS	101 lbs
18" x 60"	WRS4-74-1860SS	112 lbs	WRSAD4-74-1860SS	107 lbs	WRS4-86-1860SS	116 lbs	WRSAD4-86-1860SS	109 lbs
18" x 72"	WRS4-74-1872SS		WRSAD4-74-1872SS	119 lbs	WRS4-86-1872SS		WRSAD4-86-1872SS	
21" x 24"	WRS4-74-2124SS	68 lbs	WRSAD4-74-2124SS	63 lbs	WRS4-86-2124SS	72 lbs	WRSAD4-86-2124SS	65 lbs
21" x 30"	WRS4-74-2130SS	76 lbs	WRSAD4-74-2130SS	71 lbs	WRS4-86-2130SS	80 lbs	WRSAD4-86-2130SS	73 lbs
21" x 36"	WRS4-74-2136SS	88 lbs	WRSAD4-74-2136SS	83 lbs	WRS4-86-2136SS	92 lbs	WRSAD4-86-2136SS	85 lbs
21" x 42"	WRS4-74-2142SS	100 lbs	WRSAD4-74-2142SS	95 lbs	WRS4-86-2142SS	104 lbs	WRSAD4-86-2142SS	97 lbs
21" x 48"	WRS4-74-2148SS	108 lbs	WRSAD4-74-2148SS	103 lbs	WRS4-86-2148SS	112 lbs	WRSAD4-86-2148SS	105 lbs
21" x 54"	WRS4-74-2154SS	116 lbs	WRSAD4-74-2154SS	111 lbs	WRS4-86-2154SS	120 lbs	WRSAD4-86-2154SS	113 lbs
21" x 60"	WRS4-74-2160SS	128 lbs	WRSAD4-74-2160SS	123 lbs	WRS4-86-2160SS	132 lbs	WRSAD4-86-2160SS	125 lbs
21" x 72"	WRS4-74-2172SS	136 lbs	WRSAD4-74-2172SS	131 lbs	WRS4-86-2172SS	140 lbs	WRSAD4-86-2172SS	133 lbs
24" x 24"	WRS4-74-2424SS	76 lbs	WRSAD4-74-2424SS	71 lbs	WRS4-86-2424SS	80 lbs	WRSAD4-86-2424SS	73 lbs
24" x 30"	WRS4-74-2430SS	84 lbs	WRSAD4-74-2430SS	79 lbs	WRS4-86-2430SS	88 lbs	WRSAD4-86-2430SS	81 lbs
24" x 36"	WRS4-74-2436SS	92 lbs	WRSAD4-74-2436SS	87 lbs	WRS4-86-2436SS	96 lbs	WRSAD4-86-2436SS	89 lbs
24" x 42"	WRS4-74-2442SS	104 lbs	WRSAD4-74-2442SS	99 lbs	WRS4-86-2442SS	108 lbs	WRSAD4-86-2442SS	101 lbs
24" x 48"	WRS4-74-2448SS	112 lbs	WRSAD4-74-2448SS	107 lbs	WRS4-86-2448SS	116 lbs	WRSAD4-86-2448SS	109 lbs
24" x 54"	WRS4-74-2454SS	128 lbs	WRSAD4-74-2454SS	123 lbs	WRS4-86-2454SS	132 lbs	WRSAD4-86-2454SS	125 lbs
24" x 60"	WRS4-74-2460SS	140 lbs	WRSAD4-74-2460SS	135 lbs	WRS4-86-2460SS	144 lbs	WRSAD4-86-2460SS	137 lbs
24" x 72"	WRS4-74-2472SS	152 lbs	WRSAD4-74-2472SS	147 lbs	WRS4-86-2472SS	156 lbs	WRSAD4-86-2472SS	149 lbs
Shelving units	include 4 posts and 4 sh	elves. Add-(On units include 2 posts, 4 sh	elves and 8 s	helf clamps.			



SHELF W" x L" MODEL 14" x 36" WRS5-5 14" x 44" WRS5-5 14" x 54" WRS5-5 14" x 54" WRS5-5 14" x 54" WRS5-5 14" x 72" WRS5-5 14" x 72" WRS5-5 18" x 24" WRS5-5 18" x 36" WRS5-5 18" x 42" WRS5-5 18" x 42" WRS5-5 18" x 72" WRS5-5 18" x 72" WRS5-5 21" x 24" WRS5-5 21" x 30" WRS5-5 21" x 34" WRS5-5	TARTER KI 54-14365S 54-14425S 54-14485S 54-14485S 54-14545S 54-14545S 54-14525 54-18245S 54-18305S 54-18365S 54-18425S 54-184855 54-18655S 54-18605S 54-1865S 54-1855S 54	SHIP WGT 82 lbs 87 lbs 97 lbs 112 lbs 122 lbs 142 lbs 67 lbs 82 lbs 92 lbs 102 lbs 112 lbs 122 lbs	MODELN WRSADS WRSADS WRSADS WRSADS WRSADS WRSADS WRSADS WRSADS WRSADS WRSADS	ND-ON KIT -54-1436SS -54-1442SS -54-1448SS -54-1454SS -54-1454SS -54-1460SS -54-1472SS -54-1824SS -54-1830SS -54-1830SS -54-1830SS -54-1842SS -54-1848SS -54-1854SS	84 lbs 94 lbs 109 lbs 119 lbs 139 lbs 64 lbs 79 lbs 89 lbs 99 lbs 109 lbs	STARTH MODEL NO. WRS5-63-143 WRS5-63-144 WRS5-63-144 WRS5-63-146 WRS5-63-146 WRS5-63-182 WRS5-63-183 WRS5-63-183 WRS5-63-184 WRS5-63-184	655 8 255 9 855 10 455 1 055 1 255 1 455 7 055 8 655 9 255 10	16 lbs 26 lbs 46 lbs 71 lbs 36 lbs 96 lbs 96 lbs	ADD-ON KIT MODEL NO. WRSAD5-63-1436SS WRSAD5-63-1442SS WRSAD5-63-1448SS WRSAD5-63-1448SS WRSAD5-63-1460SS WRSAD5-63-1460SS WRSAD5-63-1824SS WRSAD5-63-1824SS WRSAD5-63-1836SS WRSAD5-63-1842SS WRSAD5-63-1842SS	SHIP WGT 81 lbs 86 lbs 96 lbs 111 lbs 121 lbs 141 lbs 66 lbs 81 lbs 91 lbs 101 lbs 111 lbs
W" x L" MODEL 14" x 36" WRS5-5 14" x 42" WRS5-5 14" x 54" WRS5-5 14" x 54" WRS5-5 14" x 54" WRS5-5 14" x 72" WRS5-5 14" x 72" WRS5-5 18" x 24" WRS5-5 18" x 42" WRS5-5 18" x 44" WRS5-5 18" x 44" WRS5-5 18" x 72" WRS5-5 18" x 72" WRS5-5 18" x 72" WRS5-5 18" x 60" WRS5-5 18" x 72" WRS5-5 21" x 24" WRS5-5 21" x 36" WRS5-5 21" x 36" WRS5-5 21" x 36" WRS5-5 21" x 36" WRS5-5 21" x 48" WRS5-5 21" x 54" WRS5-5	54-1436SS 54-1442SS 54-1448SS 54-1460SS 54-1472SS 54-1824SS 54-1824SS 54-1836SS 54-1836SS 54-1848SS 54-1848SS 54-1854SS	WGT 8 2 lbs 8 7 lbs 9 7 lbs 112 lbs 122 lbs 142 lbs 6 7 lbs 8 2 lbs 9 2 lbs 102 lbs 112 lbs 122 lbs	WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5	-54-1436SS -54-1442SS -54-1448SS -54-1454SS -54-1450SS -54-1472SS -54-1824SS -54-1830SS -54-1836SS -54-1842SS -54-1848SS	WGT 79 lbs 84 lbs 94 lbs 109 lbs 119 lbs 139 lbs 64 lbs 79 lbs 89 lbs 99 lbs 109 lbs	WRS5-63-143 WRS5-63-144 WRS5-63-144 WRS5-63-145 WRS5-63-146 WRS5-63-182 WRS5-63-182 WRS5-63-183 WRS5-63-184 WRS5-63-184	65S 8 2SS 9 8SS 10 4SS 1 0SS 12 2SS 1 4SS 7 0SS 8 6SS 9 2SS 1 4SS 1 2SS 1 4SS 7 0SS 8 6SS 9 2SS 1	WGT 66 lbs 11 lbs 10 lbs 16 lbs 16 lbs 26 lbs 46 lbs 16 lbs 16 lbs 16 lbs 16 lbs 10 lbs 1	WRSAD5-63-1436SS WRSAD5-63-1442SS WRSAD5-63-1448SS WRSAD5-63-1454SS WRSAD5-63-1450SS WRSAD5-63-1460SS WRSAD5-63-1472SS WRSAD5-63-1824SS WRSAD5-63-1830SS WRSAD5-63-1836SS WRSAD5-63-1842SS	WGT 81 lbs 86 lbs 96 lbs 111 lbs 121 lbs 141 lbs 66 lbs 81 lbs 91 lbs 101 lbs
14" x 42" WRS5-5 14" x 48" WRS5-5 14" x 54" WRS5-5 14" x 54" WRS5-5 14" x 72" WRS5-5 18" x 24" WRS5-5 18" x 36" WRS5-5 18" x 42" WRS5-5 18" x 44" WRS5-5 18" x 44" WRS5-5 18" x 54" WRS5-5 18" x 72" WRS5-5 21" x 24" WRS5-5 21" x 30" WRS5-5 21" x 30" WRS5-5 21" x 42" WRS5-5 21" x 44" WR	54-1442SS 54-1448SS 54-1454SS 54-1460SS 54-1472SS 54-1824SS 54-1824SS 54-1836SS 54-1836SS 54-1842SS 54-1848SS 54-1854SS	87 lbs 97 lbs 112 lbs 122 lbs 142 lbs 67 lbs 82 lbs 92 lbs 102 lbs 112 lbs 122 lbs	WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5	-54-1442SS -54-1448SS -54-1454SS -54-1460SS -54-1472SS -54-1824SS -54-1830SS -54-1836SS -54-1842SS -54-1848SS	84 lbs 94 lbs 109 lbs 119 lbs 139 lbs 64 lbs 79 lbs 89 lbs 99 lbs 109 lbs	WRS5-63-144 WRS5-63-144 WRS5-63-145 WRS5-63-145 WRS5-63-147 WRS5-63-182 WRS5-63-183 WRS5-63-183 WRS5-63-184 WRS5-63-184	2SS 9 8SS 10 4SS 1 0SS 1.1 2SS 1.4 4SS 7 0SS 8 6SS 9 2SS 1.0	11 lbs 01 lbs 16 lbs 26 lbs 46 lbs 11 lbs 46 lbs 46 lbs 06 lbs 06 lbs	WRSAD5-63-1442SS WRSAD5-63-1448SS WRSAD5-63-1454SS WRSAD5-63-1450SS WRSAD5-63-1472SS WRSAD5-63-1824SS WRSAD5-63-1830SS WRSAD5-63-1836SS WRSAD5-63-1842SS	86 lbs 96 lbs 111 lbs 121 lbs 141 lbs 66 lbs 81 lbs 91 lbs 101 lbs
14" x 48" WR55-5 14" x 54" WR55-5 14" x 72" WR55-5 14" x 72" WR55-5 18" x 24" WR55-5 18" x 30" WR55-5 18" x 42" WR55-5 18" x 42" WR55-5 18" x 44" WR55-5 18" x 72" WR55-5 21" x 24" WR55-5 21" x 24" WR55-5 21" x 30" WR55-5 21" x 48" WR55-5 21" x 48" WR55-5 21" x 54" WR	54-1448SS 54-1454SS 54-1460SS 54-1472SS 54-1824SS 54-1824SS 54-1836SS 54-1836SS 54-1842SS 54-1848SS 54-1854SS	97 lbs 112 lbs 122 lbs 142 lbs 67 lbs 82 lbs 92 lbs 102 lbs 112 lbs 122 lbs	WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5	-54-1448SS -54-1454SS -54-1460SS -54-1472SS -54-1824SS -54-1830SS -54-1836SS -54-1842SS -54-1848SS	94 lbs 109 lbs 119 lbs 139 lbs 64 lbs 79 lbs 89 lbs 99 lbs 109 lbs	WR55-63-144 WR55-63-145 WR55-63-146 WR55-63-147 WR55-63-182 WR55-63-183 WR55-63-183 WR55-63-184 WR55-63-184	855 1/ 455 1 055 1/ 255 1/ 455 7 055 8 655 9 255 1/	01 lbs 16 lbs 26 lbs 46 lbs 71 lbs 36 lbs 96 lbs 96 lbs	WRSAD5-63-1448SS WRSAD5-63-1454SS WRSAD5-63-1450SS WRSAD5-63-1472SS WRSAD5-63-1824SS WRSAD5-63-1830SS WRSAD5-63-1836SS WRSAD5-63-1842SS	96 lbs 111 lbs 121 lbs 141 lbs 66 lbs 81 lbs 91 lbs 101 lbs
14" x 54" WRS5-5 14" x 60" WRS5-5 14" x 72" WRS5-5 18" x 24" WRS5-5 18" x 30" WRS5-5 18" x 30" WRS5-5 18" x 44" WRS5-5 18" x 44" WRS5-5 18" x 60" WRS5-5 18" x 72" WRS5-5 21" x 24" WRS5-5 21" x 24" WRS5-5 21" x 48" WRS5-5 21" x 54" WRS5-5 31" x 54" WR	54-1454SS 54-1460SS 54-1472SS 54-1824SS 54-1830SS 54-1836SS 54-1842SS 54-1848SS 54-1848SS 54-1854SS	112 lbs 122 lbs 142 lbs 67 lbs 82 lbs 92 lbs 102 lbs 112 lbs 122 lbs	WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5	-54-1454SS -54-1460SS -54-1472SS -54-1824SS -54-1830SS -54-1836SS -54-1842SS -54-1848SS	109 lbs 119 lbs 139 lbs 64 lbs 79 lbs 89 lbs 99 lbs 109 lbs	WRS5-63-145 WRS5-63-146 WRS5-63-147 WRS5-63-182 WRS5-63-183 WRS5-63-183 WRS5-63-184 WRS5-63-184	4SS 1 0SS 1 2SS 1 4SS 7 0SS 8 6SS 9 2SS 1	16 lbs 26 lbs 46 lbs 71 lbs 36 lbs 96 lbs 96 lbs	WRSAD5-63-1454SS WRSAD5-63-1460SS WRSAD5-63-1472SS WRSAD5-63-1824SS WRSAD5-63-1830SS WRSAD5-63-1836SS WRSAD5-63-1842SS	111 lbs 121 lbs 141 lbs 66 lbs 81 lbs 91 lbs 101 lbs
14" x 60" WRS5-5 14" x 72" WRS5-5 18" x 24" WRS5-5 18" x 30" WRS5-5 18" x 36" WRS5-5 18" x 48" WRS5-5 18" x 48" WRS5-5 18" x 48" WRS5-5 18" x 72" WRS5-5 21" x 24" WRS5-5 21" x 24" WRS5-5 21" x 48" WRS5-5 21" x 54" WRS5-5 31" x 54" WR	54-1460SS 54-1472SS 54-1824SS 54-1830SS 54-1836SS 54-1842SS 54-1848SS 54-1848SS 54-1854SS	122 lbs 142 lbs 67 lbs 82 lbs 92 lbs 102 lbs 112 lbs 122 lbs	WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5	-54-1460SS -54-1472SS -54-1824SS -54-1830SS -54-1836SS -54-1842SS -54-1848SS	119 lbs 139 lbs 64 lbs 79 lbs 89 lbs 99 lbs 109 lbs	WRS5-63-146 WRS5-63-147 WRS5-63-182 WRS5-63-183 WRS5-63-183 WRS5-63-184 WRS5-63-184	0SS 12 2SS 14 4SS 7 0SS 8 6SS 9 2SS 10	26 lbs 46 lbs 11 lbs 36 lbs 96 lbs 06 lbs	WRSAD5-63-1460SS WRSAD5-63-1472SS WRSAD5-63-1824SS WRSAD5-63-1830SS WRSAD5-63-1836SS WRSAD5-63-1842SS	121 lbs 141 lbs 66 lbs 81 lbs 91 lbs 101 lbs
14" x 72" WRS5-5 18" x 24" WRS5-5 18" x 30" WRS5-5 18" x 36" WRS5-5 18" x 42" WRS5-5 18" x 42" WRS5-5 18" x 44" WRS5-5 18" x 54" WRS5-5 18" x 72" WRS5-5 21" x 24" WRS5-5 21" x 34" WRS5-5 21" x 44" WRS5-5 21" x 44" WRS5-5 21" x 44" WRS5-5 21" x 44" WRS5-5 21" x 54" WR	54-1472SS 54-1824SS 54-1830SS 54-1836SS 54-1842SS 54-1848SS 54-1854SS	142 lbs 67 lbs 82 lbs 92 lbs 102 lbs 112 lbs 122 lbs	WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5	-54-1472SS -54-1824SS -54-1830SS -54-1836SS -54-1842SS -54-1848SS	139 lbs 64 lbs 79 lbs 89 lbs 99 lbs 109 lbs	WRS5-63-147 WRS5-63-182 WRS5-63-183 WRS5-63-183 WRS5-63-184 WRS5-63-184	2SS 14 4SS 7 0SS 8 6SS 9 2SS 10	46 lbs 11 lbs 16 lbs 16 lbs 16 lbs 16 lbs	WRSAD5-63-1472SS WRSAD5-63-1824SS WRSAD5-63-1830SS WRSAD5-63-1836SS WRSAD5-63-1842SS	141 lbs 66 lbs 81 lbs 91 lbs 101 lbs
18" x 24" WRS5-5 18" x 30" WRS5-5 18" x 42" WRS5-5 18" x 44" WRS5-5 18" x 44" WRS5-5 18" x 54" WRS5-5 18" x 72" WRS5-5 18" x 72" WRS5-5 21" x 24" WRS5-5 21" x 30" WRS5-5 21" x 34" WRS5-5 21" x 42" WRS5-5 21" x 44" WRS5-5 21" x 44" WRS5-5 21" x 54" WRS5-5	54-1824SS 54-1830SS 54-1836SS 54-1842SS 54-1848SS 54-1854SS	67 lbs 82 lbs 92 lbs 102 lbs 112 lbs 122 lbs	WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5	-54-1824SS -54-1830SS -54-1836SS -54-1842SS -54-1848SS	64 lbs 79 lbs 89 lbs 99 lbs 109 lbs	WRS5-63-182 WRS5-63-183 WRS5-63-183 WRS5-63-184 WRS5-63-184	4SS 7 0SS 8 6SS 9 2SS 10	'1 lbs 6 lbs 6 lbs 6 lbs 06 lbs	WRSAD5-63-1824SS WRSAD5-63-1830SS WRSAD5-63-1836SS WRSAD5-63-1842SS	66 lbs 81 lbs 91 lbs 101 lbs
18" x 30" WRS5-5 18" x 36" WRS5-5 18" x 42" WRS5-5 18" x 44" WRS5-5 18" x 54" WRS5-5 18" x 54" WRS5-5 18" x 54" WRS5-5 18" x 72" WRS5-5 21" x 24" WRS5-5 21" x 30" WRS5-5 21" x 42" WRS5-5 21" x 44" WRS5-5 21" x 44" WRS5-5 21" x 44" WRS5-5 21" x 44" WRS5-5 21" x 54" WRS5-5 21" x 74" WRS5-5 21" x 60" WRS5-5 21" x 74" WRS5-5 21" x 60" WRS5-5 21" x 74" WRS5-5 21" x 74" WRS5-5 21" x 72" WRS5-5 21" x 24" WRS5-5 21" x 24" WRS5-5 21" x 24" WRS5-5 21" x 24" WRS5-5	54-1830SS 54-1836SS 54-1842SS 54-1848SS 54-1854SS	82 lbs 92 lbs 102 lbs 112 lbs 122 lbs	WRSAD5 WRSAD5 WRSAD5 WRSAD5 WRSAD5	-54-1830SS -54-1836SS -54-1842SS -54-1848SS	79 lbs 89 lbs 99 lbs 109 lbs	WRS5-63-183 WRS5-63-183 WRS5-63-184 WRS5-63-184	0SS 8 6SS 9 2SS 10	6 lbs 6 lbs 6 lbs	WRSAD5-63-1830SS WRSAD5-63-1836SS WRSAD5-63-1842SS	81 lbs 91 lbs 101 lbs
18" x 36" WRS5-5 18" x 42" WRS5-5 18" x 48" WRS5-5 18" x 54" WRS5-5 18" x 60" WRS5-5 18" x 72" WRS5-5 18" x 72" WRS5-5 21" x 24" WRS5-5 21" x 30" WRS5-5 21" x 44" WRS5-5 21" x 42" WRS5-5 21" x 54" WRS5-5 21" x 42" WRS5-5 21" x 50" WRS5-5 21" x 50" WRS5-5 21" x 24" WRS5-5 21" x 72" WRS5-5 21" x 24" WRS5-5	54-1836SS 54-1842SS 54-1848SS 54-1854SS	92 lbs 102 lbs 112 lbs 122 lbs	WRSAD5 WRSAD5 WRSAD5 WRSAD5	-54-1836SS -54-1842SS -54-1848SS	89 lbs 99 lbs 109 lbs	WRS5-63-183 WRS5-63-184 WRS5-63-184	6SS 9 2SS 1	06 lbs 06 lbs	WRSAD5-63-1836SS WRSAD5-63-1842SS	91 lbs 101 lbs
18" x 42" WRS5-5 18" x 48" WRS5-5 18" x 54" WRS5-5 18" x 72" WRS5-5 21" x 24" WRS5-5 21" x 30" WRS5-5 21" x 34" WRS5-5 21" x 36" WRS5-5 21" x 42" WRS5-5 21" x 48" WRS5-5 21" x 42" WRS5-5	54-1842SS 54-1848SS 54-1854SS	102 lbs 112 lbs 122 lbs	WRSAD5 WRSAD5 WRSAD5	-54-1842SS -54-1848SS	99 lbs 109 lbs	WRS5-63-184 WRS5-63-184	2SS 1	06 lbs	WRSAD5-63-1842SS	101 lbs
18" x 48" WRS5-5 18" x 54" WRS5-5 18" x 72" WRS5-5 21" x 24" WRS5-5 21" x 30" WRS5-5 21" x 30" WRS5-5 21" x 44" WRS5-5 21" x 42" WRS5-5 21" x 44" WRS5-5 21" x 54" WRS5-5 21" x 54" WRS5-5 21" x 24" WRS5-5 21" x 54" WRS5-5 21" x 54" WRS5-5 21" x 54" WRS5-5 21" x 24" WRS5-5 21" x 54" WRS5-5 21" x 54" WRS5-5 21" x 24" WRS5-5 21" x 24" WRS5-5	54-1848SS 54-1854SS	112 lbs 122 lbs	WRSAD5 WRSAD5	-54-184855	109 lbs	WRS5-63-184				
18" x 54" WRS5-5 18" x 60" WRS5-5 18" x 72" WRS5-5 21" x 24" WRS5-5 21" x 30" WRS5-5 21" x 44" WRS5-5 21" x 54" WRS5-5 21" x 54" WRS5-5 21" x 54" WRS5-5 21" x 24" WRS5-5 21" x 54" WRS5-5 21" x 54" WRS5-5 21" x 24" WRS5-5 21" x 24" WRS5-5 21" x 54" WRS5-5 21" x 24" WRS5-5	54-1854SS	122 lbs	WRSAD5				8SS 1	16 lbs		111 lb-
18" x 60" WRSS-5 18" x 72" WRSS-5 21" x 24" WRSS-5 21" x 30" WRSS-5 21" x 44" WRSS-5 21" x 54" WRSS-5 21" x 24" WRSS-5				-54-1854SS	119 lbs	WDG - 40 405			WRSAD5-63-1848SS	ZOLLI
18" x 72" WRS5-5 21" x 24" WRS5-5 21" x 30" WRS5-5 21" x 36" WRS5-5 21" x 44" WRS5-5 21" x 54" WRS5-5 21" x 24" WRS5-5 21" x 24" WRS5-5	54-1860SS	132 lbs	WDCADE			WRS5-63-185	4SS 12	26 lbs	WRSAD5-63-1854SS	121 lbs
21" x 24" WRS5-5 21" x 30" WRS5-5 21" x 36" WRS5-5 21" x 42" WRS5-5 21" x 44" WRS5-5 21" x 54" WRS5-5 21" x 54" WRS5-5 21" x 72" WRS5-5 24" x 24" WRS5-5		1 3 2 103	VVNSADS	-54-1860SS	129 lbs	WRS5-63-186	0SS 11	36 lbs	WRSAD5-63-1860SS	131 lbs
21" x 30" WRS5-5 21" x 36" WRS5-5 21" x 42" WRS5-5 21" x 44" WRS5-5 21" x 54" WRS5-5 21" x 60" WRS5-5 21" x 72" WRS5-5 24" x 24" WRS5-5	54-1872SS	147 lbs	WRSAD5	-54-1872SS	144 lbs	WRS5-63-187	2SS 1	51 lbs	WRSAD5-63-1872SS	146 lbs
21" x 36" WRS5-5 21" x 42" WRS5-5 21" x 48" WRS5-5 21" x 54" WRS5-5 21" x 54" WRS5-5 21" x 60" WRS5-5 21" x 72" WRS5-5 24" x 24" WRS5-5	54-2124SS	77 lbs	WRSAD5	-54-2124SS	74 lbs	WRS5-63-212	4SS 8	1 lbs	WRSAD5-63-2124SS	76 lbs
21" x 42" WRS5-5 21" x 48" WRS5-5 21" x 54" WRS5-5 21" x 60" WRS5-5 21" x 72" WRS5-5 24" x 24" WRS5-5	54-2130SS	87 lbs	WRSAD5	-54-2130SS	84 lbs	WRS5-63-213	0SS 9	1 lbs	WRSAD5-63-2130SS	86 lbs
21" x 48" WRS5-5 21" x 54" WRS5-5 21" x 60" WRS5-5 21" x 72" WRS5-5 24" x 24" WRS5-5	54-2136SS	102 lbs	WRSAD5	-54-2136SS	99 lbs	WRS5-63-213	6SS 1	06 lbs	WRSAD5-63-2136SS	101 lbs
21" x 54" WRS5-5 21" x 60" WRS5-5 21" x 72" WRS5-5 24" x 24" WRS5-5	54-2142SS	117 lbs	WRSAD5	-54-2142SS	114 lbs	WRS5-63-214	2SS 12	21 lbs	WRSAD5-63-2142SS	116 lbs
21" x 60" WRS5-5 21" x 72" WRS5-5 24" x 24" WRS5-5	54-2148SS	127 lbs	WRSAD5	-54-2148SS	124 lbs	WRS5-63-214	8SS 1	31 lbs	WRSAD5-63-2148SS	126 lbs
21" x 72" WRS5-5 24" x 24" WRS5-5	54-2154SS	137 lbs	WRSAD5	-54-2154SS	134 lbs	WRS5-63-215	4SS 14	41 lbs	WRSAD5-63-2154SS	136 lbs
24" x 24" WRS5-5	54-2160SS	152 lbs	WRSAD5	-54-2160SS	149 lbs	WRS5-63-216	0SS 1	56 lbs	WRSAD5-63-2160SS	151 lbs
	54-2172SS	162 lbs	WRSAD5	-54-2172SS	159 lbs	WRS5-63-217	2SS 1	66 lbs	WRSAD5-63-2172SS	161 lbs
141	54-2424SS	87 lbs	WRSAD5	-54-2424SS	84 lbs	WRS5-63-242	4SS 9	1 lbs	WRSAD5-63-2424SS	86 lbs
24" x 30" WRS5-5	54-2430SS	97 lbs	WRSAD5	-54-2430SS	94 lbs	WRS5-63-243	0SS 1	01 lbs	WRSAD5-63-2430SS	96 lbs
24" x 36" WRS5-5	54-2436SS	107 lbs	WRSAD5	-54-2436SS	104 lbs	WRS5-63-243	6SS 1	11 lbs	WRSAD5-63-2436SS	106 lbs
24" x 42" WRS5-5	54-2442SS	122 lbs	WRSAD5	-54-2442SS	119 lbs	WRS5-63-244	2SS 1	26 lbs	WRSAD5-63-2442SS	121 lbs
24" x 48" WRS5-5		132 lbs	WRSAD5	-54-2448SS	129 lbs	WRS5-63-244	8SS 1	36 lbs	WRSAD5-63-2448SS	131 lbs
24" x 54" WRS5-5	54-244855	152 lbs	WRSAD5	-54-2454SS	149 lbs	WRS5-63-245	4SS 1	56 lbs	WRSAD5-63-2454SS	151 lbs
24" x 60" WRS5-5	54-244855 54-2454SS		WRSAD5	-54-2460SS	164 lbs	WRS5-63-246	0SS 1	71 lbs	WRSAD5-63-2460SS	166 lbs
24" x 72" WRS5-5		167 lbs			179 lbs	WRS5-63-247				181 lbs

Shelving units include 4 posts and 5 shelves. Add-On units include 2 posts, 5 shelves and 10 shelf clamps.

18 Gauge 304 Stainless Steel

	74"H STAINLES	S SOLID	SHELVING 5 SHELVE	s	86"H STAINLESS SOLID SHELVING 5 SHELVES				
	STARTER KIT		ADD-ON KIT		STARTER KI	т	ADD-ON KIT		
SHELF		HIP		SHIP		SHIP		SHIP	
W" x L"	MODEL NO. W	VGT I	MODEL NO.	WGT	MODEL NO.	WGT	MODEL NO.	WGT	
14" x 36"	WRS5-74-1436SS 86	6 lbs 🛛	WRSAD5-74-1436SS	81 lbs	WRS5-86-1436SS	90 lbs	WRSAD5-86-1436SS	83 lbs	
14" x 42"	WRS5-74-1442SS 91	1 lbs	WRSAD5-74-1442SS	86 lbs	WRS5-86-1442SS	95 lbs	WRSAD5-86-1442SS	88 lbs	
14" x 48"	WRS5-74-1448SS 10	1 lbs	WRSAD5-74-1448SS	91 lbs	WRS5-86-1448SS	105 lbs	WRSAD5-86-1448SS	98 lbs	
14" x 54"	WRS5-74-1454SS 11	6 lbs	WRSAD5-74-1454SS	111 lbs	WRS5-86-1454SS	120 lbs	WRSAD5-86-1454SS	113 lbs	
14" x 60"	WRS5-74-1460SS 12	6 lbs	WRSAD5-74-1460SS	121 lbs	WRS5-86-1460SS	130 lbs	WRSAD5-86-1460SS	123 lbs	
14" x 72"	WRS5-74-1472SS 14	6 lbs	WRSAD5-74-1472SS	141 lbs	WRS5-86-1472SS	150 lbs	WRSAD5-86-1472SS	143 lbs	
18" x 24"	WRS5-74-1824SS 71	1 lbs	WRSAD5-74-1824SS	66 lbs	WRS5-86-1824SS	75 lbs	WRSAD5-86-1824SS	68 lbs	
18" x 30"	WRS5-74-1830SS 86	6 lbs 🛛	WRSAD5-74-1830SS	81 lbs	WRS5-86-1830SS	90 lbs	WRSAD5-86-1830SS	83 lbs	
18" x 36"	WRS5-74-1836SS 96	6 lbs 🛛	WRSAD5-74-1836SS	91 lbs	WRS5-86-1836SS	100 lbs	WRSAD5-86-1836SS	93 lbs	
18" x 42"	WRS5-74-1842SS 10	6 lbs	WRSAD5-74-1842SS	101 lbs	WRS5-86-1842SS	110 lbs	WRSAD5-86-1842SS	103 lbs	
18" x 48"	WRS5-74-1848SS 11	6 lbs	WRSAD5-74-1848SS	111 lbs	WRS5-86-1848SS	120 lbs	WRSAD5-86-1848SS	113 lbs	
18" x 54"	WRS5-74-1854SS 12	6 lbs	WRSAD5-74-1854SS	121 lbs	WRS5-86-1854SS	130 lbs	WRSAD5-86-1854SS	123 lbs	
18" x 60"	WRS5-74-1860SS 13	6 lbs	WRSAD5-74-1860SS	131 lbs	WRS5-86-1860SS	140 lbs	WRSAD5-86-1860SS	133 lbs	
18" x 72"	WRS5-74-1872SS 15	1 lbs	WRSAD5-74-1872SS	151 lbs	WRS5-86-1872SS	155 lbs	WRSAD5-86-1872SS	153 lbs	
21" x 24"	WRS5-74-2124SS 81	1 lbs	WRSAD5-74-2124SS	76 lbs	WRS5-86-2124SS	85 lbs	WRSAD5-86-2124SS	78 lbs	
21" x 30"	WRS5-74-2130SS 91	1 lbs	WRSAD5-74-2130SS	86 lbs	WRS5-86-2130SS	95 lbs	WRSAD5-86-2130SS	88 lbs	
21" x 36"	WRS5-74-2136SS 10	6 lbs	WRSAD5-74-2136SS	101 lbs	WRS5-86-2136SS	110 lbs	WRSAD5-86-2136SS	103 lbs	
21" x 42"	WRS5-74-2142SS 12	1 lbs	WRSAD5-74-2142SS	116 lbs	WRS5-86-2142SS	125 lbs	WRSAD5-86-2142SS	118 lbs	
21" x 48"	WRS5-74-2148SS 13	1 lbs	WRSAD5-74-2148SS	121 lbs	WRS5-86-2148SS	135 lbs	WRSAD5-86-2148SS	123 lbs	
21" x 54"	WRS5-74-2154SS 14	1 lbs	WRSAD5-74-2154SS	136 lbs	WRS5-86-2154SS	145 lbs	WRSAD5-86-2154SS	138 lbs	
21" x 60"	WRS5-74-2160SS 15	6 lbs	WRSAD5-74-2160SS	151 lbs	WRS5-86-2160SS	160 lbs	WRSAD5-86-2160SS	153 lbs	
21" x 72"	WRS5-74-2172SS 16	6 lbs	WRSAD5-74-2172SS	186 lbs	WRS5-86-2172SS	170 lbs	WRSAD5-86-2172SS	188 lbs	
24" x 24"	WRS5-74-2424SS 91	1 lbs	WRSAD5-74-2424SS	86 lbs	WRS5-86-2424SS	95 lbs	WRSAD5-86-2424SS	88 lbs	
24" x 30"	WRS5-74-2430SS 10	1 lbs	WRSAD5-74-2430SS	96 lbs	WRS5-86-2430SS	105 lbs	WRSAD5-86-2430SS	98 lbs	
24" x 36"	WRS5-74-2436SS 11		WRSAD5-74-2436SS		WRS5-86-2436SS		WRSAD5-86-2436SS		
24" x 42"	WRS5-74-2442SS 12		WRSAD5-74-2442SS		WRS5-86-2442SS		WRSAD5-86-2442SS		
24" x 48"	WRS5-74-2448SS 13		WRSAD5-74-2448SS		WRS5-86-2448SS		WRSAD5-86-2448SS		
24" x 54"	WRS5-74-2454SS 15		WRSAD5-74-2454SS		WRS5-86-2454SS		WRSAD5-86-2454SS		
24" x 60"	WRS5-74-2460SS 17		WRSAD5-74-2460SS		WRS5-86-2460SS		WRSAD5-86-2460SS		
24" x 72"	WRS5-74-2472SS 18		WRSAD5-74-2472SS		WRS5-86-2472SS		WRSAD5-86-2472SS		
	include 4 posts and 5 shelve								

5 Shelf Starter Kits

Solid shelves are a solution where dirt, dust and spills are a potential issue. The solid flat surface allows for storage from small to large items and the marine edge perimeter prevents spillage. The double hemmed 18 gauge 304 stainless steel gives the solid shelf excellent strength characteristics. All solid shelf units consist of 5 shelves and 4 posts. Mobilize starter kit shelving unit using optional mobile kit WR-00H. See *pg. 79. Finish:* Stainless Steel



MOBILIZE YOUR SHELVING

DB - Donut Bumper Non-marking donut bumper used to protect walls and help cushion impact.


WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.



5 Shelf Add-On Kits

Additional Add-On kit allows you to expand your Starter kit by sharing a set of posts. Configuration options include straight line, back to back and right angles (*L-Shape*). Add-On units consist of 5 shelves, 2 posts and 10 shelf clamps. Additional shelves may be purchased separately. See chart on *pg. 39*. Units with Add-On kit cannot be made mobile. *Finish:* Stainless Steel





4 Shelf Starter Kits

Solid shelves are a solution where dirt, dust and spills are a potential issue. The solid flat surface allows for storage from small to large items and the marine edge perimeter prevents spillage. The double hemmed 18 gauge galvanized steel gives the solid shelf excellent strength characteristics. All solid shelf units consist of 4 shelves and 4 posts. Mobilize starter kit shelving unit using optional mobile kit WR-00H. See *pg. 79*. *Finish:* Galvanized Steel



MOBILIZE YOUR SHELVING DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.




Ţ

Shelf Clamp Shelf Clamp eliminates 2 post per shelving section. Two QSMC clamps are required per shelf. *Finish:* Aluminum

4 Shelf Add-On Kits

Additional Add-On kit allows you to expand your Starter kit by sharing a set of posts. Configuration options include straight line, back to back and right angles (*L-Shape*). Add-On units consist of 4 shelves, 2 posts and 8 shelf clamps. Additional shelves may be purchased separately. See chart on *pg. 39*. Units with Add-On kit cannot be made mobile. *Finish:* Galvanized Steel



	54"H GALVANI	ZED SOLI	D SHELVING 4 SH	IELVES	63"H GALVANIZED SOLID SHELVING 4 SHELVES			
	STARTER K	ат	ADD-ON K	л	STARTER K	ат	ADD-ON K	п
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
14" x 36"	WR54-1436SG	68 lbs	AD54-1436SG	65 lbs	WR63-1436SG	72 lbs	AD63-1436SG	67 lbs
14" x 42"	WR54-1442SG	72 lbs	AD54-1442SG	69 lbs	WR63-1442SG	76 lbs	AD63-1442SG	71 lbs
14" x 48"	WR54-1448SG	80 lbs	AD54-1448SG	77 lbs	WR63-1448SG	84 lbs	AD63-1448SG	79 lbs
14" x 54"	WR54-1454SG	92 lbs	AD54-1454SG	89 lbs	WR63-1454SG	96 lbs	AD63-1454SG	91 lbs
14" x 60"	WR54-1460SG	100 lbs	AD54-1460SG	97 lbs	WR63-1460SG	104 lbs	AD63-1460SG	99 lbs
14" x 72"	WR54-1472SG	116 lbs	AD54-1472SG	113 lbs	WR63-1472SG	120 lbs	AD63-1472SG	115 lbs
18" x 24"	WR54-1824SG	56 lbs	AD54-1824SG	53 lbs	WR63-1824SG	60 lbs	AD63-1824SG	55 lbs
18" x 30"	WR54-1830SG	68 lbs	AD54-1830SG	65 lbs	WR63-1830SG	72 lbs	AD63-1830SG	67 lbs
18" x 36"	WR54-1836SG	76 lbs	AD54-1836SG	73 lbs	WR63-1836SG	80 lbs	AD63-1836SG	75 lbs
18" x 42"	WR54-1842SG	84 lbs	AD54-1842SG	81 lbs	WR63-1842SG	88 lbs	AD63-1842SG	83 lbs
18" x 48"	WR54-1848SG	92 lbs	AD54-1848SG	89 lbs	WR63-1848SG	96 lbs	AD63-1848SG	91 lbs
18" x 54"	WR54-1854SG	100 lbs	AD54-1854SG	97 lbs	WR63-1854SG	104 lbs	AD63-1854SG	99 lbs
18" x 60"	WR54-1860SG	108 lbs	AD54-1860SG	105 lbs	WR63-1860SG	112 lbs	AD63-1860SG	107 lbs
18" x 72"	WR54-1872SG	120 lbs	AD54-1872SG	117 lbs	WR63-1872SG	124 lbs	AD63-1872SG	119 lbs
21" x 24"	WR54-2124SG	64 lbs	AD54-2124SG	61 lbs	WR63-2124SG	68 lbs	AD63-2124SG	63 lbs
21" x 30"	WR54-2130SG	72 lbs	AD54-2130SG	69 lbs	WR63-2130SG	76 lbs	AD63-2130SG	71 lbs
21" x 36"	WR54-2136SG	84 lbs	AD54-2136SG	81 lbs	WR63-2136SG	88 lbs	AD63-2136SG	83 lbs
21" x 42"	WR54-2142SG	96 lbs	AD54-2142SG	93 lbs	WR63-2142SG	100 lbs	AD63-2142SG	95 lbs
21" x 48"	WR54-2148SG	104 lbs	AD54-2148SG	101 lbs	WR63-2148SG	108 lbs	AD63-2148SG	103 lbs
21" x 54"	WR54-2154SG	112 lbs	AD54-2154SG	109 lbs	WR63-2154SG	116 lbs	AD63-2154SG	111 lbs
21" x 60"	WR54-2160SG	124 lbs	AD54-2160SG	121 lbs	WR63-2160SG	128 lbs	AD63-2160SG	123 lbs
21" x 72"	WR54-2172SG	132 lbs	AD54-2172SG	129 lbs	WR63-2172SG	136 lbs	AD63-2172SG	131 lbs
24" x 24"	WR54-2424SG	72 lbs	AD54-2424SG	69 lbs	WR63-2424SG	76 lbs	AD63-2424SG	71 lbs
24" x 30"	WR54-2430SG	80 lbs	AD54-2430SG	77 lbs	WR63-2430SG	84 lbs	AD63-2430SG	79 lbs
24" x 36"	WR54-2436SG	88 lbs	AD54-2436SG	85 lbs	WR63-2436SG	92 lbs	AD63-2436SG	87 lbs
24" x 42"	WR54-2442SG	100 lbs	AD54-2442SG	97 lbs	WR63-2442SG	104 lbs	AD63-2442SG	99 lbs
24" x 48"	WR54-2448SG	108 lbs	AD54-2448SG	105 lbs	WR63-2448SG	112 lbs	AD63-2448SG	107 lbs
24" x 54"	WR54-2454SG	124 lbs	AD54-2454SG	121 lbs	WR63-2454SG	128 lbs	AD63-2454SG	123 lbs
24" x 60"	WR54-2460SG	136 lbs	AD54-2460SG	133 lbs	WR63-2460SG	140 lbs	AD63-2460SG	135 lbs
24" x 72"	WR54-2472SG	148 lbs	AD54-2472SG	145 lbs	WR63-2472SG	152 lbs	AD63-2472SG	147 lbs
					ves and 8 shelf clamps			

elving units include 4 posts and 4 shelves. Add-On units include 2 posts, 4 shelves and 8 shelf clamps.

18 Gauge Galvanized Steel

74"H GALVANI	ZED SOLI	D SHELVING 4 SH	IELVES	86"H GALVAN	IZED SOL	ID SHELVING 4 SH	ELVES
STARTER K	л	ADD-ON K	ат	STARTER K	ат	ADD-ON K	п
MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
WR74-1436SG	72 lbs	AD74-1436SG	67 lbs	WR86-1436SG	76 lbs	AD86-1436SG	69 lbs
WR74-1442SG	76 lbs	AD74-1442SG	71 lbs	WR86-1442SG	80 lbs	AD86-1442SG	73 lbs
WR74-1448SG	84 lbs	AD74-1448SG	79 lbs	WR86-1448SG	88 lbs	AD86-1448SG	81 lbs
WR74-1454SG	96 lbs	AD74-1454SG	91 lbs	WR86-1454SG	100 lbs	AD86-1454SG	93 lbs
WR74-1460SG	104 lbs	AD74-1460SG	99 lbs	WR86-1460SG	108 lbs	AD86-1460SG	101 lbs
WR74-1472SG	120 lbs	AD74-1472SG	115 lbs	WR86-1472SG	124 lbs	AD86-1472SG	117 lbs
WR74-1824SG	60 lbs	AD74-1824SG	55 lbs	WR86-1824SG	64 lbs	AD86-1824SG	57 lbs
WR74-1830SG	72 lbs	AD74-1830SG	67 lbs	WR86-1830SG	76 lbs	AD86-1830SG	69 lbs
WR74-1836SG	80 lbs	AD74-1836SG	75 lbs	WR86-1836SG	84 lbs	AD86-1836SG	77 lbs
WR74-1842SG	88 lbs	AD74-1842SG	83 lbs	WR86-1842SG	92 lbs	AD86-1842SG	85 lbs
WR74-1848SG	96 lbs	AD74-1848SG	91 lbs	WR86-1848SG	100 lbs	AD86-1848SG	93 lbs
WR74-1854SG	104 lbs	AD74-1854SG	99 lbs	WR86-1854SG	108 lbs	AD86-1854SG	101 lbs
WR74-1860SG	112 lbs	AD74-1860SG	107 lbs	WR86-1860SG	116 lbs	AD86-1860SG	109 lbs
WR74-1872SG	124 lbs	AD74-1872SG	119 lbs	WR86-1872SG	128 lbs	AD86-1872SG	121 lbs
WR74-2124SG	68 lbs	AD74-2124SG	63 lbs	WR86-2124SG	72 lbs	AD86-2124SG	65 lbs
WR74-2130SG	76 lbs	AD74-2130SG	71 lbs	WR86-2130SG	80 lbs	AD86-2130SG	73 lbs
WR74-2136SG	88 lbs	AD74-2136SG	83 lbs	WR86-2136SG	92 lbs	AD86-2136SG	85 lbs
WR74-2142SG	100 lbs	AD74-2142SG	95 lbs	WR86-2142SG	104 lbs	AD86-2142SG	97 lbs
WR74-2148SG	108 lbs	AD74-2148SG	103 lbs	WR86-2148SG	112 lbs	AD86-2148SG	105 lbs
WR74-2154SG	116 lbs	AD74-2154SG	111 lbs	WR86-2154SG	120 lbs	AD86-2154SG	113 lbs
WR74-2160SG	128 lbs	AD74-2160SG	123 lbs	WR86-2160SG	132 lbs	AD86-2160SG	125 lbs
WR74-2172SG	136 lbs	AD74-2172SG	131 lbs	WR86-2172SG	140 lbs	AD86-2172SG	133 lbs
WR74-2424SG	76 lbs	AD74-2424SG	71 lbs	WR86-2424SG	80 lbs	AD86-2424SG	73 lbs
WR74-2430SG	84 lbs	AD74-2430SG	79 lbs	WR86-2430SG	88 lbs	AD86-2430SG	81 lbs
WR74-2436SG	92 lbs	AD74-2436SG	87 lbs	WR86-2436SG	96 lbs	AD86-2436SG	89 lbs
WR74-2442SG	104 lbs	AD74-2442SG	99 lbs	WR86-2442SG	108 lbs	AD86-2442SG	101 lbs
WR74-2448SG	112 lbs	AD74-2448SG	107 lbs	WR86-2448SG	116 lbs	AD86-2448SG	109 lbs
WR74-2454SG	128 lbs	AD74-2454SG	123 lbs	WR86-2454SG	132 lbs	AD86-2454SG	125 lbs
WR74-2460SG	140 lbs	AD74-2460SG	135 lbs	WR86-2460SG	144 lbs	AD86-2460SG	137 lbs
WR74-2472SG	152 lbs	AD74-2472SG	147 lbs	WR86-2472SG	156 lbs	AD86-2472SG	149 lbs
	STARTER K MODEL NO. WR74-1436SG WR74-1442SG WR74-1442SG WR74-1442SG WR74-1445SG WR74-142SG WR74-1824SG WR74-1824SG WR74-1824SG WR74-1842SG WR74-1842SG WR74-1842SG WR74-2142SG WR74-2142SG WR74-2142SG WR74-2142SG WR74-2142SG WR74-2142SG WR74-2142SG WR74-2442SG WR74-2448SG WR74-2448SG WR74-2448SG WR74-2448SG	STARTER KIT MODEL NO. SHIP WGT WR74-1436SG 72 lbs WR74-1442SG 76 lbs WR74-144SG 84 lbs WR74-144SG 84 lbs WR74-144SG 96 lbs WR74-1440SG 104 lbs WR74-1440SG 102 lbs WR74-142SG 80 lbs WR74-184SG 80 lbs WR74-184SG 80 lbs WR74-184SG 104 lbs WR74-214SG 108 lbs WR74-214SG 108 lbs WR74-214SG 126 lbs WR74-214SG 126 lbs WR74-2154SG 126 lbs WR74-2442SG	STARTER KIT ADD-ON K MODEL NO. WGT MODEL NO. WR74-1436SG 72 lbs AD74-1436SG WR74-1442SG 76 lbs AD74-1442SG WR74-1442SG 76 lbs AD74-1442SG WR74-1448SG 84 lbs AD74-1448SG WR74-1448SG 96 lbs AD74-1448SG WR74-1448SG 104 lbs AD74-1460SG WR74-142SG 120 lbs AD74-1460SG WR74-1824SG 60 lbs AD74-1422SG WR74-1824SG 80 lbs AD74-1824SG WR74-1824SG 80 lbs AD74-1824SG WR74-1824SG 96 lbs AD74-1842SG WR74-1830SG 72 lbs AD74-1842SG WR74-1842SG 104 lbs AD74-1842SG WR74-1860SG 112 lbs AD74-1860SG WR74-1842SG 122 lbs AD74-1802SG WR74-1842SG 102 lbs AD74-2130SG WR74-2130SG 76 lbs AD74-2130SG WR74-2130SG 108 lbs AD74-2130SG WR74-2142SG 10	MODEL NO. SHIP WGT MODEL NO. SHIP WGT WR74-1436SG 72 lbs AD74-1436SG 67 lbs WR74-1442SG 76 lbs AD74-1436SG 67 lbs WR74-1442SG 76 lbs AD74-1442SG 71 lbs WR74-1448SG 84 lbs AD74-1448SG 79 lbs WR74-144SG 96 lbs AD74-1448SG 99 lbs WR74-140SG 104 lbs AD74-1440SG 99 lbs WR74-1472SG 120 lbs AD74-1424SG 55 lbs WR74-1824SG 60 lbs AD74-1824SG 67 lbs WR74-1830SG 72 lbs AD74-1830SG 67 lbs WR74-1830SG 72 lbs AD74-1830SG 67 lbs WR74-1842SG 88 lbs AD74-1842SG 83 lbs WR74-1848SG 96 lbs AD74-1848G 91 lbs WR74-1848SG 104 lbs AD74-1842SG 83 lbs WR74-1840SG 112 bs AD74-1842SG 107 lbs WR74-1848SG 104 lbs AD74-1848G 91 lbs WR74-1848SG	STARTER KIT ADD-ON KIT STARTER KIT MODEL NO. SHIP WGT MODEL NO. SHIP WGT MODEL NO. SHIP WGT MODEL NO. WR74-1436SG 72 lbs AD74-1436SG 67 lbs WR86-1436SG WR74-1442SG 76 lbs AD74-1442SG 71 lbs WR86-1442SG WR74-144SG 96 lbs AD74-1448SG 91 lbs WR86-1448SG WR74-144S4SG 96 lbs AD74-1448SG 91 lbs WR86-1448SG WR74-1454SG 90 lbs AD74-1460SG 99 lbs WR86-1460SG WR74-142SG 104 lbs AD74-1460SG 55 lbs WR86-1842SG WR74-182ASG 60 lbs AD74-182ASG 67 lbs WR86-1842SG WR74-182ASG 80 lbs AD74-1842SG 83 lbs WR86-1842SG WR74-1830SG 72 lbs AD74-1842SG 91 lbs WR86-1842SG WR74-1842SG 80 lbs AD74-1848SG 91 lbs WR86-1842SG WR74-1842SG 112 lbs AD74-1845G 101 lbs WR86-1842SG	STARTER KITADD-ON KITSTARTER KITMODEL NO.SHIP WGTMODEL NO.SHIP WGTMODEL NO.SHIP WGTWR74-1436SG72 lbsAD74-1436SG67 lbsWR86-1436SG76 lbsWR74-1442SG76 lbsAD74-1442SG71 lbsWR86-1442SG80 lbsWR74-144SG84 lbsAD74-144SG79 lbsWR86-1448SG88 lbsWR74-145SG96 lbsAD74-144SG99 lbsWR86-144SG100 lbsWR74-145SG96 lbsAD74-1440SG99 lbsWR86-144SG108 lbsWR74-145SG104 lbsAD74-142SG15 lbsWR86-1472SG124 lbsWR74-1432SG100 lbsAD74-1824SG55 lbsWR86-1823CG4 lbsWR74-1830SG72 lbsAD74-1830SG67 lbsWR86-1830SG76 lbsWR74-184SG80 lbsAD74-1830SG75 lbsWR86-1830SG76 lbsWR74-184SG90 lbsAD74-1842SG83 lbsWR86-1842SG92 lbsWR74-184SG104 lbsAD74-184SG99 lbsWR86-1842SG108 lbsWR74-184SG104 lbsAD74-1842SG119 lbsWR86-1842SG128 lbsWR74-184SG104 lbsAD74-184SG119 lbsWR86-1842SG128 lbsWR74-184SG104 lbsAD74-184SG119 lbsWR86-1842SG128 lbsWR74-184SG104 lbsAD74-184SG119 lbsWR86-1842SG128 lbsWR74-184SG104 lbsAD74-124SG63 lbsWR86-1842SG128	STARTER KIT ADD-ON KIT STARTER KIT ADD-ON KIT MODEL NO. WGT MODEL NO. SHIP WGT MODEL NO. SHIP WGT MODEL NO. WGT MODEL NO. WGT WR74-14365G 72 lbs AD74-14365G 67 lbs WR86-14365G 76 lbs AD86-14365G WR74-14425G 76 lbs AD74-1445G 71 lbs WR86-14425G 80 lbs AD86-14425G WR74-14485G 96 lbs AD74-14454G 91 lbs WR86-14485G 100 lbs AD86-14485G WR74-1455G 96 lbs AD74-14605G 99 lbs WR86-14725G 108 lbs AD86-14605G WR74-14725G 120 lbs AD74-18425G 55 lbs WR86-18245G 64 lbs AD86-18245G WR74-18245G 60 lbs AD74-18425G 83 lbs WR86-18305G 76 lbs AD86-18245G WR74-18425G 80 lbs AD74-18425G 83 lbs WR86-18425G 92 lbs AD86-18245G WR74-18425G 96 lbs AD74-18425G 99 lbs WR86-18425G 108 lbs AD86-18425G

Shelving units include 4 posts and 4 shelves. Add-On units include 2 posts, 4 shelves and 8 shelf clamps.



	54"H GALVANIZED SOLID SHELVING 5 SHELVES		63"H GALVANIZED SOLID SHELVING 5 SHELVES					
	STARTER KIT		ADD-ON KI	r	STARTER KI	т	ADD-ON KI	г
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
14" x 36"	WR54-1436SG-5	82 lbs	AD54-1436SG-5	79 lbs	WR63-1436SG-5	86 lbs	AD63-1436SG-5	81 lbs
14" x 42"	WR54-1442SG-5	87 lbs	AD54-1442SG-5	84 lbs	WR63-1442SG-5	91 lbs	AD63-1442SG-5	86 lbs
14" x 48"	WR54-1448SG-5	97 lbs	AD54-1448SG-5	94 lbs	WR63-1448SG-5	101 lbs	AD63-1448SG-5	96 lbs
14" x 54"	WR54-1454SG-5	112 lbs	AD54-1454SG-5	109 lbs	WR63-1454SG-5	116 lbs	AD63-1454SG-5	111 lbs
14" x 60"	WR54-1460SG-5	122 lbs	AD54-1460SG-5	119 lbs	WR63-1460SG-5	126 lbs	AD63-1460SG-5	121 lbs
14" x 72"	WR54-1472SG-5	142 lbs	AD54-1472SG-5	139 lbs	WR63-1472SG-5	146 lbs	AD63-1472SG-5	141 lbs
18" x 24"	WR54-1824SG-5	67 lbs	AD54-1824SG-5	64 lbs	WR63-1824SG-5	71 lbs	AD63-1824SG-5	66 lbs
18" x 30"	WR54-1830SG-5	82 lbs	AD54-1830SG-5	79 lbs	WR63-1830SG-5	86 lbs	AD63-1830SG-5	81 lbs
18" x 36"	WR54-1836SG-5	92 lbs	AD54-1836SG-5	89 lbs	WR63-1836SG-5	96 lbs	AD63-1836SG-5	91 lbs
18" x 42"	WR54-1842SG-5	102 lbs	AD54-1842SG-5	99 lbs	WR63-1842SG-5	106 lbs	AD63-1842SG-5	101 lbs
18" x 48"	WR54-1848SG-5	112 lbs	AD54-1848SG-5	109 lbs	WR63-1848SG-5	116 lbs	AD63-1848SG-5	111 lbs
18" x 54"	WR54-1854SG-5	122 lbs	AD54-1854SG-5	119 lbs	WR63-1854SG-5	126 lbs	AD63-1854SG-5	121 lbs
18" x 60"	WR54-1860SG-5	132 lbs	AD54-1860SG-5	129 lbs	WR63-1860SG-5	136 lbs	AD63-1860SG-5	131 lbs
18" x 72"	WR54-1872SG-5	147 lbs	AD54-1872SG-5	144 lbs	WR63-1872SG-5	151 lbs	AD63-1872SG-5	146 lbs
21" x 24"	WR54-2124SG-5	77 lbs	AD54-2124SG-5	74 lbs	WR63-2124SG-5	81 lbs	AD63-2124SG-5	76 lbs
21" x 30"	WR54-2130SG-5	87 lbs	AD54-2130SG-5	84 lbs	WR63-2130SG-5	91 lbs	AD63-2130SG-5	86 lbs
21" x 36"	WR54-2136SG-5	102 lbs	AD54-2136SG-5	99 lbs	WR63-2136SG-5	106 lbs	AD63-2136SG-5	101 lbs
21" x 42"	WR54-2142SG-5	117 lbs	AD54-2142SG-5	114 lbs	WR63-2142SG-5	121 lbs	AD63-2142SG-5	116 lbs
21" x 48"	WR54-2148SG-5	127 lbs	AD54-2148SG-5	124 lbs	WR63-2148SG-5	131 lbs	AD63-2148SG-5	126 lbs
21" x 54"	WR54-2154SG-5	137 lbs	AD54-2154SG-5	134 lbs	WR63-2154SG-5	141 lbs	AD63-2154SG-5	136 lbs
21" x 60"	WR54-2160SG-5	152 lbs	AD54-2160SG-5	149 lbs	WR63-2160SG-5	156 lbs	AD63-2160SG-5	151 lbs
21" x 72"	WR54-2172SG-5	162 lbs	AD54-2172SG-5	159 lbs	WR63-2172SG-5	166 lbs	AD63-2172SG-5	161 lbs
24" x 24"	WR54-2424SG-5	87 lbs	AD54-2424SG-5	84 lbs	WR63-2424SG-5	91 lbs	AD63-2424SG-5	86 lbs
24" x 30"	WR54-2430SG-5	97 lbs	AD54-2430SG-5	94 lbs	WR63-2430SG-5	101 lbs	AD63-2430SG-5	96 lbs
24" x 36"	WR54-2436SG-5	107 lbs	AD54-2436SG-5	104 lbs	WR63-2436SG-5	111 lbs	AD63-2436SG-5	106 lbs
24" x 42"	WR54-2442SG-5	122 lbs	AD54-2442SG-5	119 lbs	WR63-2442SG-5	126 lbs	AD63-2442SG-5	121 lbs
24" x 48"	WR54-2448SG-5	132 lbs	AD54-2448SG-5	129 lbs	WR63-2448SG-5	136 lbs	AD63-2448SG-5	131 lbs
24" x 54"	WR54-2454SG-5	152 lbs	AD54-2454SG-5	149 lbs	WR63-2454SG-5	156 lbs	AD63-2454SG-5	151 lbs
24" x 60"	WR54-2460SG-5	167 lbs	AD54-2460SG-5	164 lbs	WR63-2460SG-5	171 lbs	AD63-2460SG-5	166 lbs
24" x 72"	WR54-2472SG-5	182 lbs	AD54-2472SG-5	179 lbs	WR63-2472SG-5	186 lbs	AD63-2472SG-5	181 lbs

Shelving units include 4 posts and 5 shelves. Add-On units include 2 posts, 5 shelves and 10 shelf clamps.

18 Gauge Galvanized Steel

	74"H GALVANI	74"H GALVANIZED SOLID SHELVING 5 SHELVES				86"H GALVANIZED SOLID SHELVING 5 SHELVES				
	STARTER KI	т	ADD-ON KI	т	STARTER KI	т	ADD-ON KI	г		
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT		
14" x 36"	WR74-1436SG-5	86 lbs	AD74-1436SG-5	81 lbs	WR86-1436SG-5	90 lbs	AD86-1436SG-5	83 lbs		
14" x 42"	WR74-1442SG-5	91 lbs	AD74-1442SG-5	86 lbs	WR86-1442SG-5	95 lbs	AD86-1442SG-5	88 lbs		
14" x 48"	WR74-1448SG-5	101 lbs	AD74-1448SG-5	91 lbs	WR86-1448SG-5	105 lbs	AD86-1448SG-5	98 lbs		
14" x 54"	WR74-1454SG-5	116 lbs	AD74-1454SG-5	111 lbs	WR86-1454SG-5	120 lbs	AD86-1454SG-5	113 lbs		
14" x 60"	WR74-1460SG-5	126 lbs	AD74-1460SG-5	121 lbs	WR86-1460SG-5	130 lbs	AD86-1460SG-5	123 lbs		
14" x 72"	WR74-1472SG-5	146 lbs	AD74-1472SG-5	141 lbs	WR86-1472SG-5	150 lbs	AD86-1472SG-5	143 lbs		
18" x 24"	WR74-1824SG-5	71 lbs	AD74-1824SG-5	66 lbs	WR86-1824SG-5	75 lbs	AD86-1824SG-5	68 lbs		
18" x 30"	WR74-1830SG-5	86 lbs	AD74-1830SG-5	81 lbs	WR86-1830SG-5	90 lbs	AD86-1830SG-5	83 lbs		
18" x 36"	WR74-1836SG-5	96 lbs	AD74-1836SG-5	91 lbs	WR86-1836SG-5	100 lbs	AD86-1836SG-5	93 lbs		
18" x 42"	WR74-1842SG-5	106 lbs	AD74-1842SG-5	101 lbs	WR86-1842SG-5	110 lbs	AD86-1842SG-5	103 lbs		
18" x 48"	WR74-1848SG-5	116 lbs	AD74-1848SG-5	111 lbs	WR86-1848SG-5	120 lbs	AD86-1848SG-5	113 lbs		
18" x 54"	WR74-1854SG-5	126 lbs	AD74-1854SG-5	121 lbs	WR86-1854SG-5	130 lbs	AD86-1854SG-5	123 lbs		
18" x 60"	WR74-1860SG-5	136 lbs	AD74-1860SG-5	131 lbs	WR86-1860SG-5	140 lbs	AD86-1860SG-5	133 lbs		
18" x 72"	WR74-1872SG-5	151 lbs	AD74-1872SG-5	151 lbs	WR86-1872SG-5	155 lbs	AD86-1872SG-5	153 lbs		
21" x 24"	WR74-2124SG-5	81 lbs	AD74-2124SG-5	76 lbs	WR86-2124SG-5	85 lbs	AD86-2124SG-5	78 lbs		
21" x 30"	WR74-2130SG-5	91 lbs	AD74-2130SG-5	86 lbs	WR86-2130SG-5	95 lbs	AD86-2130SG-5	88 lbs		
21" x 36"	WR74-2136SG-5	106 lbs	AD74-2136SG-5	101 lbs	WR86-2136SG-5	110 lbs	AD86-2136SG-5	103 lbs		
21" x 42"	WR74-2142SG-5	121 lbs	AD74-2142SG-5	116 lbs	WR86-2142SG-5	125 lbs	AD86-2142SG-5	118 lbs		
21" x 48"	WR74-2148SG-5	131 lbs	AD74-2148SG-5	121 lbs	WR86-2148SG-5	135 lbs	AD86-2148SG-5	123 lbs		
21" x 54"	WR74-2154SG-5	141 lbs	AD74-2154SG-5	136 lbs	WR86-2154SG-5	145 lbs	AD86-2154SG-5	138 lbs		
21" x 60"	WR74-2160SG-5	156 lbs	AD74-2160SG-5	151 lbs	WR86-2160SG-5	160 lbs	AD86-2160SG-5	153 lbs		
21" x 72"	WR74-2172SG-5	166 lbs	AD74-2172SG-5	186 lbs	WR86-2172SG-5	170 lbs	AD86-2172SG-5	188 lbs		
24" x 24"	WR74-2424SG-5	91 lbs	AD74-2424SG-5	86 lbs	WR86-2424SG-5	95 lbs	AD86-2424SG-5	88 lbs		
24" x 30"	WR74-2430SG-5	101 lbs	AD74-2430SG-5	96 lbs	WR86-2430SG-5	105 lbs	AD86-2430SG-5	98 lbs		
24" x 36"	WR74-2436SG-5	111 lbs	AD74-2436SG-5	106 lbs	WR86-2436SG-5	115 lbs	AD86-2436SG-5	108 lbs		
24" x 42"	WR74-2442SG-5	126 lbs	AD74-2442SG-5	121 lbs	WR86-2442SG-5	130 lbs	AD86-2442SG-5	123 lbs		
24" x 48"	WR74-2448SG-5	136 lbs	AD74-2448SG-5	131 lbs	WR86-2448SG-5	140 lbs	AD86-2448SG-5	133 lbs		
24" x 54"	WR74-2454SG-5	156 lbs	AD74-2454SG-5	151 lbs	WR86-2454SG-5	160 lbs	AD86-2454SG-5	153 lbs		
24" x 60"	WR74-2460SG-5	171 lbs	AD74-2460SG-5	166 lbs	WR86-2460SG-5	175 lbs	AD86-2460SG-5	168 lbs		
24" x 72"	WR74-2472SG-5	186 lbs	AD74-2472SG-5	196 lbs	WR86-2472SG-5	205 lbs	AD86-2472SG-5	198 lbs		
Shelving units	include 4 posts and 5 s	helves. Ad	d-On units include 2 pos	ts. 5 shelves	and 10 shelf clamps.					

Shelving units include 4 posts and 5 shelves. Add-On units include 2 posts, 5 shelves and 10 shelf clamps.

5 Shelf Starter Kits

Solid shelves are a solution where dirt, dust and spills are a potential issue. The solid flat surface allows for storage from small to large items and the marine edge perimeter prevents spillage. The double hemmed 18 gauge galvanized steel gives the solid shelf excellent strength characteristics. All solid shelf units consist of 5 shelves and 4 posts. Mobilize starter kit shelving unit using optional mobile kit WR-00H. See *pg. 79. Finish:* Galvanized Steel



MOBILIZE YOUR SHELVING

DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.




QSMC Shelf Clamp Shelf Clamp eliminates 2 post per shelving section. Two QSMC clamps are required per shelf. *Finish:* Aluminum



5 Shelf Add-On Kits

Additional Add-On kit allows you to expand your Starter kit by sharing a set of posts. Configuration options include straight line, back to back and right angles (*L-Shape*). Add-On units consist of 5 shelves, 2 posts and 10 shelf clamps. Additional shelves may be purchased separately. See chart on *pg. 39.* Units with Add-On kit cannot be made mobile. *Finish:* Galvanized Steel





Offer a variety of storage, display and mobile supply applications. Dividers can be used to separate product. Accessible front and a wide selection of sizes allow for all types of product to be used from storage to display. (Dividers sold separately) Finish: Chrome



A user friendly method for identifying product. Affix directly to the front on any basket. Available in three lengths. (Sold separately)

MODEL NO.	DESCRIPTION	WGT
	Clear Label Holders	
BLH3C	3" Clear Label Holder	1 lb
BLH14C	14" Clear Label Holder	1 lb
BLH32C	32" Clear Label Holder	1 lb

MODEL NO.	BASKET DIMENSIONS W" x L" x H"	SHIP WGT	DIVIDER MODEL NO.	SHIP WGT
1436BC	14" x 36" x 9"	10 lbs	149DC	1 lb
1448BC	14" x 48" x 9"	13 lbs	149DC	1 lb
2036BC	20" x 36" x 9"	12 lbs	209DC	2 lbs
2048BC	20" x 48" x 9"	15 lbs	209DC	2 lbs
203612BC	20" x 36" x 12"	14 lbs	2012DC	2 lbs
204812BC	20" x 48" x 12"	16 lbs	2012DC	2 lbs




1436BC Shown with Dividers

and Clear Label Holder

(Sold separately)

Stationary Stacking Baskets

Order this exact unit WR5-36MSBA Unit consists of: 2 - baskets 1436BC 2 - dividers 149DC 3 - baskets 203612BC 3 - dividers 2012DC



Build & stack any combination of baskets for your requirements. Larger baskets must be positioned on the lowest point.

Dolly Base

Includes four 5" swivel casters which offers versatility to any unit.

DOLLY BASE

MODEL NO.	DIMENSIONS W" x L"	SHIP WGT
M2036BD	20" x 36"	32 lbs
M2048BD	20" x 48"	34 lbs

N	/R5-36	MSB	A-MOB	3

Mobile Stacking Baskets


Order this exact unit WR5-36MSBA-MOB Unit consists of: 2 - baskets 1436BC 2 - dividers 149DC 3 - baskets 203612BC 3 - dividers 2012DC M2036BD 1 - dolly



BASKET ADJUST ON 1" INCREMENTS 3 POSITIONS FOR MAXIMIZING EFFICIENCY.



accessibility



Flat

Flows parts to front Provides maximum Provides maximum space efficiency



Angled Up Provides maximum bin capacity

Basket units allow high visibility and air circulation. The basket acts as a dispensing and storage module which can be added to 18", 21" and 24" deep shelving units. The collar hook allows the basket to be removed or adjusted to accommodate various product mix and sizes. Baskets are adjustable on 1" increments. 110 lb. load capacity per basket. Adjustable baskets used in combination with shelves are an excellent method to store all types of products. Units can be stationary or mobile. Casters add flexibility and convert stationary units into transport systems. Ideal for exchange charts and par level storage. (Dividers sold separately) Finish: Chrome



COLLAR HOOKS

Hooks onto basket corner allowing basket to securely hang.

DESCRIPTION	WGT
Four 1-1/2" Collar Hooks	1 lb
Four 1/2" Collar Hooks	1 lb
	Four 1-1/2" Collar Hooks



Stationary Wire Basket Units

Each stationary unit consists of:

4 - 63"H posts

3 - 9"H adjustable baskets including collar hooks

2 - wire shelves

STATIONARY MODEL NO.	DIMENSIONS W" x L" x H"	NO. OF SHELVES	NO. OF BASKETS	SHIP WGT
1836BC6C	18" x 36" x 63"	2	3	70 lbs
1848BC6C	18" x 48" x 63"	2	3	82 lbs
2436BC6C	24" x 36" x 63"	2	3	85 lbs
2448BC6C	24" x 48" x 63"	2	3	100 lbs

Mobile Wire Basket Units

Each mobile unit consists of:

- 4 63"H posts
- 3 9"H adjustable baskets including collar hooks
- **2** wire shelves
- 4 donut bumpers
- 4 5" x 1-1/4" swivel polyurethane casters, 2 with brake

STATIONARY MODEL NO.	DIMENSIONS W" x L" x H"	NO. OF SHELVES	NO. OF BASKETS	SHIP WGT
M1836BC6C	18" x 36" x 69"	2	3	78 lbs
M1848BC6C	18" x 48" x 69"	2	3	90 lbs
M2436BC6C	24" x 36" x 69"	2	3	93 lbs
M2448BC6C	24" x 48" x 69"	2	3	108 lbs



Post Baskets

Quantum's new hanging baskets are manufactured of heavy-duty chrome wire offering a 5/8" x 5/8" mesh design on the bottom/flat surface. Super heavy-duty design affords a 600-800 lb. load capacity evenly distributed. Drop front and sloped sides provide super easy access while providing a captive space for all stored items. Baskets are adjustable on 1" increments utilizing standard 1" diameter posts. **Finish:** Chrome

DIMENSIONS W" x L" x H"		1e1
18" x 24" x 10"	10 lbs	
18" x 36" x 10"	15 lbs	
18" x 48" x 10"	20 lbs	
18" x 60" x 10"	25 lbs	
24" x 24" x 10"	15 lbs	
24" x 36" x 10"	20 lbs	
24" x 48" x 10"	25 lbs	
24" x 60" x 10"	30 lbs	
	W" x L" x H" 18" x 24" x 10" 18" x 36" x 10" 18" x 48" x 10" 18" x 60" x 10" 24" x 24" x 10" 24" x 36" x 10" 24" x 48" x 10"	W" x L" x H" WGT 18" x 24" x 10" 10 lbs 18" x 36" x 10" 15 lbs 18" x 48" x 10" 20 lbs 18" x 60" x 10" 25 lbs 24" x 24" x 10" 15 lbs 24" x 24" x 10" 15 lbs 24" x 36" x 10" 20 lbs 24" x 24" x 10" 15 lbs 24" x 48" x 10" 20 lbs

Mobile 4 Post Basket Units

Each mobile unit consists of:

- **4** 74"H posts
- 4 post basket

3 - wire shelf

- Finish: Chrome
- 1 shelf inlay mat
- 4 donut bumpers
- 4 5" x 1-1/4" swivel polyurethane casters, 2 with brake

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
WRC74-1824C-4BSK	18" x 24" x 80"	94 lbs
WRC74-1836C-4BSK	18" x 36" x 80"	127 lbs
WRC74-1848C-4BSK	18" x 48" x 80"	160 lbs
WRC74-1860C-4BSK	18" x 60" x 80"	197 lbs
WRC74-2424C-4BSK	24" x 24" x 80"	125 lbs
WRC74-2436C-4BSK	24" x 36" x 80"	158 lbs
WRC74-2448C-4BSK	24" x 48" x 80"	191 lbs
WRC74-2460C-4BSK	24" x 60" x 80"	228 lbs

Mobile 5 Post Basket Units

Each mobile unit consists of:

- **4** 74"H posts
- 5 post basket
- 1 wire shelf
- *Finish:* Chrome **1** - solid shelf
- Finish: Galvanized Steel
- 4 donut bumpers
- 4 5" x 1-1/4" swivel polyurethane casters, 2 with brake

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
WRC74-1824CSG-5BSK	18" x 24" x 80"	94 lbs
WRC74-1836CSG-5BSK	18" x 36" x 80"	127 lbs
WRC74-1848CSG-5BSK	18" x 48" x 80"	160 lbs
WRC74-1860CSG-5BSK	18" x 60" x 80"	197 lbs
WRC74-2424CSG-5BSK	24" x 24" x 80"	125 lbs
WRC74-2436CSG-5BSK	24" x 36" x 80"	158 lbs
WRC74-2448CSG-5BSK	24" x 48" x 80"	191 lbs
WRC74-2460CSG-5BSK	24" x 60" x 80"	228 lbs

BLUE NYLON

HIGH VISIBILITY! EASY TO CLEAN! ALL WELDED!



COMPLETE CARTS INCLUDE

caster kit for mobility!



CLEAR VINYL

CART COVERS Protect against pilferage, airborne dust, water and other contaminants!





NYLON FABRIC OR CLEAR VINYL CART COVERS AVAILABLE! See pg. 61



COMPLETE CARTS INCLUDE caster kit for mobility!



Stationary and Mobile Wire Garment Racks

Ideal storage rack for hanging any type of coat or garment. Includes handy bottom shelf for additional storage. *Finish:* Chrome

Each unit consists of:

- **4** 63" posts
- **2** wire shelves
- 1 hang bar

Mobile Unit also includes:

- 4 5" swivel poly stem casters, 2 with brake
- 4 donut bumpers

MODEL NO.	NO. OF SHELVES	DIMENSIONS W" x L" x H"	SHIP WGT	
	Stationary Wire G	Garment Racks		
WRGR-63-2436	2	24" x 36" x 63"	45 lbs	
WRGR-63-2448	2	24" x 48" x 63"	52 lbs	
WRGR-63-2460	2	24" x 60" x 63"	63 lbs	
Mobile Wire Garment Racks				
WRCGR-63-2436	2	24" x 36" x 69"	59 lbs	
WRCGR-63-2448	2	24" x 48" x 69"	66 lbs	
WRCGR-63-2460	2	24" x 60" x 69"	77 lbs	



BLUE NYLON

CLEAR VINYL

CART COVERS Protect against pilferage, airborne dust, water and other contaminants!

Patient Apparel Cart

Ideal for patient care situations where the distribution and holding of apparel is required. The horizontal bar accommodates hangers and the shelves are divided into separate visible compartments. *Finish:* Chrome

Each unit consists of:

- **4** 63" posts
- **2** 54" posts
- 2 24" X 60" wire shelves
- 3 24" X 36" wire shelves
- 8 24" dividers
- 2 61" rods & tabs kits
- **1** 24" hang bar
- 4 5" swivel poly stem casters, 2 with brake
- 4 donut bumpers

MODEL NO.	NO. OF	DIMENSIONS	SHIP
	SHELVES	L" x W" x H"	WGT
WRCPL-63-2460	5	24" x 60" x 69"	146 lbs

Fastest Shipping

Stem Caster Carts



4 Wire Shelf Mobile Carts

Mobile wire stem caster carts add versatility & flexibility to any operation, creating a transport system.

- Central supply & distribution
- Stock rotation
- Laundry
- Staging

Each unit consists of:

- 4 posts
- 4 wire shelves
- 4 donut bumpers
- 4 5" poly stem casters, 2 with brake

	DIMENSIONS W" x L" x H"	SHIP WGT	
MODEL NO.			
63 H	Post, 5" Stem Caster Uni	τ	
M1836C46	18" x 36" x 69"	62 lbs	
M1848C46	18" x 48" x 69"	70 lbs	
M1860C46	18" x 60" x 69"	90 lbs	
M2436C46	24" x 36" x 69"	74 lbs	
M2448C46	24" x 48" x 69"	86 lbs	
M2460C46	24" x 60" x 69"	106 lbs	
74"H Post, 5" Stem Caster Unit			
M1836C47	18" x 36" x 80"	64 lbs	
M1848C47	18" x 48" x 80"	72 lbs	
M1860C47	18" x 60" x 80"	92 lbs	
M2436C47	24" x 36" x 80"	76 lbs	
M2448C47	24" x 48" x 80"	88 lbs	
M2460C47	24" x 60" x 80"	108 lbs	



3 Wire / 1 Solid Shelf Mobile Carts

Stem caster cart with solid bottom shelf. The unique combination of wire and solid shelves allows for air circulation & high visibility. The solid shelf in the bottom position prevents dust and dirt to rise and contains spillage.

Each unit consists of:

- 4 posts
- 3 wire shelves
- 1 solid shelf
- 4 donut bumpers
- 4 5" poly stem casters, 2 with brake

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT	
63"H P	ost, 5" Stem Caster Uni	t	
M1836CG46	18" x 36" x 69"	68 lbs	
M1848CG46	18" x 48" x 69"	76 lbs	
M1860CG46	18" x 60" x 69"	97 lbs	
M2436CG46	24" x 36" x 69"	80 lbs	
M2448CG46	24" x 48" x 69"	94 lbs	
M2460CG46	24" x 60" x 69"	116 lbs	
74"H Post, 5" Stem Caster Unit			
M1836CG47	18" x 36" x 80"	70 lbs	
M1848CG47	18" x 48" x 80"	78 lbs	
M1860CG47	18" x 60" x 80"	99 lbs	
M2436CG47	24" x 36" x 80"	82 lbs	
M2448CG47	24" x 48" x 80"	96 lbs	
M2460CG47	24" x 60" x 80"	118 lbs	



4 Solid Shelf Mobile Carts

Stem caster solid shelf cart is an easy way to transport fluids & small packaged items.

Each unit consists of:

- 4 posts
- 4 solid shelves
- 4 donut bumpers
- 4 5" poly stem casters, 2 with brake

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
	Post, 5" Stem Caster Ur	
M1836SG46	18" x 36" x 69"	86 lbs
M1848SG46	18" x 48" x 69"	102 lbs
M1860SG46	18" x 60" x 69"	118 lbs
M2436SG46	24" x 36" x 69"	98 lbs
M2448SG46	24" x 48" x 69"	102 lbs
M2460SG46	24" x 60" x 69"	146 lbs
74"H	Post, 5" Stem Caster Ur	nit
M1836SG47	18" x 36" x 80"	88 lbs
M1848SG47	18" x 48" x 80"	104 lbs
M1860SG47	18" x 60" x 80"	120 lbs
M2436SG47	24" x 36" x 80"	100 lbs
M2448SG47	24" x 48" x 80"	104 lbs
M2460SG47	24" x 60" x 80"	148 lbs





5 Wire Shelf Mobile Carts

Mobile wire stem caster carts add versatility & flexibility to any operation, creating a transport system.

- Central supply & distribution
- Stock rotation
- Laundry
- Staging

Each unit consists of:

- 4 posts
- 5 wire shelves
- 4 donut bumpers

4 - 5" poly stem casters, 2 with brake

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT	
63"H F	Post, 5" Stem Caster Uni	t	
M1836C46-5	18" x 36" x 69"	72 lbs	
M1848C46-5	18" x 48" x 69"	84 lbs	
M1860C46-5	18" x 60" x 69"	107 lbs	
M2436C46-5	24" x 36" x 69"	87 lbs	
M2448C46-5	24" x 48" x 69"	102 lbs	
M2460C46-5	24" x 60" x 69"	127 lbs	
74"H Post, 5" Stem Caster Unit			
M1836C47-5	18" x 36" x 80"	74 lbs	
M1848C47-5	18" x 48" x 80"	86 lbs	
M1860C47-5	18" x 60" x 80"	109 lbs	
M2436C47-5	24" x 36" x 80"	89 lbs	
M2448C47-5	24" x 48" x 80"	104 lbs	
M2460C47-5	24" x 60" x 80"	129 lbs	



4 Wire / 1 Solid Shelf Mobile Carts

Stem caster cart with solid bottom shelf. The unique combination of wire and solid shelves allows for air circulation & high visibility. The solid shelf in the bottom position prevents dust and dirt to rise and contains spillage.

Each unit consists of:

- **4** posts
- 4 wire shelves
- 1 solid shelf
- 4 donut bumpers
- 4 5" poly stem casters, 2 with brake

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT	
63"H P	ost, 5" Stem Caster Uni	t	
M1836CG46-5	18" x 36" x 69"	78 lbs	
M1848CG46-5	18" x 48" x 69"	90 lbs	
M1860CG46-5	18" x 60" x 69"	114 lbs	
M2436CG46-5	24" x 36" x 69"	93 lbs	
M2448CG46-5	24" x 48" x 69"	110 lbs	
M2460CG46-5	24" x 60" x 69"	137 lbs	
74"H Post, 5" Stem Caster Unit			
M1836CG47-5	18" x 36" x 80"	80 lbs	
M1848CG47-5	18" x 48" x 80"	92 lbs	
M1860CG47-5	18" x 60" x 80"	116 lbs	
M2436CG47-5	24" x 36" x 80"	95 lbs	
M2448CG47-5	24" x 48" x 80"	112 lbs	
M2460CG47-5	24" x 60" x 80"	139 lbs	



5 Solid Shelf Mobile Carts

Stem caster solid shelf cart is an easy way to transport fluids & small packaged items.

Each unit consists of:

- **4** posts
- 5 solid shelves
- 4 donut bumpers
- 4 5" poly stem casters, 2 with brake

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
63"H P	ost, 5" Stem Caster Un	it
M1836SG46-5	18" x 36" x 69"	102 lbs
M1848SG46-5	18" x 48" x 69"	122 lbs
M1860SG46-5	18" x 60" x 69"	142 lbs
M2436SG46-5	24" x 36" x 69"	117 lbs
M2448SG46-5	24" x 48" x 69"	126 lbs
M2460SG46-5	24" x 60" x 69"	177 lbs
74"H P	ost, 5" Stem Caster Un	it
M1836SG47-5	18" x 36" x 80"	104 lbs
M1848SG47-5	18" x 48" x 80"	124 lbs
M1860SG47-5	18" x 60" x 80"	144 lbs
M2436SG47-5	24" x 36" x 80"	119 lbs
M2448SG47-5	24" x 48" x 80"	128 lbs
M2460SG47-5	24" x 60" x 80"	179 lbs





Enclosure carts are an effective way to keep contents from moving or falling off during transportation.

Enclosure carts using rods and tabs are adaptable to any shelf position.

Enclosure dolly base truck using rods & tabs allows for heavier load transport. The rods & tabs act as a perimeter to retain product.

For additional shelves, refer to pg. 38.

3 SIDED, 4 WIRE SHELF CART WITH RODS & TABS

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
63"H Po	st, Unit with Rods and T	abs
M1836C46RE	18" x 36" x 69"	74 lbs
M1848C46RE	18" x 48" x 69"	84 lbs
M1860C46RE	18" x 60" x 69"	100 lbs
M2436C46RE	24" x 36" x 69"	88 lbs
M2448C46RE	24" x 48" x 69"	104 lbs
M2460C46RE	24" x 60" x 69"	124 lbs
74"H Po	st, Unit with Rods and T	abs
M1836C47RE	18" x 36" x 80"	80 lbs
M1848C47RE	18" x 48" x 80"	92 lbs
M1860C47RE	18" x 60" x 80"	104 lbs
M2436C47RE	24" x 36" x 80"	94 lbs
M2448C47RE	24" x 48" x 80"	112 lbs
M2460C47RE	24" x 60" x 80"	132 lbs

- All units consist of:
- 4 posts
- 4 wire shelves
- 4, 5 or 6 rods & tabs kits

Mobile unit also includes:

- 4 5"swivel poly stem casters, 2 with brake
- 4 donut bumpers

Dolly Base unit also includes: 1 - dolly base

4 - plate casters, 2 rigid and 2 swivel with brake

DOLLY BASE 3 SIDED, 4 WIRE SHELF CART WITH RODS & TABS

	DIMENSIONS	SHIP
MODEL NO.	W" x L" x H"	WGT
63"H	Post, Dolly Base Unit	
MD1836C46RE	18" x 36" x 70"	86 lbs
MD1848C46RE	18" x 48" x 70"	96 lbs
MD1860C46RE	18" x 60" x 70"	124 lbs
MD2436C46RE	24" x 36" x 70"	113 lbs
MD2448C46RE	24" x 48" x 70"	121 lbs
MD2460C46RE	24" x 60" x 70"	144 lbs
74"H	Post, Dolly Base Unit	
MD1836C47RE	18" x 36" x 81"	92 lbs
MD1848C47RE	18" x 48" x 81"	106 lbs
MD1860C47RE	18" x 60" x 81"	120 lbs
MD2436C47RE	24" x 36" x 81"	108 lbs
MD2448C47RE	24" x 48" x 81"	129 lbs
MD2460C47RE	24" x 60" x 81"	152 lbs

Enclosure Linen Carts

Finish: Chrome

Each unit consists of:

- 4 posts
- 4 wire shelves
- 4 or 5 enclosure panels
- 4 5" swivel poly stem casters, 2 with brake
- 4 donut bumpers

COMPLETE CARTS INCLUDE caster kit for mobility!

3 SIDED, 4 WIRE SHELF CART WITH ENCLOSURE PANELS

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
63"H Post,	Unit with Enclosure Pa	inels
M2436C46E	24" x 36" x 69"	145 lbs
M2448C46E	24" x 48" x 69"	179 lbs
M2460C46E	24" x 60" x 69"	197 lbs





Enclosure Linen Carts

Finish: Chrome

- Each unit consists of:
- 4 posts
- 5 wire shelves
- 4 or 5 enclosure panels
- 4 5" swivel poly stem casters, 2 with brake
- 4 donut bumpers

COMPLETE CARTS INCLUDE caster kit for mobility!

3 SIDED, 5 WIRE SHELF CART WITH ENCLOSURE PANELS

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
63"H Post,	Unit with Enclosure Pa	nels
M2436C46E-5	24" x 36" x 69"	158 lbs
M2448C46E-5	24" x 48" x 69"	195 lbs
M2460C46E-5	24" x 60" x 69"	218 lbs

Enclosure Carts

Enclosure carts are an effective way to keep contents from moving or falling off during transportation.

Enclosure carts using rods and tabs are adaptable to any shelf position.

Enclosure dolly base truck using rods & tabs allows for heavier load transport. The rods & tabs act as a perimeter to retain product.

For additional shelves, refer to pg. 38.

3 SIDED, 5 WIRE SHELF CART WITH RODS & TABS

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
63"H Pos	t, Unit with Rods and Ta	abs
M1836C46RE-5	18" x 36" x 69"	84 lbs
M1848C46RE-5	18" x 48" x 69"	98 lbs
M1860C46RE-5	18" x 60" x 69"	117 lbs
M2436C46RE-5	24" x 36" x 69"	101 lbs
M2448C46RE-5	24" x 48" x 69"	120 lbs
M2460C46RE-5	24" x 60" x 69"	145 lbs
74"H Pos	t, Unit with Rods and Ta	abs
M1836C47RE-5	18" x 36" x 80"	90 lbs
M1848C47RE-5	18" x 48" x 80"	106 lbs
M1860C47RE-5	18" x 60" x 80"	121 lbs
M2436C47RE-5	24" x 36" x 80"	107 lbs
M2448C47RE-5	24" x 48" x 80"	128 lbs
M2460C47RE-5	24" x 60" x 80"	153 lbs

- All units consist of:
- 4 posts
- **5** wire shelves
- 4, 5 or 6 rods & tabs kits

Mobile unit also includes:

- 4 5" swivel poly stem casters, 2 with brake
- 4 donut bumpers
- Dolly Base unit also includes:
- 1 dolly base
- 4 plate casters, 2 rigid and 2 swivel with brake

DOLLY BASE 3 SIDED, 5 WIRE SHELF CART WITH RODS & TABS

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
63"H P	ost, Dolly Base Unit	
MD1836C46RE-5	18" x 36" x 70"	96 lbs
MD1848C46RE-5	18" x 48" x 70"	110 lbs
MD1860C46RE-5	18" x 60" x 70"	141 lbs
MD2436C46RE-5	24" x 36" x 70"	126 lbs
MD2448C46RE-5	24" x 48" x 70"	137 lbs
MD2460C46RE-5	24" x 60" x 70"	165 lbs
74"H P	ost, Dolly Base Unit	
MD1836C47RE-5	18" x 36" x 81"	102 lbs
MD1848C47RE-5	18" x 48" x 81"	120 lbs
MD1860C47RE-5	18" x 60" x 81"	137 lbs
MD2436C47RE-5	24" x 36" x 81"	121 lbs
MD2448C47RE-5	24" x 48" x 81"	145 lbs
MD2460C47RE-5	24" x 60" x 81"	173 lbs







Enclosure Carts

Enclosure carts are an effective way to keep contents from moving or falling off during transportation.

Enclosure carts using rods and tabs are adaptable to any shelf position.

Enclosure dolly base truck using rods & tabs allows for heavier load transport. The rods & tabs act as a perimeter to retain product.

For additional shelves, refer to pg. 38.

3 SIDED STEM CASTER WIRE SHELF CART WITH 3 WIRE SHELVES AND 1 SOLID SHELF WITH RODS & TABS

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
63"H Pos	t, Unit with Rods and Tak	os
M1836CG46RE	18" x 36" x 69"	83 lbs
M1848CG46RE	18" x 48" x 69"	94 lbs
M1860CG46RE	18" x 60" x 69"	114 lbs
M2436CG46RE	24" x 36" x 69"	96 lbs
M2448CG46RE	24" x 48" x 69"	112 lbs
M2460CG46RE	24" x 60" x 69"	136 lbs
74"H Pos	t, Unit with Rods and Tak	s
M1836CG47RE	18" x 36" x 80"	89 lbs
M1848CG47RE	18" x 48" x 80"	101 lbs
M1860CG47RE	18" x 60" x 80"	123 lbs
M2436CG47RE	24" x 36" x 80"	102 lbs
M2448CG47RE	24" x 48" x 80"	119 lbs
M2460CG47RE	24" x 60" x 80"	145 lbs

All units consist of:

- **4** posts
- 3 wire shelves
- 1 Solid shelf
- 4, 5 or 6 rods & tabs kits

Mobile unit also includes: **4** - 5" swivel poly stem casters, 2 with brake **4** - donut bumpers

Dolly Base unit also includes: 1 - dolly base

4 - plate casters, 2 rigid and 2 swivel with brake

DOLLY BASE 3 SIDED WIRE SHELF CART WITH 3 WIRE SHELVES AND 1 SOLID SHELF WITH RODS & TABS

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
64"H	Post, Dolly Base Unit	
MD1836CG46RE	18" x 36" x 70"	93 lbs
MD1848CG46RE	18" x 48" x 70"	106 lbs
MD1860CG46RE	18" x 60" x 70"	128 lbs
MD2436CG46RE	24" x 36" x 70"	109 lbs
MD2448CG46RE	24" x 48" x 70"	127 lbs
MD2460CG46RE	24" x 60" x 70"	154 lbs
74"H	Post, Dolly Base Unit	
MD1836CG47RE	18" x 36" x 81"	99 lbs
MD1848CG47RE	18" x 48" x 81"	113 lbs
MD1860CG47RE	18" x 60" x 81"	137 lbs
MD2436CG47RE	24" x 36" x 81"	115 lbs
MD2448CG47RE	24" x 48" x 81"	134 lbs
MD2460CG47RE	24" x 60" x 81"	163 lbs

COMPLETE CARTS INCLUDE caster kit for mobility!





QSRT Side/Solid Shelf Tab QAT Front/Back Tab

Rods & Tabs

Rods & tabs represent an economical, alternate solution for enclosure on backs and sides of mobile and stationary units.

Each kit includes:

- **3** rods
- 9 front/back tabs
- 9 side/solid shelf tabs



MODEL NO.	DESCRIPTION	SHIP WGT
	Rods & Tabs	
52RT	3 - 52" Rods with tabs	1 lb
61RT	3 - 61" Rods with tabs	1 lb
72RT	3 - 72" Rods with tabs	2 lbs
84RT	3 - 84" Rods with tabs	2 lbs







Enclosure Carts

Enclosure carts are an effective way to keep contents from moving or falling off during transportation.

Enclosure carts using rods and tabs are adaptable to any shelf position.

Enclosure dolly base truck using rods & tabs allows for heavier load transport. The rods & tabs act as a perimeter to retain product.

For additional shelves, refer to pg. 38.

3 SIDED STEM CASTER WIRE SHELF CART WITH 4 WIRE SHELVES AND 1 SOLID SHELF WITH RODS & TABS

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
63"H Post,	Unit with Rods and Tab	s
M1836CG46RE-5	18" x 36" x 69"	93 lbs
M1848CG46RE-5	18" x 48" x 69"	108 lbs
M1860CG46RE-5	18" x 60" x 69"	131 lbs
M2436CG46RE-5	24" x 36" x 69"	109 lbs
M2448CG46RE-5	24" x 48" x 69"	128 lbs
M2460CG46RE-5	24" x 60" x 69"	157 lbs
74"H Post,	Unit with Rods and Tab	S
M1836CG47RE-5	18" x 36" x 80"	99 lbs
M1848CG47RE-5	18" x 48" x 80"	115 lbs
M1860CG47RE-5	18" x 60" x 80"	140 lbs
M2436CG47RE-5	24" x 36" x 80"	115 lbs
M2448CG47RE-5	24" x 48" x 80"	135 lbs
M2460CG47RE-5	24" x 60" x 80"	166 lbs

All units consist of:

- **4** posts
- 4 wire shelves
- 1 solid shelf
- 4, 5 or 6 rods & tabs kits

Mobile unit also includes:

4 - 5" swivel poly stem casters, 2 with brake

4 - donut bumpers

Dolly Base unit also includes:

- 1 dolly base
- 4 plate casters, 2 rigid and 2 swivel with brake

DOLLY BASE 3 SIDED WIRE SHELF CART WITH 4 WIRE SHELVES AND 1 SOLID SHELF WITH RODS & TABS

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
63"H I	Post, Dolly Base Unit	
MD1836CG46RE-5	18" x 36" x 70"	102 lbs
MD1848CG46RE-5	18" x 48" x 70"	116 lbs
MD1860CG46RE-5	18" x 60" x 70"	147 lbs
MD2436CG46RE-5	24" x 36" x 70"	132 lbs
MD2448CG46RE-5	24" x 48" x 70"	145 lbs
MD2460CG46RE-5	24" x 60" x 70"	175 lbs
74"H I	Post, Dolly Base Unit	
MD1836CG47RE-5	18" x 36" x 81"	108 lbs
MD1848CG47RE-5	18" x 48" x 81"	126 lbs
MD1860CG47RE-5	18" x 60" x 81"	143 lbs
MD2436CG47RE-5	24" x 36" x 81"	127 lbs
MD2448CG47RE-5	24" x 48" x 81"	153 lbs
MD2460CG47RE-5	24" x 60" x 81"	183 lbs

COMPLETE CARTS INCLUDE caster kit for mobility!





QSRT Side/Solid Shelf Tab QAT Front/Back Tab

Rods & Tabs

Rods & tabs represent an economical, alternate solution for enclosure on backs and sides of mobile and stationary units.

Each kit includes:

- **3** rods
- 9 front/back tabs
- 9 side/solid shelf tabs



MODEL NO.	DESCRIPTION	SHIP WGT
	Rods & Tabs	
52RT	3 - 52" Rods with tabs	1 lb
61RT	3 - 61" Rods with tabs	1 lb
72RT	3 - 72" Rods with tabs	2 lbs
84RT	3 - 84" Rods with tabs	2 lbs



COMPLETE CARTS INCLUDE caster kit for mobility!



CART COVERS Protect against pilferage, airborne dust, water and other contaminants!





WRCS4-63-2460EP

3 SIDED STEM CASTER LINEN CART WITH 3 WIRE SHELVES AND 1 SOLID SHELF WITH ENCLOSURE PANELS

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
	ster Unit with Solid Bott Enclosure Panels	om Shelf
WRCS4-63-2436EP	24" x 36" x 69"	113 lbs
WRCS4-63-2448EP	24" x 48" x 69"	131 lbs
WRCS4-63-2460EP	24" x 60" x 69"	158 lbs
	ster Unit with Solid Bott Enclosure Panels	om Shelf
WRCS4-74-2436EP	24" x 36" x 80"	113 lbs
WRCS4-74-2448EP	24" x 48" x 80"	131 lbs
WRCS4-74-2460EP	24" x 60" x 80"	158 lbs



NYLON FABRIC OR CLEAR VINYL CART COVERS AVAILABLE! See pg. 61



All units consist of:

- 4 posts
- **3** wire shelves
- 1 solid shelf
- 4 or 5 enclosure panels

Mobile unit also includes:

- 4 5" swivel poly stem casters, 2 with brake
- 4 donut bumpers

Dolly Base unit also includes:

1 - dolly base

4 - plate casters, 2 rigid and 2 swivel with brake

3 SIDED DOLLY BASE LINEN CART WITH 3 WIRE SHELVES AND 1 SOLID SHELF WITH ENCLOSURE PANELS

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
63"H Post, Dolly Bas and E	e Cart with Solid Botto nclosure Panels	n Shelf
WRDBS4-63-2436EP	24" x 36" x 70"	124 lbs
WRDBS4-63-2448EP	24" x 48" x 70"	142 lbs
WRDBS4-63-2460EP	24" x 60" x 70"	169 lbs
74"H Post, Dolly Bas and I	se Cart with Solid Botto Enclosure Panels	m Shelf
WRDBS4-74-2436EP	24" x 36" x 81"	124 lbs
WRDBS4-74-2448EP	24" x 48" x 81"	142 lbs
WRDBS4-74-2460EP	24" x 60" x 81"	169 lbs

5 SHELF LINEN CARTS | WIRE



Linen Carts





CART COVERS Protect against pilferage, airborne dust, water and other contaminants!

COMPLETE CARTS INCLUDE caster kit for mobility!



WRCS4-63-2460EP-5



NYLON FABRIC OR CLEAR VINYL CART COVERS AVAILABLE! See pg. 61



3 SIDED DOLLY BASE LINEN CART WITH 4 WIRE SHELVES AND 1 SOLID SHELF WITH ENCLOSURE PANELS

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
63"H Post, Dolly Base and En	Cart with Solid Bottor closure Panels	n Shelf
WRDBS4-63-2436EP-5	24" x 36" x 70"	137 lbs
WRDBS4-63-2448EP- 5	24" x 48" x 70"	158 lbs
WRDBS4-63-2460EP-5	24" x 60" x 70"	190 lbs
74"H Post, Dolly Base and Er	Cart with Solid Botto closure Panels	m Shelf
WRDBS4-74-2436EP-5	24" x 36" x 81"	137 lbs
WRDBS4-74-2448EP-5	24" x 48" x 81"	158 lbs
WRDBS4-74-2460EP-5	24" x 60" x 81"	190 lbs

3 SIDED STEM CASTER LINEN CART WITH 4 WIRE SHELVES AND 1 SOLID SHELF WITH ENCLOSURE PANELS

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
	ter Unit with Solid Bott inclosure Panels	om Shelf
WRCS4-63-2436EP-5	24" x 36" x 69"	126 lbs
WRCS4-63-2448EP-5	24" x 48" x 69"	147 lbs
WRCS4-63-2460EP-5	24" x 60" x 69"	179 lbs
	ster Unit with Solid Bot Enclosure Panels	tom Shelf
WRCS4-74-2436EP-5	24" x 36" x 80"	126 lbs
WRCS4-74-2448EP-5	24" x 48" x 80"	147 lbs
WRCS4-74-2460EP-5	24" x 60" x 80"	179 lbs

All units consist of:

- 4 posts
- 4 wire shelves
- 1 solid shelf
- 4 or 5 enclosure panels

Mobile unit also includes:

- 4 5" swivel poly stem casters, 2 with brake
- 4 donut bumpers

Dolly Base unit also includes:

1 - dolly base

4 - plate casters, 2 rigid and 2 swivel with brake



Stationary and Mobile Units prevent pilferage while allowing high visibility of contents at all times. All side and back panels are heavy gauge wire construction and are manufactured of allwelded heavy-duty 1/4" diameter wire on 2" x 2" centers. Assembly is quick and easy. Finish: Chrome

Want to SECURE your existing shelving unit?

Security Panel Doors


Each door set has left and right panel with 4 hinge bars. Assembly is quick and easy and adapts to the appropriate shelf size, with our standard post of 63" in height.

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
Securit	y Panel Door Set with Hing	es
SD36C	24" x 36" x 60"	54 lbs
SD48C	24" x 48" x 60"	66 lbs
SD60C	24" x 60" x 60"	78 lbs

Security Panel Sets

Panels allow maximum security for standard shelving units. Panels are fabricated from allwelded wire and include joined back portion and two side portions.

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
	Security Enclosure Panel Set	
243660EPC	24" x 36" x 60"	70 lbs
244860EPC	24" x 48" x 60"	80 lbs
246060EPC	24" x 60" x 60"	90 lbs



4 - posts

- 2 wire shelves (for top and bottom)
- 1 security panel set (includes back and sides)
- 1 pair security panel doors

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
St	ationary Security Units	
2436-63SEC	24" x 36" x 63"	165 lbs
2448-63SEC	24" x 48" x 63"	192 lbs
2460-63SEC	24" x 60" x 63"	224 lbs

1 - pair security panel doors

Mobile unit also includes:

- 4 5" poly stem casters, 2 with brake
- 4 donut bumpers

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
Stem	Castered Security Units	
M2436-69SEC	24" x 36" x 69"	173 lbs
M2448-69SEC	24" x 48" x 69"	200 lbs
M2460-69SEC	24" x 60" x 69"	232 lbs

4 - plate casters, 2 rigid and 2 swivel with brake

Dolly Base Security Units

DIMENSIONS W" x L" x H"

24" x 36" x 70"

24" x 48" x 70"

24" x 60" x 70"

SHIP

WGT

186 lbs

215 lbs

250 lbs

Dolly Base unit also includes:

1 - dolly base

MODEL NO

MD2436-70SEC

MD2448-70SEC

MD2460-70SEC



Cart Covers

Protect against pilferage, airborne dust, water and other contaminants. Velcro and zipper flap are available in clear-vinyl and blue and white denier nylon fabric. Clear vinyl is 10 gauge. Blue and white nylon fabric is 400 Denier. Specify zipper or velcro for closure. Custom sizes are available, call for more information.

TO ORDER:

 Choose size
 Select color: Clear Vinyl add suffix CV Blue Nylon add suffix BN White Nylon add suffix WN
 Choose Zipper or Velcro

COVERS PROTECT AGAINST PILFERAGE, AIRBORNE DUST, WATER and other contaminants!





WHITE NYLON





BLUE NYLON

		63"H CART COVER			7	74"H CART COVER	
		400 DENIER	CLEAR VINYL			400 DENIER	CLEAR VINYL
	SHIP				SHIP		
DIMENSIONS	WGT	MODEL NO.	MODEL NO.	DIMENSIONS	WGT	MODEL NO.	MODEL NO.
18" x 36" x 63"	3 lbs	CC183663	CC183663CV	18" x 36" x 74"	4 lbs	CC183674	CC183674CV
18" x 48" x 63"	4 lbs	CC184863	CC184863CV	18" x 48" x 74"	5 lbs	CC184874	CC184874CV
18" x 60" x 63"	5 lbs	CC186063	CC186063CV	18" x 60" x 74"	6 lbs	CC186074	CC186074CV
18" x 72" x 63"	6 lbs	CC187263	CC187263CV	18" x 72" x 74"	7 lbs	CC187274	CC187274CV
24" x 36" x 63"	3 lbs	CC243663	CC243663CV	24" x 36" x 74"	4 lbs	CC243674	CC243674CV
24" x 48" x 63"	4 lbs	CC244863	CC244863CV	24" x 48" x 74"	5 lbs	CC244874	CC244874CV
24" x 60" x 63"	5 lbs	CC246063	CC246063CV	24" x 60" x 74"	6 lbs	CC246074	CC246074CV
24" x 72" x 63"	6 lbs	CC247263	CC247263CV	24" x 72" x 74"	7 lbs	CC247274	CC247274CV



Work Station Carts - the ideal work-in-process cart!

The sloped shelves allow for high visibility, productive rotations & gravity feed. Cart Finish: Chrome

Each unit consists of:

- 2 34" posts
- 2 27" posts
- 1 flat wire shelf
- 1 slanted wire shelf
- 4 5" swivel poly stem casters, 2 with brake
- 4 donut bumpers

MOBILE MODEL NO.	SHELF DIMENSIONS W" x L"	NO. OF SHELVES	SHIP WGT
	Work Station Carts - 40	"Н	
M1836SL34C	18" x 36"	2	35 lbs
M1848SL34C	18" x 48"	2	40 lbs
M2436SL34C	24" x 36"	2	42 lbs
M2448SL34C	24" x 48"	2	46 lbs



Slanted Shelf Carts - Stationary and Mobile

Stationary and Mobile Slanted Shelf units create a unique combination of modular components to enhance supply distribution applications. The sloped shelves allow for high visibility, productive rotations & gravity feed. Ideal for Par Level Systems. (Note: Build a system with your bin requirements or consult a product specialist for appropriate components)

Each unit consists of:

- 4 63" posts
- 2 flat wire shelves
- 3 slanted wire shelves

Each mobile unit consists of:

- **4** 63" posts
- 2 flat wire shelves 3 - slanted wire shelves
- 4 5" swivel poly stem casters,
- 2 with brake
- 4 donut bumpers

	S	LANTED SHEL	VING UNITS - 63"H	
STATIONARY MOBILE		STATIONARY		E
NO. OF SHELVES	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
5	1836SL6C	54 lbs	M1836SL6C	62 lbs
5	1848SL6C	65 lbs	M1848SL6C	73 lbs
5	2436SL6C	78 lbs	M2436SL6C	86 lbs
5	2448SL6C	90 lbs	M2448SL6C	98 lbs
		NO. OF SHELVES MODEL NO. 5 1836SL6C 5 1848SL6C 5 2436SL6C	STATIONARY NO. OF SHELVES SHIP MODEL NO. WGT 5 18365L6C 54 lbs 5 18485L6C 65 lbs 5 24365L6C 78 lbs	NO. OF SHELVES SHIP MODEL NO. MODEL NO. 5 1836SL6C 54 lbs M1836SL6C 5 1848SL6C 65 lbs M1848SL6C 5 2436SL6C 78 lbs M2436SL6C

			STATION	ARY	MOBILE	
NO. OF BINS	BIN DIMENSIONS L" x W" x H"	NO. OF SHELVES	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
	18"W x 36"L x 63"H Slan 2 Horiz	ted Wire She ontal Shelve	lving With Divid s and 3 Slanted 9	lable Grid (Shelves	Containers	
12 DG92035	16-1/2" x 10-7/8" x 3-1/2"	5	WRS-5-92035	128 lbs	MWRS-5-92035	136 lbs
12 DG92060	16-1/2" x 10-7/8" x 6"	5	WRS-5-92060	135 lbs	MWRS-5-92060	143 lbs
12 DG92080	16-1/2" x 10-7/8" x 8"	5	WRS-5-92080	145 lbs	MWRS-5-92080	153 lbs
	18"W x 36"L x 74"H S 2 Horiz		Shelving With Ed s and 5 Slanted 9		elf Bins	
48 QSB103	17-7/8" x 4-1/8" x 4"	7	WRS-7-103	153 lbs	MWRS-7-103	161 lbs
30 QSB104	17-7/8" x 6-5/8" x 4"	7	WRS-7-104	146 lbs	MWRS-7-104	154 lbs
24 QSB108	17-7/8" x 8-3/8" x 4"	7	WRS-7-108	143 lbs	MWRS-7-108	151 lbs
18 QSB110	17-7/8" x 11-1/8" x 4"	7	WRS-7-110	144 lbs	MWRS-7-110	152 lbs
18"W x 36"L x 74"H Slanted Wire Shelving With Euro Drawers 2 Horizontal Shelves and 5 Slanted Shelves						
54 QED604	17-5/8" x 3-3/4" x 4-5/8"	7	WRS-7-604	182 lbs	MWRS-7-604	190 lbs
36 QED602	17-5/8" x 5-9/16" x 4-5/8"	7	WRS-7-602	169 lbs	MWRS-7-602	177 lbs
24 QED606	17-5/8" x 8-3/8" x 4-5/8"	7	WRS-7-606	159 lbs	MWRS-7-606	167 lbs



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.

COMPLETE PACKAGES with bins!







QUANTUM HAS A NEW ANGLE FOR STORAGE!



Slanted Shelf with Bin Holders Combo Carts

A systems cart that offers hanging bins, slanted bins and bins on a flat surface all in one unit. Cart offer multiple applications the ability to store pre-packed items such as sutures or sloped storage for dispensing small parts. This combination creates a highly customized exchange and storage system. Bins available in Blue, Green, Ivory, Red, Yellow, Black and Clear. **Cart Finish:** Chrome

Available in: Blue Green Vory Red Yellow Black Clear

MODEL NO.	NO. OF SHELVES	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT		
18" x 36" x 80" Slanted Wire Shelf Cart with Bin Holders and Bins						
WRCSL5-74-1836-104220	5	20 QSB104 24 QUS220	17-7/8" x 6-5/8" x 4" 7-3/8" x 4-1/8" x 3"	105 lbs		
WRCSL5-74-1836-104230	5	20 QSB104 18 QUS230	17-7/8" x 6-5/8" x 4" 10-7/8" x 5-1/2" x 5"	112 lbs		
18" x 48" x 80" Slanted Wire Shelf Cart with Bin Holders and Bins						
WRCSL5-74-1848-104220	5	24 QSB104 30 QUS220	17-7/8" x 6-5/8" x 4" 7-3/8" x 4-1/8" x 3"	128 lbs		



MOBILIZE YOUR WIRE SHELVING DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)* Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with

casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.

COMPLETE PACKAGES with bins!





Slanted Shelf Suture Carts - Open or Enclosed

Units are designed for quick and easy accessibility for pre-packed items such as sutures. The wire end panel maintains product while the slanted shelf allows for gravity feed. Available with or without side enclosures. Bins available in Blue, Green, Ivory, Red, Yellow, Black and Clear. *Cart Finish:* Chrome

OPE	N	ENCLOS	ED	
MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	
5 Shelf, Slanted Suture Cart 2 Flat Shelves and 3 Slanted Shelves				
WRCSL5-63-1836	77 lbs	WRCSL5-63-1836EP	92 lbs	
WRCSL5-63-1848	91 lbs	WRCSL5-63-1848EP	106 lbs	
WRCSL5-63-2436	92 lbs	WRCSL5-63-2436EP	108 lbs	
WRCSL5-63-2448	104 lbs	WRCSL5-63-2448EP	120 lbs	

Available in:
Blue
Green
Ivory
Red
Yellow
Black
Clear

			OPEN		ENCLOSED	
	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
Dividers, Bin Cups and			5 Shelf, Slanted Sutt 2 Flat Shelves and 3			
	20 QSB104	17-7/8" x 6-5/8" x 4"	WRCSL5-63-1836-104	94 lbs	WRCSL5-63-1836EP-104	103 lbs
Clear Label Holders	28 QSB104	17-7/8" x 6-5/8" x 4"	WRCSL5-63-1848-104	114 lbs	WRCSL5-63-1848EP-104	123 lbs
See pg. 108	20 QSB106	23-5/8" x 6-5/8" x 4"	WRCSL5-63-2436-106	115 lbs	WRCSL5-63-2436EP-106	131 lbs
	28 QSB106	23-5/8" x 6-5/8" x 4"	WRCSL5-63-2448-106	136 lbs	WRCSL5-63-2448EP-106	152 lbs



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.

600-800 lb. capacity per shelf!

High Density Wire Systems

- Wire Storage Systems with bins available in 48", 60" and 72" lengths • All units in chart below utilize 74"
- posts and include 12 shelves
- Non-marring caster kit WR-00H • sold separately
- Bins are available in Blue, Green, Ivory, Red, Yellow, Black and Clear



Available in: Blue Green Ivory Red Yellow Black Clear

				HIGH DENSI	TY WIRE SYSTEMS				
	48"L	SYSTEMS		60"L	SYSTEMS		72"	L SYSTEMS	
BIN DIMENSIONS L" x W" x H"	MODEL NO.	NO. OF BINS	SHIP WGT	MODEL NO.	NO. OF BINS	SHIP WGT	MODEL NO.	NO. OF BINS	SHIP WGT
	12"W x 48	8"L x 74"H Units		12"W x 60)"L x 74"H Units		12"W x 7	2"L x 74"H Units	
11-5/8" x 4-1/8" x 4"	WR74-1248-110101	110 QSB101	152 lbs	WR74-1260-143101	143 QSB101	208 lbs	WR74-1272-176101	176 QSB101	248 lbs
11-5/8" x 4-1/8" x 4" 11-5/8" x 6-5/8" x 4"	WR74-1248-101102	55 QSB101 36 QSB102	148 lbs	WR74-1260-101102	78 QSB101 40 QSB102	213 lbs	WR74-1272-101102	80 QSB101 60 QSB102	240 lbs
11-5/8" x 6-5/8" x 4"	WR74-1248-66102	66 QSB102	140 lbs	WR74-1260-88102	88 QSB102	193 lbs	WR74-1272-110102	110 QSB102	230 lbs
	18"W x 48	8"L x 74"H Units		18"W x 60)"L x 74"H Units		18"W x 7	2"L x 74"H Units	
17-7/8" x 4-1/8" x 4"	WR74-1848-110103	110 QSB103	168 lbs	WR74-1860-143103	143 QSB103	224 lbs	WR74-1872-176103	176 QSB103	264 lbs
17-7/8" x 4-1/8" x 4" 17-7/8" x 6-5/8" x 4"	WR74-1848-103104	55 QSB103 36 QSB104	164 lbs	WR74-1860-103104	78 QSB103 40 QSB104	229 lbs	WR74-1872-103104	80 QSB103 60 QSB104	256 lbs
17-7/8" x 6-5/8" x 4"	WR74-1848-66104	66 QSB104	156 lbs	WR74-1860-88104	88 QSB104	209 lbs	WR74-1872-110104	110 QSB104	246 lbs
	24"W x 48	8"L x 74"H Units		24"W x 60)"L x 74"H Units		24"W x 7	2"L x 74"H Units	
23-5/8" x 4-1/8" x 4"	WR74-2448-110105	110 QSB105	180 lbs	WR74-2460-143105	143 QSB105	256 lbs	WR74-2472-176105	176 QSB105	312 lbs
23-5/8" x 4-1/8" x 4" 23-5/8" x 6-5/8" x 4"	WR74-2448-105106	55 QSB105 36 QSB106	176 lbs	WR74-2460-105106	78 QSB105 40 QSB106	261 lbs	WR74-2472-105106	80 QSB105 60 QSB106	304 lbs
23-5/8" x 6-5/8" x 4"	WR74-2448-66106	66 QSB106	168 lbs	WR74-2460-88106	88 QSB106	241 lbs	WR74-2472-110106	110 QSB106	294 lbs
	48"L - 800 lb. Capacity/Shelf			60"L – 600 lb. Capacity/Shelf			72"L – 600 lb. Capacity/Shelf		





Catheter Cart - Complete with Bins

Uniquely designed, the catheter bin cart replaces the wire basket concept with color coded bins allowing for quicker identification. The combination of modular wire and plastic bins minimizes shrinkage and reduces unit cost. Bins are molded from high density polypropylene and are available in Blue, Green, Ivory, Red, Yellow, Black and Clear. *Cart Finish:* Chrome

Available in: Blue	Green Ivory 🗬 Red 💛 Yellow	Black Clear		
MODEL NO.	BIN DIMENSIONS L" x W" x H"	SHIP WGT		
24" x 48" x 69" Wire Catheter Cart with 9 Wire Shelves Complete with 80 QSB105 Bins				
WRC9-63-2448-105	23-5/8" x 4-1/8" x 4"	246 lbs		

COMPLETE PACKAGE

with bins!





Bin Cart Systems

Bin cart can be used for transporting and holding product. A modular drawer system allows for storage of smaller specialty components while the open shelf design maximizes the storage area. The option of cart covers *pg.* 61, enclosure panels *pg.* 76, ledges and dividers *pg.* 77 add to the flexibility of the unit. Dividable grids are available in Blue, Red, Gray and Clear. **Cart Finish:** Chrome

MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT		
24"W x 36"L x 69"H Bin Cart with Dividable Grids					
WRC5-63-2436-93060	4 DG93060	22-1/2" x 17-1/2" x 6"	113 lbs		
24"W x	48"L x 69"H Bin Ca	rt with Dividable Grids			
WRC5-63-2448-93060	4 DG93060	22-1/2" x 17-1/2" x 6"	128 lbs		
24"W x 60"L x 69"H Bin Cart with Dividable Grids					
WRC5-63-2460-93060	4 DG93060	22-1/2" x 17-1/2" x 6"	153 lbs		

COMPLETE PACKAGES with bins!



Offering two heights and four bin quantity designs, these modular carts are the ultimate work-in-process and transport cart. Dividable grids slide easily in and out and with their ability to be divided into multiple compartments with long and short dividers, truly any type of storage is possible, see *pg. 117* for dividers and label holders. Dividable grids are available in Blue, Red, Gray and Clear. *Cart Finish:* Chrome

Available in:
Blue
Red
Gray
Clear

MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
21"W x	24"L x 45"H Bin Cart	with Dividable Grid Containers	
BC212434M1	4 DG93060	22-1/2" x 17-1/2" x 6"	58 lbs
BC212439M2	7 DG93030	22-1/2" x 17-1/2" x 3"	79 lbs
21"W x	24"L x 69"H Bin Cart	with Dividable Grid Containers	
BC212469M1	7 DG93060	22-1/2" x 17-1/2" x 6"	107 lbs
BC212469M2	11 DG93030	22-1/2" x 17-1/2" x 3"	111 lbs
21"W x 2	4"L x 45"H Bin Cart wi	ith No Dividable Grid Container	s
BC212439M4	No containers (ir	ncludes slides for 4 bin levels)	46 lbs
BC212439M7	No containers (ir	ncludes slides for 7 bin levels)	55 lbs
21"W x 2	4"L x 69"H Bin Cart wi	ith No Dividable Grid Container	s
BC212469M	No containers (ir	ncludes slides for 7 bin levels)	63 lbs
BC212469M11	No containers (in	cludes slides for 11 bin levels)	75 lbs
	One Pair - 24"	Wire Bin Slides	
WR-S24W			3 lbs



Each unit consists of: 4 - 63" posts

- 4-05 post
- 5 wire shelves
- 4 DS18-24 bin slides
- 4 5" swivel poly stem casters, 2 with brake
- 4 donut bumpers
- 4 DG93060 bins (Blue, Red, Gray and Clear)









Double & Triple Bay Bin Carts

Offering two heights and eight bin quantity designs, these modular carts are the ultimate work-in-process and transport cart. Dividable grids slide easily in and out and with their ability to be divided into multiple compartments with long and short dividers, truly any type of storage is possible, see *pg. 117* for dividers and label holders. Dividable grids are available in Blue, Red, Gray and Clear. *Cart Finish:* Chrome

Double Bay Bin Carts

Available in:
Blue
Red
Gray
Clear

MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT	
21"W x	40"L x 45"H Bin Cart	with Dividable Grid Containers		
BC214045M1D	8 DG93060	22-1/2" x 17-1/2" x 6"	101 lbs	
BC214045M2D	14 DG93030	22-1/2" x 17-1/2" x 3"	116 lbs	
21"W x	40"L x 69"H Bin Cart v	with Dividable Grid Containers		
BC214069M1D	14 DG93060	22-1/2" x 17-1/2" x 6"	163 lbs	
BC214069M2D	22 DG93030	22-1/2" x 17-1/2" x 3"	164 lbs	
21"W x 40"L x 45"H Bin Cart with No Dividable Grid Containers				
BC214045M8D	No containers (in	cludes slides for 8 bin levels)	51 lbs	
BC214045M14D	No containers (in	cludes slides for 14 bin levels)	69 lbs	
21"W x 4	0"L x 69"H Bin Cart wi	th No Dividable Grid Container	s	
BC214069M14D	No containers (in	cludes slides for 14 bin levels)	75 lbs	
BC214069M22D	No containers (in	cludes slides for 22 bin levels)	91 lbs	
	One Pair - 24" Wi	re Single Bin Slides		
WR-S24W			3 lbs	
	One - 24" Wire	Double Bin Slides		
WR-D24W			2 lbs	

COMPLETE PACKAGES with bins!

Dividers & Accessories Containers can be divided by length and/or width allowing a subdivision down to a 1-1/8" square compartment size. Available in Gray.

> AVAILABLE See pg. 117



Triple Bay Bin Carts

Available in:
Blue
Red
Gray
Clear

MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT		
		with Dividable Grid Containers	WGI		
BC216045M1T	12 DG93060	22-1/2" x 17-1/2" x 6"	142 lbs		
BC216045M2T	21 DG93030	22-1/2" x 17-1/2" x 3"	154 lbs		
21"W x 6	50"L x 69"H Bin Cart	with Dividable Grid Containers			
BC216069M1T	21 DG93060	22-1/2" x 17-1/2" x 6"	233 lbs		
BC216069M2T	33 DG93030	22-1/2" x 17-1/2" x 3"	234 lbs		
21"W x 60"L x 45"H Bin Cart with No Dividable Grid Containers					
BC216045M12T	No containers (ir	ncludes slides for 12 bin levels)	66 lbs		
BC216045M21T	No containers (ir	ncludes slides for 21 bin levels)	84 lbs		
21"W x 60	"L x 69"H Bin Cart w	vith No Dividable Grid Containers	;		
BC216069M21T	No containers (ir	ncludes slides for 21 bin levels)	100 lbs		
BC216069M33T	No containers (ir	ncludes slides for 33 bin levels)	124 lbs		
	One Pair - 24" W	ire Single Bin Slides			
WR-S24W			3 lbs		
	One - 24" Wire	Double Bin Slides			
WR-D24W			2 lbs		





High Density Sliding Track System offers a unique way to maximize and efficiently move wire shelving systems. The patented design allows for quick and easy installation. Bearings in the skate are located under each post for a load capacity of 1,500 lbs. per shelving unit. The v-groove floor track allows the shelving unit to slide back and forth with ease. Layout assistance is available.

PERFORMANCE FEATURES AND BENEFITS

- Cuts construction costs • Low shipping cost
- Fast installation
- Utilizes the structure of existing shelving
- NSF approved
- Complies with ADA regulations • 1,500 lb. load capacity per unit
- Uses industrial bearings Corrosion free construction
 - Can increase storage areas up to 150%
- Easy to roll construction



STEP BY STEP ORDERING INSTRUCTIONS:

MODEL NO.	DESCRIPTION	SHIP WGT
	Sliding Track Skates	
HD18	One 18" Skate	4 lbs
HD21	One 21" Skate	5 lbs
HD24	One 24" Skate	6 lbs
HD30	One 30" Skate	7 lbs
HD36	One 36" Skate	8 lbs
	Additional Components	
QESTP	End Stop Kit	1 lb
QVTRK	V-Track (Sold per inch)	1 lb
WK	Wing Kit	2 lbs

Includes four 1/4" thick plates & hardware and allows for the joining of 2 units side by side, sharing one track. HD18 - HD36 **One Skate**

WK

Wing Kit



UNITS SLIDE BACK AND FORTH WITH EASE!



Heavy-duty track systems available to accommodate IV solutions, formula and instrument containers. Call a product specialist for details









Assembly kit consists of a pair of aluminum tracks with end stop kits. Hardware and assembly instructions included. (Note: custom lengths may be purchased, see pg. 68)


MODEL NO.	TRACK L' (FT)	TRACK L" (IN)	SHIP WGT		
Single Unit Floor Track Assembly Kit Includes 2 Tracks of Specified Length with End Stop Kits					
QVTRK-2-72EST	6'	72"	14 lbs		
QVTRK-2-84EST	7'	84"	16 lbs		
QVTRK-2-96EST	8'	96"	18 lbs		
QVTRK-2-108EST	9'	108"	20 lbs		
QVTRK-2-120EST	10'	120"	22 lbs		
QVTRK-2-132EST	11'	132"	24 lbs		
QVTRK-2-144EST	12'	144"	26 lbs		
QVTRK-2-156EST	13'	156"	28 lbs		
QVTRK-2-168EST	14'	168"	30 lbs		
QVTRK-2-180EST	15'	180"	32 lbs		
QVTRK-2-192EST	16'	192"	34 lbs		
QVTRK-2-204EST	17'	204"	36 lbs		
QVTRK-2-216EST	18'	216"	38 lbs		
QVTRK-2-228EST	19'	228"	40 lbs		
QVTRK-2-240EST	20'	240"	42 lbs		

Single Unit Skate Assembly Kits



Each kit includes two skates and all appropriate hardware. One kit is required for each single mobile unit. (Shelves and posts sold separately on pg. 38 and 39)

MODEL NO.	DESCRIPTION	SHIP WGT
	Single Unit Skate Assembly Kits	
HD18-2	Two 18" Skates	8 lbs
HD21-2	Two 21" Skates	10 lbs
HD24-2	Two 24" Skates	12 lbs
HD30-2	Two 30" Skates	14 lbs
HD36-2	Two 36" Skates	16 lbs



Double Unit Floor Track Assemblies

Each assembly kit consists of three aluminum tracks with end stop kits. Hardware and assembly instructions included. (Note: custom lengths may be purchased, see pg. 68)

MODEL NO.	TRACK L' (FT)	TRACK L" (IN)	SHIP WGT				
Double Unit Floor Track Assembly Kit Includes 3 Tracks of Specified Length with End Stop Kits							
QVTRK-3-72EST	6'	72"	21 lbs				
QVTRK-3-84EST	7'	84"	24 lbs				
QVTRK-3-96EST	8'	96"	27 lbs				
QVTRK-3-108EST	9'	108"	30 lbs				
QVTRK-3-120EST	10'	120"	33 lbs				
QVTRK-3-132EST	11'	132"	36 lbs				
QVTRK-3-144EST	12'	144"	39 lbs				
QVTRK-3-156EST	13'	156"	42 lbs				
QVTRK-3-168EST	14'	168"	45 lbs				
QVTRK-3-180EST	15'	180"	48 lbs				
QVTRK-3-192EST	16'	192"	51 lbs				
QVTRK-3-204EST	17'	204"	54 lbs				
QVTRK-3-216EST	18'	216"	57 lbs				
QVTRK-3-228EST	19'	228"	60 lbs				
QVTRK-3-240EST	20'	240"	63 lbs				

Double Unit Skate Assembly Kits (NSE)

Each kit includes three skates and all appropriate hardware. One kit is required for each double mobile unit. (Shelves and posts sold separately on pg. 38 and 39)

MODEL NO.	DESCRIPTION	SHIP WGT
	Double Unit Skate Assembly Kits	
HD18-3	Three 18" Skates + Wing Kit	15 lbs
HD21-3	Three 21" Skates + Wing Kit	18 lbs
HD24-3	Three 24" Skates + Wing Kit	21 lbs
HD30-3	Three 30" Skates + Wing Kit	24 lbs
HD36-3	Three 36" Skates + Wing Kit	27 lbs

QUANTITY OF SHELVING UNITS BY WIDTH TO FIT ON LENGTH OF TRACK*

	6'	7'	8'	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'
18"	2	2	3	4	4	5	6	6	7	8	8	9	10	10	11
21"	1	2	2	3	4	4	5	5	6	6	7	8	8	9	9
24"	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8
30"	1	1	2	2	2	3	3	4	4	4	5	5	6	6	6
36"	1	1	1	2	2	2	3	3	3	4	4	4	5	5	5

INSTRUCTIONS:

* Using a minimum 36" aisle space. Note, post height should not exceed the skate length by a 4 to 1 ration (example 18" skate should not exceed a 74" post)





(NSE)

Quantum's new Top Track wire shelving system provides maximum storage using a minimum of space. All kits include all necessary sections of track for assembling lengths that range from 8' to 21' (note: shelves and posts sold separately). Assembly is quick and easy and the whole system requires only single-aisle access. Casters are 5" x 1-1/4" rigid polyurethane. Top Track design provides a clear walkway and clear aisles underneath eliminating any tripping hazard. Top track extrusion manufactured of heavy duty aluminum ensuring years of heavy duty and reliable service.


MODEL NO.	DESCRIPTION	SHIP WGT
	Top Track	
TK-2	One Track - 2 Feet	7 lbs
TK-26	One Track - 2-1/2 Feet	9 lbs
TK-5	One Track - 5 Feet	17 lbs
TK-6	One Track - 6 Feet	21 lbs
TK-7	One Track - 7 Feet	24 lbs
TK-EP	Track End Plates with Hardware (Set of 4)	1 lb
TK-CA	Track Connector with Hardware (Set of 4)	6 lbs
	End Unit Single Sided Track Bracket Pair	
TK-STB18	18" Single Top Track Bracket Pair	4 lbs
TK-STB21	21" Single Top Track Bracket Pair	5 lbs
TK-STB24	24" Single Top Track Bracket Pair	6 lbs
h	ntermediate Unit Double Sided Track Bracket Pair	
TK-DTB18	18" Double Top Track Bracket Pair	4 lbs
TK-DTB21	21" Double Top Track Bracket Pair	5 lbs
TK-DTB24	24" Double Top Track Bracket Pair	6 lbs
	Mobile Unit Track Rollers	
TK-CBW	Set of 4 Track Rollers	2 lbs

PERFORMANCE FEATURES AND BENEFITS

- NSF approved
- Uses industrial bearings
- Corrosion free construction
- Easy to roll construction
- Fast installation
- Utilizes the structure of existing shelving
- 1,200 lb. load capacity per unit
- Can increase storage areas up to 150%







Each kit includes two track of the same length and the plates.

MODEL NO.	TRACK L' (FT)	TRACK L" (IN)	SHIP WGT				
Top Track Kit							
TTK-8	8'	96"	63 lbs				
TTK-9	9'	108"	69 lbs				
TTK-10	10'	120"	75 lbs				
TTK-11	11'	132"	83 lbs				
TTK-12	12'	144"	91 lbs				
TTK-13	13'	156"	97 lbs				
TTK-14	14'	168"	103 lbs				
TTK-15	15'	180"	115 lbs				
TTK-16	16'	192"	123 lbs				
TTK-17	17'	204"	129 lbs				
TTK-18	18'	216"	139 lbs				
TTK-19	19'	228"	145 lbs				
TTK-20	20'	240"	151 lbs				
TTK-21	21'	252"	157 lbs				

DESCRIPTION	SHIP WGT
18" Stationary End Kits	50 lbs
21" Stationary End Kits	52 lbs
24" Stationary End Kits	54 lbs
	18" Stationary End Kits 21" Stationary End Kits

2 - Double sided top track support brackets

MODEL NO.	DESCRIPTION	SHIP WGT
TTK-C18	18" Intermediate Kits	25 lbs
TTK-C21	21" Intermediate Kits	26 lbs
TTK-C24	24" Intermediate Kits	27 lbs

Mobile Kits



- Unit consists of: **4** - 74" Posts 4 - Track rollers 2 - Tie bars
- 4 Rigid casters
- 4 Donut bumpers

MODEL NO.	DESCRIPTION	SHIP WGT
TTK-M18	18" Mobile Kit	34 lbs
TTK-M21	21" Mobile Kit	36 lbs
TTK-M24	24" Mobile Kit	38 lbs

	QUANTITY OF SHELVING UNITS BY WIDTH TO FIT ON LENGTH OF TRACK*													
	8'	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'	21'
18"	3	4	4	5	6	6	7	8	8	9	10	10	11	11
21"	2	3	4	4	5	5	6	6	7	8	8	9	9	9
24"	2	3	3	4	4	5	5	6	6	7	7	8	8	8
		-	-			-	-	-	-			-	-	_









TRAY STOPS Can be used on back as shown here or one in the back and one in the front

> **TRAY STOP AVAILABLE!**

> > TS62C (Sold separately)

200 lb. capacity per tray! Cafeteria Trays



nipping

Heavy-duty 18" x 26" white trays are NSF approved for use for food service or may be used for standard applications. Perimeter ends are reinforced for additional strength. 20" x 26" size offers a deep stacking tray. All trays are manufactured of fiberglass reinforced thermoset material, allowing up to 200 lbs. weight capacity when evenly distributed. Modular trays will withstand temperatures of -40°F to +250°F. 18" x 26"Trays available in White. 20" x 26" Trays are available in White and Gray.

Available in: White Gray

	- /	
MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
	18" x 26" Trays	
1826TR	18" x 26" x 1-1/8" White Tray	4 lbs
	20" x 26" Trays	
2026TRGY	20" x 26" x 1-1/2" Gray Tray	5 lbs
2026TRWT	20" x 26" x 1-1/2" White Tray	5 lbs

Cafeteria Tray Carts

Tray Carts are offered in half size and full size units, designed to handle work in process and food distribution. Ideal for delivery of food to patient rooms. Optional tray stop prevents trays from sliding out of the unit both in front and/or behind. Cart finish: Chrome

MODEL NO	DIMENSIONS W" x L" x H"	CAPACITY	SHIP WGT	TRAY STOP MODEL NO.			
	39"H	l Tray Cart					
TC-19	18" x 30" x 39"	19 Trays	45 lbs	TS32C			
	69"H	Tray Carts					
TC-39	18" x 30" x 69"	39 Trays	74 lbs	TS62C			
TC-31	21" x 30" x 69"	31 Trays	68 lbs	TS62C			
69"H End Load Tray Carts							
TC-EL39	21-3/4" x 27" x 69"	38 Trays	74 lbs	TS62C			
Trays are sold separately.							







MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
	Ventilated	
362412DPP	24" x 36" x 12"	13 lbs
363612DPP	36" x 36" x 12"	22 lbs
482412DPP	24" x 48" x 12"	19 lbs
662412DPP	24" x 66" x 12"	23 lbs
663612DPP	36" x 66" x 12"	37 lbs
962412DPP	24" x 96" x 12"	34 lbs
963612DPP	36" x 96" x 12"	53 lbs
	Solid	
362412DPS	24" x 36" x 12"	17 lbs
363612DPS	36" x 36" x 12"	26 lbs
482412DPS	24" x 48" x 12"	21 lbs
662412DPS	24" x 66" x 12"	28 lbs
663612DPS	36" x 66" x 12"	49 lbs
962412DPS	24" x 96" x 12"	41 lbs
963612DPS	36" x 96" x 12"	64 lbs

Polymer Dunnage Rack



Our Dunnage-Rack is as portable as it is versatile. Made from lightweight, heavy-duty HDPE, these are the perfect match for wet, or chemically intense manufacturing environments. A simple snap-together design makes it a breeze to raise finished goods and raw materials off the ground and away from moisture, dirt and traffic. When it comes to cleanup time, just sweep underneath! We offer the largest commercially available sizes in a high-capacity, lowcost dunnage solution that lets you reset and move workstations as often as you see fit. Plus, the grid-top design simplifies working with fluids and bagged goods because any spilled items will flow through the surface to the floor below.



662412DPS

EASILY STORE SUPPLIES & MATERIALS off the ground!

Expandable EZ Lock Platform Rack & Pallet



Quantum's NEW EZ Lock platform and pallet allows you to customize your storage space in seconds. Its patented interlocking design allows true flexibility in building the exact size pallet or platform you need. Using $12" \times 40"$ footprints, each unit locks together making this an all purpose storage, moving, and shipping solution. Manufactured of recycled high density polyethylene, the vented deck is freezer safe and chemical resistant. Its one piece body design and structure allows for a 4 way forklift and hand truck entry, and it meets GMA industry standards. Enhances any 5S Lean initiative. Withstands temperatures from -30° F $- 200^{\circ}$ F and offers a 2,500 lb load capacity. Once built, the structure will maintain its dimensions with no sagging or stretching. Plastic will not absorb any liquids or chemicals and is resistant to insect infestation. Perfect for use in hospitals, pharmacies, clean rooms, food and beverage areas, manufacturing environments, and supermarket and grocery store back rooms. **Color:** Black

new	MODEL NO.	DIMENSIONS W" x L" x H"	QTY	WGT
	EL-12406	12" x 40" x 6"	1 Pair (2 Pieces)	12 lbs



QUICK & TROUBLE-FREE ASSEMBLY! 2,500 lbs. load capacity!



(NSF)



Mobile Dunnage Platform Rack

With 5" Poly non-marking stem casters add flexibility. Units can be used for moving case goods and other heavy items for cleaning, warehouse and stock room applications. **Finish:** Endurance

Each unit consists of:

- **4** 6" posts
- 1 3 sided frame
- 1 dunnage shelf
- 4 5" swivel poly stem casters, 2 with brake
- 4 donut bumpers

ENDURANCE MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
M18366DE	18" x 36" x 12"	36 lbs
M18486DE	18" x 48" x 12"	44 lbs
M18606DE	18" x 60" x 12"	51 lbs
M24366DE	24" x 36" x 12"	40 lbs
M24486DE	24" x 48" x 12"	47 lbs
M24606DE	24" x 60" x 12"	55 lbs

DIMENSIONS W" x L" x H"

18" x 36" x 14"

18" x 48" x 14"

18" x 60" x 14"

24" x 36" x 14"

24" x 48" x 14"

24" x 60" x 14"

SHIP

28 lbs

36 lbs

43 lbs

32 lbs

39 lbs

47 lbs

ENDURANCE MODEL NO.

183614DE

184814DE

186014DE

243614DE

244814DE

246014DE

NSE)





Modular Dunnage Rack

Ideal for extreme load capacities (1,500 lb.). Includes tubular 1" square frame super structure and removable wire top mat. *Finish:* Endurance

Each unit consists of:

- **4** 14" posts
- 1 3 sided frame
- 1 dunnage shelf

ENDURANCE MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT			
	1 Tier				
183634DE	18" x 36" x 34"	40 lbs			
184834DE	18" x 48" x 34"	48 lbs			
186034DE	18" x 60" x 34"	55 lbs			
243634DE	24" x 36" x 34"	44 lbs			
244834DE	24" x 48" x 34"	51 lbs			
246034DE	24" x 60" x 34"	59 lbs			
	2 Tier				
183654DE	18" x 36" x 54"	68 lbs			
184854DE	18" x 48" x 54"	84 lbs			
186054DE	18" x 60" x 54"	98 lbs			
243654DE	24" x 36" x 54"	76 lbs			
244854DE	24" x 48" x 54"	90 lbs			
246054DE	24" x 60" x 54"	106 lbs			



Tank & Beverage Container Rack

Represents a cost effective way to keep containers off the floor for cleanliness. This unit is an effective way to tidy up and increase available storage capacity. Used frequently in cafeterias and warehouse applications. *Finish:* Endurance

Each 1 Tier unit consists of:

- **4** 34" posts
- 1 3 sided frame
- 1 dunnage shelf
- Each 2 Tier unit consists of:
- 4 54" posts
- 2 3 sided frames
- 2 dunnage shelves

Shelf Platform Rack	(
---------------------	---

Represents an ergonomic solution for keeping case goods off the floor. Platforms are often used at workstations and prep storage areas. *Finish:* Chrome

NSE)

Each unit consists of:

4 - 14" posts

1 - shelf

CHROME MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
183614PC	18" x 36" x 14"	14 lbs
184814PC	18" x 48" x 14"	18 lbs
186014PC	18" x 60" x 14"	21 lbs
243614PC	24" x 36" x 14"	17 lbs
244814PC	24" x 48" x 14"	20 lbs
246014PC	24" x 60" x 14"	25 lbs



74



Shipping

ENDURANCE MODEL NO.	DIMENSIONS W" x L"	SHIP WGT
1836DS	18" x 36"	21 lbs
1848DS	18" x 48"	28 lbs
1860DS	18" x 60"	34 lbs
2436DS	24" x 36"	24 lbs
2448DS	24" x 48"	30 lbs
2460DS	24" x 60"	37 lbs



Utilized in extreme load applications. Shelf is constructed of square tubing and a removable top wire grid. 1,500 lb. capacity. *Finish:* Endurance



CHROME MODEL NO.	DIMENSIONS W" x L"	SHIP WGT	DIVIDER MODEL NO.
1836SL	18" x 36"	10 lbs	DIV18SL
1848SL	18" x 48"	12 lbs	DIV18SL
2436SL	24" x 36"	13 lbs	DIV24SL
2448SL	24" x 48"	15 lbs	DIV24SL

Slanted Shelf

Designed to add structure to various applications and retain products. *Finish:* Chrome



ENDURANCE MODEL NO.	DIMENSIONS W" x L"	SHIP WGT
1836FE	18" x 36"	7 lbs
1848FE	18" x 48"	8 lbs
1860FE	18" x 60"	9 lbs
2436FE	24" x 36"	8 lbs
2448FE	24" x 48"	9 lbs
2460FE	24" x 60"	10 lbs



Constructed of 1" square tubing, frame is designed for added structure to the perimeter of a dunnage or shelving unit. *Finish:* Endurance



CHROME MODEL NO.	STAINLESS MODEL NO.	DIMENSIONS W'' x L''	SHIP WGT
1836FC	1836FS	18" x 36"	6 lbs
1848FC	1848FS	18" x 48"	7 lbs
1860FC	1860FS	18" x 60"	8 lbs
2436FC	2436FS	24" x 36"	8 lbs
2448FC	2448FS	24" x 48"	9 lbs
2460FC	2460FS	24" x 60"	10 lbs

3 Sided Frame

Designed to add structure to various applications and retain products. *Finishes:* Chrome & 304 Stainless Steel



DESCRIPTION	SHIP WGT
One 36" Bin Holder	5 lbs
One 48" Bin Holder	7 lbs
One 60" Bin Holder	9 lbs
	One 36" Bin Holder One 48" Bin Holder

Bin Rail Holder

Creates a more functional work area with the bin rail which allows you to adapt bins to your shelving unit. *Finish:* Chrome

Modular Enclosure Panels

Are easily adaptable to standard shelving units to create a secured storage area.

- Panels are fabricated from 6 gauge wire on 3" x 3" squares
- Modular enclosure panels work with four shelf depths: • 14", 18", 21" and 24" and three heights: 63", 74" and 86"
- One modular enclosure panel is needed for each side • and two or three panels are needed for the back

CHROME	STAINLESS STEEL		
MODEL NO.	MODEL NO.	DESCRIPTION	SHIP WGT
EP126	EP126S	One 12" x 62" Enclosure Panel	5 lbs
EP166	EP166S	One 16" x 62" Enclosure Panel	6 lbs
EP196	EP196S	One 19" x 62" Enclosure Panel	7 lbs
EP226	EP226S	One 22" x 62" Enclosure Panel	8 lbs
EP127	EP127S	One 12" x 73" Enclosure Panel	6 lbs
EP167	EP167S	One 16" x 73" Enclosure Panel	7 lbs
EP197	EP197S	One 19" x 73" Enclosure Panel	8 lbs
EP227	EP227S	One 22" x 73" Enclosure Panel	9 lbs
EP128	EP128S	One 12" x 84" Enclosure Panel	7 lbs
EP168	EP168S	One 16" x 84" Enclosure Panel	8 lbs
EP198	EP198S	One 19" x 84" Enclosure Panel	9 lbs
EP228	EP228S	One 22" x 84" Enclosure Panel	10 lbs
Hang Ra	ail	CANDER DAY	
CHROME	STAINLESS STEEL		

DESCRIPTION

One 18" Hang Rail

One 24" Hang Rail

One 36" Hang Rail

One 48" Hang Rail

One 60" Hang Rail

WGT

3 lbs

4 lbs

5 lbs

6 lbs

7 lbs

MODEL NO.

HB18C

HB24C

HB36C

HB48C

HB60C

MODEL NO.


HB18S

HB24S

HB36S

HB48S

HB60S



MOBILE LINEN CART SHOWN WITH 4 ENCLOSURE PANELS

LINEN **MOBILE CARTS** AVAILABLE! See pg. 58 & 59



Dolly Frames allow standard shelving units to be converted to heavy-duty transport trucks. Frames are fabricated from heavy gauge steel. Bumpers are attached to each corner to protect walls and help cushion impact. Finishes: Chrome & Stainless Steel (Plate casters sold separately)


CHROME	STAINLESS STEEL		
MODEL NO.	MODEL NO.	DIMENSIONS W" x L"	SHIP WGT
DB1836C	DB1836S	18" x 36"	10 lbs
DB1848C	DB1848S	18" x 48"	12 lbs
DB1860C	DB1860S	18" x 60"	14 lbs
DB2436C	DB2436S	24" x 36"	13 lbs
DB2448C	DB2448S	24" x 48"	15 lbs
DB2460C	DB2460S	24" x 60"	18 lbs



Used to secure baskets to posts or as a hook for cables. Sold in packs of four.

MODEL NO.	DESCRIPTION	SHIP WGT
SCH1-5	1-1/2" Hook	1 lb
SCH1	1/2" Hook	1 lb

LHA3C Top Shelf View





Are an excellent method for identifying product. Affix directly to truss on any size shelf. Ten lengths to choose from.

		SHIP
MODEL NO.	DESCRIPTION	WGT
LH3B	3" Gray Label Holder	1 lb
LH3C	3" Clear Label Holder	1 lb
LH12C	12" Clear Label Holder	1 lb
LH24C	24" Clear Label Holder	1 lb
	Full Length Label Holders	
LH33C	33" Clear Label Holder Fits 36" Shelf	1 lb
LH39C	39" Clear Label Holder Fits 42" Shelf	1 lb
LH45C	45" Clear Label Holder Fits 40" Shelf	1 lb
LH51C	51" Clear Label Holder Fits 54" Shelf	1 lb
LH57C	57" Clear Label Holder Fits 60" Shelf	1 lb
LH69C	69" Clear Label Holder Fits 72" Shelf	1 lb
A	Angled Label Holder - 30°, 60° and 90°	
LHA3C	3" Angled Clear Label Holder	1 lb
LINGC	5 / ligica cical Easer riolaci	1 110



Compliment any system with specialized areas for storage which allow bins and trays to be suspended between shelves. Single bin slide mounts 18", 21" and 24" shelves. Double bin slide adapts to 24" shelves only. (Bins sold separately).

MODEL NO.	DESCRIPTION	SHIP WGT
DS18-24	Single Bin Design	2 lbs
DDS-24	Double Bin Design	4 lbs





Push Handle

Comfortable grip design. Five widths available enabling easy movement of any mobile unit. *Finishes:* Chrome & Stainless Steel

CHROME	STAINLESS STEEL		
MODEL NO.	MODEL NO.	DESCRIPTION	SHIP WGT
PH18	PH18S	One 18" Push Handle	2 lbs
PH21	PH21S	One 21" Push Handle	3 lbs
PH24	PH24S	One 24" Push Handle	3 lbs
PH30	PH30S*	One 30" Push Handle	3 lbs
PH36	PH36S	One 36" Push Handle	3 lbs

* Special order. Minimum quantity and extended lead time may apply. Please call for details.

U-Handle

Build your own special size utility cart with three different width choices: 18", 21" or 24". Overall height 32", not including casters. *Finishes:* Chrome & Stainless Steel

CHROME	STAINLESS STEEL		
MODEL NO.	MODEL NO.	DESCRIPTION	SHIP WGT
UH18	UH18S	18" U-Handle	2 lbs
UH21	UH21S	21" U-Handle	3 lbs
UH24	UH24S	24" U-Handle	3 lbs

Shelf Inlay Mat

An economical solution to convert a wire shelf to a solid surface preventing items from falling through. White shelf inlay mat is easily removable for cleaning.

MODEL NO.	DESCRIPTION	SHIP WGT
1836SM	One 18" x 36" Inlay Mat	1 lb
1848SM	One 18" x 48" Inlay Mat	2 lbs
1860SM	One 18" x 60" Inlay Mat	2 lbs
1872SM	One 18" x 72" Inlay Mat	2 lbs
2436SM	One 24" x 36" Inlay Mat	2 lbs
2448SM	One 24" x 48" Inlay Mat	2 lbs
2460SM	One 24" x 60" Inlay Mat	2 lbs
2472SM	One 24" x 72" Inlay Mat	3 lbs



Tie Bar

Is required with rigid casters to ensure rigid alignment. Tie bar length should match up to shelf depth. Rigid casters sold separately. *Finish:* Chrome


MODEL NO.	DESCRIPTION	SHIP WGT
18TB	One 18" Tie Bar which fits 2 casters	2 lbs
21TB	One 21" Tie Bar which fits 2 casters	2 lbs
24TB	One 24" Tie Bar which fits 2 casters	2 lbs
30TB	One 30" Tie Bar which fits 2 casters	2 lbs
36TB	One 36" Tie Bar which fits 2 casters	3 lbs



Side and Back Ledges

Ledges are 4"H and act as a perimeter to retain shelf items and prevent anything from falling off. *Finishes:* Chrome & Stainless Steel

CHROME	STAINLESS STEEL		
MODEL NO.	MODEL NO.	DESCRIPTION	SHIP WGT
	4″H Sie	de Ledges	
SL12	SL12S	12" Side Ledge	1 lb
SL14	SL14S	14" Side Ledge	1 lb
SL18	SL18S	18" Side Ledge	1 lb
SL21	SL21S	21" Side Ledge	2 lbs
SL24	SL24S	24" Side Ledge	2 lbs
SL30	SL30S	30" Side/Back Ledge	2 lbs
	4″H Ba	ck Ledges	
BL36	BL36S	36" Back/Side Ledge	3 lbs
BL42	BL42S	42" Back Ledge	3 lbs
BL48	BL48S	48" Back Ledge	3 lbs
BL54	BL54S	54" Back Ledge	4 lbs
BL60	BL60S	60" Back Ledge	5 lbs
BL72	BL72S	72" Back Ledge	6 lbs



Dividers are 8"H and are available in 7 depths to be used with all shelves. Dividers come 2 per package. *Finishes:* Chrome & Stainless Steel

CHROME	STAINLESS STEEL		
MODEL NO.	MODEL NO.	DESCRIPTION	SHIP WGT
	Divid	ers	
DIV12	DIV12S	One 12" Divider	2 lbs
DIV14	DIV14S	One 14" Divider	2 lbs
DIV18	DIV18S	One 18" Divider	2 lbs
DIV21	DIV21S	One 21" Divider	3 lbs
DIV24	DIV24S	One 24" Divider	3 lbs
DIV30	DIV30S	One 30" Divider	4 lbs
DIV36	DIV36S	One 36" Divider	4 lbs

			The second secon		T
Post	Clamp				1
Joins mu	Iltiple units of sl	helving.		(%)	t
MODEL N	O. DESCRIPTION	SHIP WGT	6		
PCL1	1/2" Post Clamp	4 lbs			-
PCL2	3-1/3" Post Clam	p 5 lbs		PCL2	1





Hang Bar

MODEL NO.	DESCRIPTION	SHIP WGT
GR24	One 24" Hang Bar	2 lbs
GR36	One 36" Hang Bar	3 lbs
GR48	One 48" Hang Bar	4 lbs
GR60	One 60" Hang Bar	5 lbs





For continuous runs of shelving. Two hooks should be placed per shelf where two posts are not utilized. Sold as an 8 pack. Finishes: Chrome, Proform & Stainless Steel









Aluminum Split Sleeve Aluminum Split Sleeves required when grounding standard wire shelving in conductive application. Sold as a pack of 4 pairs




WR-SSCO Plastic Conductive Split Sleeve Sold as a pack of 4 pairs.



ESD-DC Drag Chain

Drag chain is mounted to bottom of shelf and is used to ground standard wire shelving units. Used in conjunction with aluminum or conductive split sleeves.



DH8 Document Holder Provides an effective way to secure documents. Measures 12-3/8" x 2" x 8-5/8"H



UB10 Utility Basket An additional storage or display area outside the perimeter of the shelf. Measures 11-1/4" x 18-7/8" x 7-5/8"H



Split Sleeve Sold as a pack of 4 pairs.



WR-SP Shelf Collar Plug Sold as a pack of 4 pieces.



WR-WMB **Post Wall Mount Bracket** Mounts post to wall securely. 2" clearance required.



KEYBD Keyboard Shelf Mounts under any size wire shelf and accepts keyboards up to 21"W x 11"D. Has a 6" height adjustment. Measures 25-1/4"W x 15"D x 4-1/4"H



FP Foot Plate Triangular plate allows additional surface to disperse weight.



FG **Non-Marring Floor Glides** Serves as protection to prevent marring of floors. Sold as a 4 pack.





Casters

Shipping

MODEL NO.	DESCRIPTION	LOAD CAP PER CASTER	SHIP WGT
	Stem Casters		
WR-00H	Four Swivel 5" x 1-1/4" Polyurethane Casters, 2 with brake	300 lbs	10 lbs
WR-00HS	Four Swivel 5" x 1-1/4" Polyurethane Stainless Steel Casters with Zerk Grease Fittings, 2 with brake	300 lbs	12 lbs
WR-00CO	Four Swivel ESD/Conductive 5" x 1-1/4" Casters, 2 with brake	300 lbs	12 lbs
WR-3	Four Swivel 3" Polyurethane, all with brake	200 lbs	8 lbs
WR-RG*	One Rigid 5" x 1-1/4" Polyurethane Caster	300 lbs	3 lbs
WR-PS	One Swivel 8" x 2-1/2" Pneumatic Caster	325 lbs	4 lbs
	Plate Casters		
PT-PS	One Swivel 5" x 1-1/4" Polyurethane Caster	300 lbs	3 lbs
PT-PR	One Rigid 5" x 1-1/4" Polyurethane Caster	300 lbs	3 lbs
PT-PSB	One Swivel 5" x 1-1/4" Polyurethane Caster with brake	300 lbs	3 lbs
PT-PS6	One Swivel 6" x 2" Polyurethane Caster	800 lbs	5 lbs
PT-PR6	One Rigid 6" x 2" Polyurethane Caster	800 lbs	5 lbs
PT-PSB6	One Swivel 6" x 2" Polyurethane Caster with brake	800 lbs	5 lbs
PT-NS	One Swivel 8" x 2-1/2" Pneumatic Caster	325 lbs	4 lbs
PT-NR	One Rigid 8" x 2-1/2" Pneumatic Caster	325 lbs	4 lbs
* Requires Tie Bar	for rigid alignment. See pg. 77.		

* Requires Tie Bar for rigid alignment. See pg. 77.



WR-00H Shown with and without brake Sold as a set of 4 casters, 2 with brake

PT-PS



Donut Bumper

Non-marking, 3" diameter rubber bumper used to protect walls and help cushion impact.



DB	One 3" Diameter Donut Bumper	1 lbs
MODEL NO.	DESCRIPTION	SHIP



WR-00HS Shown with and without brake Sold as a set of 4 casters, 2 with brake



PT-PR

PT-PSB

PT-PR6

PT-PS6

PT-PSB6



WR-3 Sold as a set of 4 casters, all with brake



WR-PS



PT-NR



PT-NS



WR-RG Requires Tie Bar (See chart on pg. 77)





Organize your inventory with strong injection molded tri-clear polypropylene bins. Front, back and side grips for easy handling. Built in rear hanger allows bins to hang from louvered panels or rails. Optional clear injection molded crystal styrene window increases bin capacity and provides quick view of bin contents. Dividers maximize flexibility and keep contents organized. Wide stacking ledge and anti-slide lock keep stacked bins steady and prevent forward shifting. Waterproof bins resist rust and corrosion. Large molded front label slots for ID labels. Autoclavable up to 250°F and resistant to extreme cold.



Clear-View Ultra Stack and Hang Bin Wire Shelving Systems Complete Packages

Manufactured of FDA approved, heavy-duty tri-clear polypropylene allowing quick identification of the contents of any bin.





Available Wire Units Finishes Chrome, Stainless Steel and Proform

A

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
QUS200CL	5" x 4-1/8" x 3"	24	5 lbs
QUS210CL	5-3/8" x 4-1/8" x 3"	24	6 lbs
QUS220CL	7-3/8" x 4-1/8" x 3"	24	8 lbs
QUS221CL	9-1/4" x 6" x 5"	12	6 lbs
QUS224CL	10-7/8" x 4-1/8" x 4"	12	8 lbs
QUS230CL	10-7/8" x 5-1/2" x 5"	12	10 lbs
QUS234CL	14-3/4" x 5-1/2" x 5"	12	14 lbs
QUS235CL	10-7/8" x 11" x 5"	6	10 lbs
QUS239CL	10-3/4" x 8-1/4" x 7"	6	10 lbs
QUS240CL	14-3/4" x 8-1/4" x 7"	12	24 lbs
QUS241CL	13-5/8" x 8-1/4" x 6"	12	22 lbs
QUS242CL	13-5/8" x 8-1/4" x 8"	12	25 lbs
QUS245CL	10-7/8" x 16-1/2" x 5"	6	13 lbs
QUS250CL	14-3/4" x 16-1/2" x 7"	6	21 lbs
QUS255CL	16" x 11" x 8"	4	14 lbs
QUS260CL	18" x 11" x 10"	4	17 lbs
QUS265CL	18" x 8-1/4" x 9"	6	17 lbs
QUS270CL	18" x 16-1/2" x 11"	3	16 lbs
QUS275MOBCL	18" x 16-1/2" x 11"*	3	25 lbs

* With casters, overall height for mobile container will be increased by 3" Individual labels are available for all Ultra Bins. Ctn Qty: 50 Individual Labels For label Model No., substitute "L" for "Q" in bin Model No.

QUANTUM IS CLEARLY your storage solution!



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.

COMPLETE PACKAGES with bins!

MODEL NO.	NO. OF SHELVES	NO. OF BINS	BIN SIZE L" x W" x H"	SHIP WGT	
12" x 36" x 74" Unit					
WR8-239CL	8	28 QUS239CL	10-3/4" x 8-1/4" x 7"	103 lbs	
WR7-245CL	7	24 QUS245CL	10-7/8" x 16-1/2" x 5"	111 lbs	
14" x 36" x 74" Unit					
WR10-2302400	CL 10	36 QUS230CL 12 QUS240CL	10-7/8" x 5-1/2" x 5" 14-3/4" x 8-1/4" x 7"	146 lbs	
WR8-240CL	8	28 QUS240CL	14-3/4" x 8-1/4" x 7"	128 lbs	
WR8-250CL	8	14 QUS250CL	14-3/4" x 16-1/2" x 7"	129 lbs	
		18" x 36" x 74"	Unit		
WR8-255CL	8	21 QUS255CL	16" x 11" x 8"	152 lbs	
WR6-260CL	6	15 QUS260CL	18" x 11" x 10"	127 lbs	
WR6-265CL	6	20 QUS265CL	18" x 8-1/4" x 9"	124 lbs	
WR5-270CL	5	8 QUS270CL	18" x 16-1/2" x 11"	104 lbs	



Available in: Clear

	OUTSIDE DIMENSIONS	CTN	CTN
MODEL NO.	$L'' \times W'' \times H''$	QTY	WGT
QUS950CL	23-7/8" x 8-1/4" x 7"	6	18 lbs
QUS951CL	23-7/8" x 8-1/4" x 9"	6	21 lbs
QUS952CL	23-7/8" x 11" x 7"	4	14 lbs
QUS953CL	23-7/8" x 11" x 10"	4	18 lbs
QUS954CL	23-7/8" x 16-1/2" x 11"	1	7 lbs
QUS964MOBCL	23-7/8" x 16-1/2" x 11"*	1	9 lbs
QUS955CL	23-7/8" x 18-1/4" x 12"	1	8 lbs
QUS965MOBCL	23-7/8" x 18-1/4" x 12"*	1	10 lbs
* With casters, overall height	for mobile container will be increased by 3"		



Organize and store your large and bulky items with these strong injection molded triclear polypropylene, stackable containers. These extra large stacking containers offer a generous 2 feet in length to store your larger items. Extra deep shelving and are available in a variety of widths and heights. Heavy-duty front, back and side grips allow for easy handling. Optional clear styrene plastic window increases bin capacity and provides a quick view of the bin contents. Optional dividers maximize flexibility and keep contents organized. Clear windows & dividers available on pg. 98. Wide stacking ledge and antislide lock keep stacked bins steady and prevent forward shifting. Waterproof bins resist rust and corrosion. Bins are autoclavable up to 250°F and are resistant to extreme cold.



Clear-View HULK 24" Container Wire Shelving Systems **Complete Packages**

Manufactured of FDA approved, heavy-duty tri-clear polypropylene allowing quick identification of the contents of any bin.

OUANTUM IS CLEARLY your storage solution!



MOBILIZE YOUR WIRE SHELVING DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.

COMPLETE PACKAGES with containers!

MODEL NO.	NO. OF SHELVES	NO. OF BINS	BIN SIZE L" x W" x H"	SHIP WGT
		24" x 36" x 74"	Unit	
WR8-950CL	8	28 QUS950CL	23-7/8" x 8-1/4" x 7"	205 lbs
WR8-950952CL	8	12 QUS950CL 12 QUS952CL	23-7/8" x 8-1/4" x 7" 23-7/8" x 11" x 7"	197 lbs
WR8-952CL	8	21 QUS952CL	23-7/8" x 11" x 7"	191 lbs
WR7-951CL	7	24 QUS951CL	23-7/8" x 8-1/4" x 9"	188 lbs
WR7-20-MIXCL	7	8 QUS950CL 4 QUS951CL 3 QUS952CL 3 QUS953CL 2 QUS954CL	23-7/8" x 8-1/4" x 7" 23-7/8" x 8-1/4" x 9" 23-7/8" x 11" x 7" 23-7/8" x 11" x 10" 23-7/8" x 16-1/2" x 11"	182 lbs
WR6-953CL	6	15 QUS953CL	23-7/8" x 11" x 10"	156 lbs
WR6-953954CL	6	9 QUS953CL 4 QUS954CL	23-7/8" x 11" x 10" 23-7/8" x 16-1/2" x 11"	159 lbs
WR6-954CL	6	10 QUS954CL	23-7/8" x 16-1/2" x 11"	164 lbs
		24" x 42" x 74"	Unit	
WR5-955CL	5	8 QUS955CL	23-7/8" x 18-1/4" x 12"	145 lbs



Available Wire Units Finishes Chrome, Stainless Steel and Proform





Clear-View Dividable Grid Containers



Heavy-duty Dividable Grid Containers can be used for storage, kitting and distribution applications. These containers offer the safest and most efficient method for compartmentalizing and protecting small to medium sized items. Dividers allow you to customize the container's interior to meet your exact needs. Dividers: Gray. Covers are available in Clear, see *pg. 117* to order optional accessories.

Available	in: 🔵	Clear
-----------	-------	-------

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
DG91035CL	10-7/8" x 8-1/4" x 3-1/2"	9-3/16" x 6-9/16" x 3"	20	24 lbs
DG91050CL	10-7/8" x 8-1/4" x 5"	9-3/16" x 6-9/16" x 4-1/2"	20	32 lbs
DG92035CL	16-1/2" x 10-7/8" x 3-1/2"	14-7/8" x 9-1/4" x 3"	12	23 lbs
DG92060CL	16-1/2" x 10-7/8" x 6"	14-7/8" x 9-1/4" x 5-1/2"	8	20 lbs
DG92080CL	16-1/2" x 10-7/8" x 8"	14-7/8" x 9-1/4" x 7-1/2"	8	27 lbs
DG93030CL	22-1/2" x 17-1/2" x 3"	20-5/8" x 15-5/8" x 2-1/2"	6	20 lbs
DG93060CL	22-1/2" x 17-1/2" x 6"	20-5/8" x 15-5/8" x 5-1/2"	3	16 lbs
DG93080CL	22-1/2" x 17-1/2" x 8"	20-5/8" x 15-5/8" x 7-1/2"	3	19 lbs
DG93120CL	22-1/2" x 17-1/2" x 12"	20-5/8" x 15-5/8" x 11-1/2"	3	23 lbs



QUANTUM IS CLEARLY

your storage solution!



Available Wire Units Finishes Chrome, Stainless Steel and Proform



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.

COMPLETE PACKAGES with containers!

Clear-View Dividable Grid Container Wire Shelving Systems Complete Packages

Same durable chrome wire shelving combined with Quantum's Clear-View Dividable Grid Containers. These containers allow for multiple compartment configurations within each bin. Offering four different packages, these systems are ideal for small, medium and large parts storage. Unit may be made mobile with the addition of the WR-00H mobile kit. See *pg. 117* for additional information and to order optional accessories.

MODEL NO.	NO. OF SHELVES	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT	
18"	x 48" x 74" Wire	Shelving Unit With Di	vidable Grid Containers		
WR9-92060CL	9	36 DG92060CL	16-1/2" x 10-7/8" x 6"	210 lbs	
WR7-92080CL	7	24 DG92080CL	16-1/2" x 10-7/8" x 8"	174 lbs	
24" x 60" x 63" Wire Shelving Unit With Dividable Grid Containers					
WR12-93030CL	12	36 DG93030CL	22-1/2" x 17-1/2" x 3"	274 lbs	
24" x 60" x 74" Wire Shelving Unit With Dividable Grid Containers					
WR9-93060CL	9	24 DG93060CL	22-1/2" x 17-1/2" x 6"	254 lbs	





Available in: Clear

L" x W" x H"	CTN QTY	CTN WGT	WINDOW	CTN QTY
17-1/2" x 10-7/8" x 12-1/2"	4	12 lbs	WGH600	4
15-1/4" x 19-7/8" x 12-7/16"	3	13 lbs	WGH700	3
17-1/2" x 16-1/2" x 12-1/2"	2	8 lbs	WGH800	2
	17-1/2" x 10-7/8" x 12-1/2" 15-1/4" x 19-7/8" x 12-7/16"	17-1/2" x 10-7/8" x 12-1/2" 4 15-1/4" x 19-7/8" x 12-7/16" 3	17-1/2" x 10-7/8" x 12-1/2" 4 12 lbs 15-1/4" x 19-7/8" x 12-7/16" 3 13 lbs	17-1/2" x 10-7/8" x 12-1/2" 4 12 lbs WGH600 15-1/4" x 19-7/8" x 12-7/16" 3 13 lbs WGH700

* Optional label for QGH700 is available, LGH700 (3 per package)

QUANTUM IS CLEARLY your storage solution!

Clear-View Mobile Giant Stack & Stock Containers



- Ideal for transport of heavy and bulky parts
- Container comes with 4 swivel, 3" casters, all with brakes, allowing for up to 250 lb. mobile load capacity
- Containers can stack with casters in place



Available in: Clear

MODEL NO.	OUTSIDE DIMENSIONS	CTN OTY	CTN WGT
MODEL NO.	=	QIT	WGI
QGH705MOBCL	15-1/4" x 19-7/8" x 12-7/16"*	3	22 lbs
QGH805MOBCL	17-1/2" x 16-1/2" x 12-1/2"*	2	17 lbs



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.

MODEL NO.	NO. OF BINS				
	18" x 36" x 74	4" Unit, 5 Shelves			
WR5-600CL	12 QGH600CL	17-1/2" x 10-7/8" x 12-1/2"	104 lbs		
WR5-600800CL	6 QGH600CL 4 QGH800CL	17-1/2" x 10-7/8" x 12-1/2" 17-1/2" x 16-1/2" x 12-1/2"	103 lbs		
WR5-800CL	8 QGH800CL	17-1/2" x 16-1/2" x 12-1/2"	102 lbs		
	18" x 42" x 74	4" Unit, 5 Shelves			
WR5-700CL	8 QGH700CL	15-1/4" x 19-7/8" x 12-7/16"	98 lbs		

Clear-View Glant Stack & Stock Container



Multipurpose, wide open hopper front provides easy access for large part storage. Ideal for multiple applications in recycling, storing parts, tools and warehouse items. This bin will stack up to 6 bins high creating a sturdy, tall storage system. Injection molded from high density tri-clear polypropylene, easy to clean, resists rust and corrosion and impervious to most chemicals. Large label holder allows for quick identification. Optional clear window increases storage capacity and allows for inspection of parts. Six 1/4" drill hole pattern on bottom of bin allows for easy hole insertion for drainage.



Clear-View Giant Stack Wire Shelving Systems Complete Packages

Manufactured of FDA approved, heavy-duty tri-clear polypropylene allowing quick identification of the contents of any bin.



Available Wire Units Finishes Chrome, Stainless Steel and Proform

COMPLETE PACKAGES with containers!







Quantum's tough, durable, high density Shelf Bins are the industry standard for quality. These durable tri-clear polypropylene bins feature a molded-in label holder, built-in rear hanglock which allows bins to tilt out for complete access when on shelving. A wide hopper front allows complete access to the contents of the bin. Edges are reinforced for added strength. They are designed for 12", 18" and 24" deep shelf units, racks or standard shelving. Bins are impervious to most chemicals. Dividers, bin cups and label holders available on pg. 108.





Available Wire Units Finishes Chrome, Stainless Steel and Proform

Clear-View Complete Bin Center

Complete bin systems are available with 4 different size bins on a 12"W x 36"L x 36"H unit. This all-purpose bin center is an economical high density storage system that provides easy visibility to stored contents.



Clear-View Economy Shelf Bin Wire Shelving Systems Complete Packages

Manufactured of FDA approved, heavyduty tri-clear polypropylene allowing quick identification of the contents of any bin.



Available in: Clear

	OUTSIDE DIMENSIONS	CTN	CTN
MODEL NO.	L" x W" x H"	QTY	WGT
QSB100CL	11-5/8" x 2-3/4" x 4"	36	13 lbs
QSB101CL	11-5/8" x 4-1/8" x 4"	36	17 lbs
QSB102CL	11-5/8" x 6-5/8" x 4"	30	18 lbs
QSB107CL	11-5/8" x 8-3/8" x 4"	20	15 lbs
QSB109CL	11-5/8" x 11-1/8" x 4"	8	7 lbs
QSB103CL	17-7/8" x 4-1/8" x 4"	20	13 lbs
QSB104CL	17-7/8" x 6-5/8" x 4"	5/8" x 4" 20	
QSB108CL	17-7/8" x 8-3/8" x 4"	10	11 lbs
QSB110CL	17-7/8" x 11-1/8" x 4"	8	11 lbs
QSB105CL	23-5/8" x 4-1/8" x 4"	16	13 lbs
QSB106CL	23-5/8" x 6-5/8" x 4"	8	9 lbs
QSB114CL	23-5/8" x 8-3/8" x 4"	6	9 lbs
QSB116CL	23-5/8" x 11-1/8" x 4"	6	10 lbs
ndividual labels are av	ailable for all Shelf Bins.	Ctn Qty: 50	ndividual Labe

For label Model No. substitute "I " for "O" in bin Model No.

OUANTUM IS CLEARLY your storage solution!



MOBILIZE YOUR WIRE SHELVING DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.

MODEL NO.	NO. OF BINS	BIN SIZE L" x W" x H"	SHIP WGT
	12" x 36" x 36" Unit	, 6 Shelves	
WR6-36-1236-101CL	40 QSB101CL	11-5/8" x 4-1/8" x 4"	63 lbs
WR6-36-1236-102CL	25 QSB102CL	11-5/8" x 6-5/8" x 4"	50 lbs
WR6-36-1236-107CL	20 QSB107CL	11-5/8" x 8-3/8" x 4"	62 lbs
WR6-36-1236-109CL	15 QSB109CL	11-5/8" x 11-1/8" x 4"	64 lbs

COMPLETE PACKAGES with bins!

MODEL NO.	NO. OF BINS	BIN SIZE L" x W" x H"	SHIP WGT					
12" x 36" x 74" Unit, 12 Shelves								
WR12-101CL	77 QSB101CL	11-5/8" x 4-1/8" x 4"	114 lbs					
WR12-102CL	55 QSB102CL	11-5/8" x 6-5/8" x 4"	116 lbs					
WR12-107CL	44 QSB107CL	11-5/8" x 8-3/8" x 4"	117 lbs					
WR12-109CL	33 QSB109CL	11-5/8" x 11-1/8" x 4"	119 lbs					
	18" x 36" x 74"	Unit, 12 Shelves						
WR12-103CL	77 QSB103CL	17-7/8" x 4-1/8" x 4"	169 lbs					
WR12-104CL	55 QSB104CL	17-7/8" x 6-5/8" x 4"	165 lbs					
WR12-108CL	44 QSB108CL	17-7/8" x 8-3/8" x 4"	170 lbs					
WR12-110CL	33 QSB110CL	17-7/8" x 11-1/8" x 4"	168 lbs					
	24" x 36" x 74"	Unit, 12 Shelves						
WR12-105CL	77 QSB105CL	23-5/8" x 4-1/8" x 4"	219 lbs					
WR12-106CL	55 QSB106CL	23-5/8" x 6-5/8" x 4"	218 lbs					
WR12-114CL	44 QSB114CL	23-5/8" x 8-3/8" x 4"	222 lbs					
WR12-116CL	33 QSB116CL	23-5/8" x 11-1/8" x 4"	206 lbs					



Exclusive! Clear-View STORE-MORE 6" Shelf Bins



Maximize your storage space with durable, high density polypropylene bins. Quantum's exclusive STORE-MORE 6"H Shelf Bins are the industry standard for quality. These bins feature a molded-in label holder, built-in rear hang-lock which allows bins to tilt out for complete access when on shelving. A wide hopper front allows complete access to the contents of the bin. Edges are reinforced for added strength. They are designed for 12", 18" and 24" deep shelf units, racks or standard shelving. Optional dividers are a perfect solution to create a par level system. Bins are waterproof and corrosion-free. Dividers, bin cups and label holders available on *pg. 110*.



Manufactured of FDA approved, heavyduty tri-clear polypropylene allowing quick identification of the contents of any bin.

WR9-202CL

Available in: Clear

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
QSB201CL	11-5/8" x 4-1/8" x 6"	36	19 lbs
QSB202CL	11-5/8" x 6-5/8" x 6"	30	20 lbs
QSB207CL	11-5/8" x 8-3/8" x 6"	20	17 lbs
QSB209CL	11-5/8" x 11-1/8" x 6"	8	9 lbs
QSB203CL	17-7/8" x 4-1/8" x 6"	20	15 lbs
QSB204CL	17-7/8" x 6-5/8" x 6"	x 6" 20	
QSB208CL	17-7/8" x 8-3/8" x 6"	10	13 lbs
QSB210CL	17-7/8" x 11-1/8" x 6"	8	13 lbs
QSB205CL	23-5/8" x 4-1/8" x 6"	16	15 lbs
QSB206CL	23-5/8" x 6-5/8" x 6"	8	11 lbs
QSB214CL	23-5/8" x 8-3/8" x 6"	6	11 lbs
QSB216CL	23-5/8" x 11-1/8" x 6"	6	12 lbs
••••	ailable for all Shelf Bins.	Ctn Qty: 50 l	

For label Model No. substitute "L" for "Q" in bin Model No.

QUANTUM IS CLEARLY

your storage solution!



MOBILIZE YOUR WIRE SHELVING DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.

MODEL NO.	NO. OF BINS	BIN SIZE L" x W" x H"	SHIP WGT
	12" x 36" x 39" Unit	, 5 Shelves	
WR5-39-1236-201CL	32 QSB201CL	11-5/8" x 4-1/8" x 6"	61 lbs
WR5-39-1236-202CL	20 QSB202CL	11-5/8" x 6-5/8" x 6"	57 lbs
WR5-39-1236-207CL	16 QSB207CL	11-5/8" x 8-3/8" x 6"	56 lbs
WR5-39-1236-209CL	12 QSB209CL	11-5/8" x 11-1/8" x 6"	55 lbs

COMPLETE PACKAGES with bins!

MODEL NO.	NO. OF BINS	BIN SIZE L" x W" x H"	SHIP WGT	
	12" x 36" x 74" Ur	nit, 9 Shelves		
WR9-201CL	64 QSB201CL	11-5/8" x 4-1/8" x 6"	108 lbs	
WR9-202CL	40 QSB202CL	11-5/8" x 6-5/8" x 6"	100 lbs	
WR9-207CL	32 QSB207CL	11-5/8" x 8-3/8" x 6"	98 lbs	
WR9-209CL	24 QSB209CL	11-5/8" x 11-1/8" x 6"	96 lbs	
	18" x 36" x 74" U	nit, 9 Shelves		
WR9-203CL	64 QSB203CL	17-7/8" x 4-1/8" x 6"	156 lbs	
WR9-204CL	40 QSB204CL	17-7/8" x 6-5/8" x 6"	142 lbs	
WR9-208CL	32 QSB208CL	17-7/8" x 8-3/8" x 6"	143 lbs	
WR9-210CL	24 QSB210CL	17-7/8" x 11-1/8" x 6"	140 lbs	
	24" x 36" x 74" Ur	nit, 9 Shelves		
WR9-205CL	64 QSB205CL	23-5/8" x 4-1/8" x 6"	182 lbs	
WR9-206CL	40 QSB206CL	23-5/8" x 6-5/8" x 6"	171 lbs	
WR9-214CL	32 QSB214CL	23-5/8" x 8-3/8" x 6"	165 lbs	
WR9-216CL	24 QSB216CL	23-5/8" x 11-1/8" x 6"	154 lbs	

Clear-View Complete Bin Center

Available Wire Units Finishes Chrome, Stainless Steel and Proform

Complete bin systems are available with 4 different size bins on a $12^{"W} \times 36^{"L} \times 39^{"H}$ unit. This all-purpose bin center is an economical high density storage system that provides easy visibility to stored contents.





Exclusive! Clear-View STORE-MAX 8" Shelf Bins



Quantum revolutionized the Shelf Bin market when we first introduced the 6" high Shelf Bins. Building on that success we are proud to showcase our new 8" high bins-offering 95% more storage capacity when compared to the standard 4" high bins and 65% more than the 6" high bins. The new STORE-MAX 8" Bins will truly maximize and organize your space. Manufactured from high density polypropylene, Quantum's exclusive STORE-MAX 8"H Shelf Bins are the industry standard for quality. These bins feature a molded-in label holder on a wide hopper front allowing complete access to the contents of the bin. Edges are reinforced for added strength. They are designed for 12", 18" and 24" deep shelf units, racks or standard shelving. Optional dividers are a perfect accessory to subdivide and keep parts separated as needed. Available on pg. 112.



Manufactured of FDA approved, heavyduty tri-clear polypropylene allowing quick identification of the contents of any bin.

WR8-802CL

Available in: Clear

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
QSB801CL	11-5/8" x 4-3/8" x 8"	36	27 lbs
QSB802CL	11-5/8" x 6-5/8" x 8"	30	26 lbs
QSB807CL	11-5/8" x 8-3/8" x 8"	20	21 lbs
QSB809CL	11-5/8" x 11-1/8" x 8"	8	11 lbs
QSB803CL	17-7/8" x 4-3/8" x 8"	20	22 lbs
QSB804CL	17-7/8" x 6-5/8" x 8"	20	26 lbs
QSB808CL	17-7/8" x 8-3/8" x 8"	10	15 lbs
QSB810CL	17-7/8" x 11-1/8" x 8"	8	17 lbs
QSB805CL	23-5/8" x 4-3/8" x 8"	16	24 lbs
QSB806CL	23-5/8" x 6-5/8" x 8"	8	13 lbs
QSB814CL	23-5/8" x 8-3/8" x 8"	6	12 lbs
QSB816CL	23-5/8" x 11-1/8" x 8"	6	14 lbs
ndividual labels are av	vailable for all Shelf Bins.	Ctn Qty: 50 l	ndividual Label

For label Model No. substitute "L" for "Q" in bin Model No.

OUANTUM IS CLEARLY your storage solution!



MOBILIZE YOUR WIRE SHELVING DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.

MODEL NO.	NO. OF BINS	BIN SIZE L" x W" x H"	SHIP WGT
	12" x 36" x 39" Unit	, 4 Shelves	
WR4-39-1236-801CL	21 QSB801CL	11-5/8" x 4-3/8" x 8"	80 lbs
WR4-39-1236-802CL	15 QSB802CL	11-5/8" x 6-5/8" x 8"	78 lbs
WR4-39-1236-807CL	12 QSB807CL	11-5/8" x 8-3/8" x 8"	77 lbs
WR4-39-1236-809CL	9 QSB809CL	11-5/8" x 11-1/8" x 8"	77 lbs

COMPLETE PACKAGES with bins!

MODEL NO.	NO. OF BINS	SHIP WGT						
12" x 36" x 74" Unit, 8 Shelves								
WR8-801CL	49 QSB801CL	11-5/8" x 4-3/8" x 8"	100 lbs					
WR8-802CL	35 QSB802CL	11-5/8" x 6-5/8" x 8"	103 lbs					
WR8-807CL	28 QSB807CL	11-5/8" x 8-3/8" x 8"	102 lbs					
WR8-809CL	21 QSB809CL	11-5/8" x 11-1/8" x 8"	101 lbs					
	18" x 36" x 74	" Unit, 8 Shelves						
WR8-803CL	49 QSB803CL	17-7/8" x 4-3/8" x 8"	150 lbs					
WR8-804CL	35 QSB804CL	17-7/8" x 6-5/8" x 8"	142 lbs					
WR8-808CL	28 QSB808CL	17-7/8" x 8-3/8" x 8"	138 lbs					
WR8-810CL	21 QSB810CL	17-7/8" x 11-1/8" x 8"	141 lbs					
	24" x 36" x 74	" Unit, 8 Shelves						
WR8-805CL	49 QSB805CL	23-5/8" x 4-3/8" x 8"	194 lbs					
WR8-806CL	35 QSB806CL	23-5/8" x 6-5/8" x 8"	177 lbs					
WR8-814CL	28 QSB814CL	23-5/8" x 8-3/8" x 8"	176 lbs					
WR8-816CL	21 QSB816CL	23-5/8" x 11-1/8" x 8"	169 lbs					

Available Wire Units Finishes Chrome, Stainless Steel and Proform

Clear-View Complete Bin Center

Complete bin systems are available with 4 different size bins on a 12"W x 36"L x 39"H unit. This all-purpose bin center is an economical high density storage system that provides easy visibility to stored contents.





Bin, Totes and Container Labels

Clear Label Holder Kits allow for easy parts identification and bar coding of the bin contents. Laser and inkjet compatible inserts come in 8-1/2" x 11" perforated sheets. Label holders easily slide into molded-in label slot on bin to protect label. Kit contains 25 clear holders and corresponding printer friendly sheet labels.





19 SIZES AND 7 COLORS AVAILABLE!
the LARGEST selection anywhere!!Image: Discose disc

Ultra Stack and Hang Bins

Organize your inventory with these strong bins, manufactured of FDA approved materials. Front, back and side grips for easy handling. Built-in rear hanger allows bins to hang from louvered panels or rails. Optional clear injection molded crystal styrene window increases bin capacity and provides quick view of bin contents. Dividers maximize flexibility and keep contents organized. Wide stacking ledge and anti-slide lock keep stacked bins steady and prevent forward shifting. Water, rust, and corrosion proof. Easily cleaned with soap and water and impervious to most chemicals. Large molded front label slots for ID labels. Autoclavable up to 250°F and resistant to extreme cold. Guaranteed not to break or crack under normal load conditions. Available in 7 colors. See *pg. 80* to order Clear Bins.

MADE IN THE USA




Available in: ●Blue ●Green ●Ivory ●Red ●Yellow ●Black ●Clear

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	X"	CTN QTY	CTN WGT	BIN LOAD CAPACITY*	CLEAR WINDOW	CTN QTY	DIVIDER	CTN QTY	DIVIDER SLOTS	CLEAR LABEL HOLDER	CLEAR LID**	CTN QTY
QUS200	5" x 4-1/8" x 3"	4-3/8" x 3-7/16" x 2-13/16"	3-1/2"	24	5 lbs	8 lbs	-	-	DUS200	б	1	LTR-1300	-	-
QUS210	5-3/8" x 4-1/8" x 3"	4-3/4" x 3-7/16" x 2-13/16"	4"	24	6 lbs	10 lbs	-	-	DUS210	6	1	LTR-1300	COV210	24
QU5220	7-3/8" x 4-1/8" x 3"	6-3/4" x 3-7/16" x 2-13/16"	6"	24	8 lbs	10 lbs	-	-	DUS220	6	1	LTR-1300	COV220	24
QUS221	9-1/4" x 6" x 5"	8-1/2" x 5-1/8" x 4-1/2"	7-1/4"	12	6 lbs	20 lbs	WUS221	12	DUS221	6	1	LTR-1754	-	-
QUS224	10-7/8" x 4-1/8" x 4"	10-1/4" x 3-3/16" x 3-3/4"	9"	12	8 lbs	30 lbs	WUS224	12	DUS224	б	1	LTR-1253	COV224	12
QUS230	10-7/8" x 5-1/2" x 5"	10-1/4" x 4-3/8" x 4-3/4"	9"	12	10 lbs	30 lbs	WUS230/234	12	DUS230/235	6	1	LTR-1754	COV230	12
QUS234	14-3/4" x 5-1/2" x 5"	14-1/16" x 4-3/8" x 4-3/4"	12-13/16"	12	14 lbs	50 lbs	WUS230/234	12	DUS234	6	1	LTR-1754	-	-
QUS235	10-7/8" x 11" x 5"	10-1/4" x 10" x 4-3/4"	9"	6	10 lbs	50 lbs	WUS235	6	DUS230/235	б	3	LTR-1754	COV235	6
QUS239	10-3/4" x 8-1/4" x 7"	10" x 6-9/16" x 6-3/4"	8"	6	10 lbs	50 lbs	WUS239/240	6	DUS239	6	1	LTR-1754	COV239	6
QUS240	14-3/4" x 8-1/4" x 7"	14" x 6-9/16" x 6-3/4"	12"	12	24 lbs	60 lbs	WUS239/240	6	DUS240/250	6	1	LTR-1754	COV240	12
QUS241	13-5/8" x 8-1/4" x 6"	12-1/2" x 6-3/4" x 5-3/8"	11-1/8"	12	22 lbs	60 lbs	WUS241	12	DUS241	6	1	LTR-1754	-	-
QUS242	13-5/8" x 8-1/4" x 8"	12-1/2" x 6-3/4" x 7-3/8"	11-1/8"	12	25 lbs	60 lbs	WUS242	12	DUS242	б	1	LTR-1754	-	-
QUS245	10-7/8" x 16-1/2" x 5"	9-3/4" x 15" x 4-3/4"	9"	6	13 lbs	60 lbs	WUS245	6	DUS245	6	3	LTR-1754	-	-
QUS250	14-3/4" x 16-1/2" x 7"	14" x 14-3/4" x 6-3/4"	12"	6	21 lbs	75 lbs	WUS250	6	DUS240/250	6	3	LTR-1754	-	-
QUS255	16" x 11" x 8"	15-1/8" x 10" x 7-3/4"	11-5/8"	4	14 lbs	75 lbs	WUS255	4	DUS255	6	3	LTR-1754	-	-
QUS260	18" x 11" x 10"	17" x 9-1/2" x 9-3/4"	14-3/16"	4	17 lbs	75 lbs	WUS260	4	DUS260	6	3	LTR-1754	-	-
QUS265	18" x 8-1/4" x 9"	17-1/8" x 6-3/4" x 8-1/4"	14-1/2"	6	17 lbs	60 lbs	WUS265	6	DUS265	6	1	LTR-1754	-	-
QUS270	18" x 16-1/2" x 11"	17-1/8" x 14-3/4" x 10-1/4"	14"	3	16 lbs	75 lbs	WUS270	3	DUS270	6	3	LTR-2400	-	-
QUS275MOB	18" x 16-1/2" x 11"***	17-1/8" x 14-3/4" x 10-1/4"	14"	3	25 lbs	-	WUS270	3	DUS270	6	3	LTR-2400	-	-

* When attached to panels or rails ** Available early 2014 *** With casters, overall height is 14" Individual labels are available for all Ultra Bins. For label Model No., substitute "L" for "Q" in bin Model No. Ctn Qty: 50 Individual Labels





- Available in 19 sizes
 Standard colors: Blue, Green, Ivory, Red, Yellow, Black and Clear (additional colors available on request, subject to up charge and minimum runs)
 Bins are made from heavy-duty, virgin, high density FDA approved polypropylene
 Large label slots provide easy label insertion and parts identification
 Extra wide stacking ledge assures stability for high stacking
 Reinforced design adds strength and prevents spreading
 Will not rust or corrode, unaffected by weak acids and alkalis, and are waterproof
 Autoclavable up to 250°F
 Interchangeable with other manufactured brands of bins



LTR-2400 **Clear Label Holder** Clear label holders and laser label inserts. Package of 25.



QUS235 Shown with optional Divider DUS230/235 (Sold separately)

Standard Colors





Green











Black

Blue

lvory

Red

Yellow




Clear



Ultra Stack and Hang Bins





- 0 Full width hanger supports bin when hanging from louvered panels or rails
- 0 Reinforced rib design adds strength and prevents spreading
- 6 Extra-wide stacking ledge for secure stacking
- 4 Large front label slot allows larger bar code scanning and content identification
- 6 Anti-slide stop prevents stacked bins from shifting forward
- 6 7 Optional dividers increase storage options
 - Optional windows maximize storage capacity, prevent spillage and protects parts from dust and dirt







QUS230 Shown with optional clear lid COV230 AVAILABLE EARLY 2014 (Sold separately)



QUS245 Shown with optional Window and Divider (Sold separately)



HANDLE-DLY 32" Dolly Pull Rod with handle

MODEL NO.	DESCRIPTION	CTN WGT
DLY-3018	Dolly with Padded Rubber Trim	19 lbs
HANDLE-DLY	32" Dolly Pull Rod with Handle	2 lbs
Bins sold separately.		

(Bin sold separately)

18" Units

Ultra Stack and Hang Bin Wire Shelving Systems - Complete Packages



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.

COMPLETE PACKAGES

with bins!

Units on this page are also available on Steel Shelving See pg. 138







WR8-239 12"W x 36"L x 74"H 8 shelves and 28 QUS239 10-3/4"L x 8-1/4"W x 7"H bins



WR8-240 14"W x 36"L x 74"H 8 shelves and 28 QU240 14-3/4"L x 8-1/4"W x 7"H bins



WR10-230240 14"W x 36"L x 74"H 10 shelves and 36 QUS230 10-7/8"L x 5-1/2"W x 5"H bins and 12 QUS240 14-3/4"L x 8-1/4"W x 7"H bins



WR8-255 18"W x 36"L x 74"H 8 shelves and 21 QUS255 16"L x 11"W x 8"H bins



WR6-260 18"W x 36"L x 74"H 6 shelves and 15 QUS260 18"L x 11"W x 10"H bins



WR6-265 18"W x 36"L x 74"H 6 shelves and 20 QUS265 18"L x 8-1/4"W x 9"H bins



WR5-270 18"W x 36"L x 74"H 5 shelves and 8 QUS270 18"L x 16-1/2"W x 11"H bins



WR8-250

14"W x 36"L x 74"H

8 shelves and 14 QUS250

14-3/4"L x 16-1/2"W x 7"H bins



New patented Wire Mesh Bins are an industry exclusive. Our innovative mesh design offers a nickel-chrome finish and a 3/8" x 3/8" grid pattern allowing complete visibility of the bin's contents. This unique mesh pattern provides a dust and dirt free storage environment. Ultra strong design allows for superior hang capacity perfect for IV fluid storage or anything where hang capacities are vital. Available in 9 popular sizes, Quantum's Mesh Bins stack one on top of the other and feature a rear hanger that allows them to hang from any louvered wall panel or rail system. The open hopper design allows for easy picking while allowing visual access to stored contents. Two optional label holders are available for all Mesh Bins. Finish: Chrome

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT)n
QMB510C	5-1/4" x 4-1/4" x 3"	4-3/4" x 4" x 2-7/8"	20	12 lbs	
QMB520C	7-1/4" x 4-1/4" x 3"	6-3/4" x 4" x 2-7/8"	20	15 lbs	-
QMB530C	10-3/4" x 5-1/2" x 5"	10-1/4" x 5-1/2" x 4-3/4"	10	12 lbs	
QMB535C	10-3/4" x 11" x 5"	10-1/4" x 10-3/4" x 4-3/4"	10	19 lbs	-
QMB539C	10-1/2" x 8" x 7"	10" x 7-1/2" x 6-3/4"	10	20 lbs	-
QMB540C	14-1/2" x 8" x 7"	14" x 7-2/5" x 6-3/4"	10	30 lbs	
QMB550C	14-1/2" x 16-1/4" x 7"	14" x 15-3/4" x 6-3/4"	5	17 lbs	-
QMB560C	18-1/2" x 11" x 10-1/4"	18" x 10-5/8" x 10"	5	21 lbs	-
QMB570C	18-1/2" x 17" x 11-1/4"	18" x 16-5/8" x 11"	5	28 lbs	-



EASY TO CLEAN! ALL WELDED! Mesh bins!



hipping

QMB510C



QMB535C

OMB550C







9 SIZES AVAILABLE!



QMB539C

Shown with optional

HBL3C Label Holder

Clear

(Sold separately)





QMB539C Shown with optional PS-LH3 Hanging Label Tag Clear, Red, Yellow, Blue and Green (Sold separately)

QMB530C

QMB540C





REAR HANGER All mesh bins have a super strong rear hanger that allows hanging from a louvered panel or rail system



OUTWARD PIVOTING ARM Allows full use and visibility of the entire bin



INWARD PIVOTING ARM Provides a flat stable surface enabling the bins to stack





WLP-1836C 36"L x 18"H Accepts all sizes of Ultra Stack & Hang Bins and Mesh Bins. Includes 8 direct mount clips. 175 lb. load capacity.	Quantum's new of mounting solutio hanging bins. Ut can be the occas Quantum's exclus sizes, completely direct mounting wood, concrete, dr not included as the are being mounted can be used in pla mounted offset (a clean behind the p duty chrome wir	throme wire louvered Panel chrome wire louvered pane n for all plastic hanging ar hlike a standard louvered p ional concern of dust or of ve offering of wire panels, resist any buildup of dust clips enable fastening to <i>ywall, etc.</i>) a snap (<i>note: m</i> <i>yy differ based on what type of d to</i>). Offset mounting clips ce of WLP-DMC if you want <i>xway</i>) from a wall surface r banel (<i>sold separately</i>). Manue, Quantum's wire panels	d new w banel who dirt accur available or dirt. any surfa <i>ounting s</i> <i>f surface t</i> are also to have w naking it factured	a perfect ire mesh ere there nulation, in three Included ince (wall, crews are he panels available, ire panel easier to of heavy-
New	MODEL NO.	DIMENSIONS L" x H"	CTN QTY	CTN WGT
	N	/ire Wall Mounted Louvered Pane		
	WLP-1836C	36" x 18" Wire Louvered Panel	1	12 lbs
1 53 1	WLP-3036C WLP-3048C	36" x 30" Wire Louvered Panel 48" x 30" Wire Louvered Panel	1	19 lbs 26 lbs
WLP-3036C 36"L x 30"H Accepts all sizes of Ultra Stack & Hang Bins and Mesh Bins. Includes 12 direct mount clips. 175 lb. load capacity. (Bins sold separately)		Accessories		
	(Included with wire louvered panel	(s)	
		WLP-OSC Offset Mount Clips - 4 pack (Sold separately)		
Accep	WLP-3048C 48"L x 30"H	HIGH VIS	BILIT	'Y!

	QUANTITY OF MESH BINS TO FIT LOUVERED PANELS					;	QUANTITY OF ULTRA BINS TO FIT LOUVERED PANELS																				
MODEL NO.	QMB 510	QMB 520	QMB 530	QMB 535	QMB 539	QMB 540	QMB 550	QMB 560	QMB 570	QUS 200	QUS 210	QUS 220	QUS 221	QUS 224	QUS 230	QUS 234	QUS 235	QUS 239	QUS 240	QUS 241	QUS 242	QUS 245	QUS 250	QUS 255	QUS 260		QUS 270
WLP-1836C	32	32	18	9	8	8	4	3	2	32	32	32	18	18	18	18	9	8	8	8	8	6	4	6	3	4	2
WLP-3036C	56	56	30	15	16	16	6	6	6	56	56	56	30	30	30	30	15	16	16	16	16	10	6	9	6	8	6
WLP-3048C	77	77	40	20	20	20	8	12	6	77	77	77	40	40	40	40	20	20	20	20	20	10	8	12	12	15	6
See pg. 92 & 88 for	r bin dime	ensions.																									

www.bin-store.com | 1-877-285-8684



Ultra Hanging Louvered Panels

Quantum Ultra Bins will hang on louvered panels in a wide range of configurations designed to meet all application needs. Use the system best suited to your needs with your choice of Ultra Bins. Systems are formed from heavy-duty 16 gauge cold rolled steel and have a Gray or Oyster White baked-enamel finish which ensures years of heavy-duty use. Louvered panels may be mounted on any suitable wall surface. Fasten securely to assure adequate load bearing.



QLP-1819HC 18"L x 19"H Accepts all sizes of Ultra Bins. 175 Ib. load capacity. (Bins sold separately)



QLP-1861HC 18"L x 61"H Accepts all sizes of Ultra Bins. 250 lb. load capacity. (Bins sold separately)



QLP-3619HC 36"L x 19"H Accepts all sizes of Ultra Bins. 175 lb. load capacity. (Bins sold separately)



QLP-3661HC 36"L x 61"H Accepts all sizes of Ultra Bins. 500 lbs. load capacity. (Bins sold separately)

MODEL NO.	DIMENSIONS L" x H"	CTN QTY	CTN WGT
	Oyster White Wall Mounted Louvered	Panels	
QLP-1819HC	18" x 19" Oyster White Louvered Panel	1	6 lbs
QLP-1861HC	18" x 61" Oyster White Louvered Panel	1	21 lbs
QLP-3619HC	36" x 19" Oyster White Louvered Panel	1	13 lbs
QLP-3661HC	36" x 61" Oyster White Louvered Panel	1	40 lbs
QLP-4861HC	48" x 61" Oyster White Louvered Panel	1	60 lbs
	Gray Wall Mounted Louvered Panels		
QLP-1819	18" x 19" Gray Louvered Panel	1	6 lbs
QLP-1861	18" x 61" Gray Louvered Panel	1	21 lbs
QLP-2721	27" x 21" Gray Louvered Panel	1	11 lbs
QLP-3612	36" x 12" Gray Louvered Panel	1	8 lbs
QLP-3619	36" x 19" Gray Louvered Panel	1	13 lbs
QLP-3661	36" x 61" Gray Louvered Panel	1	40 lbs
QLP-4819	48" x 19" Gray Louvered Panel	1	18 lbs
QLP-4861	48" x 61" Gray Louvered Panel	1	60 lbs

OYSTER WHITE OR GRAY color!



QLP-4861HC 48"L x 61"H Accepts all sizes of Ultra Bins. 500 lbs. load capacity. (Bins sold separately)

		QUANTITY OF ULTRA BINS TO FIT LOUVERED PANELS																
MODEL NO.	QUS 200	QUS 210	QUS 220	QUS 221	QUS 224	QUS 230	QUS 234	QUS 235	QUS 239	QUS 240	QUS 241	QUS 242	QUS 245	QUS 250	QUS 255	QUS 260	QUS 265	QUS 270
QLP-1819	16	16	16	9	12	9	9	3	4	4	4	4	3	2	1	1	4	1
QLP-1861	60	60	60	30	30	30	30	15	14	14	14	14	10	7	7	5	12	5
QLP-2721	30	30	30	12	12	12	12	6	6	6	6	6	3	2	4	4	6	1
QLP-3612	18	18	18	12	12	12	12	6	4	4	4	4	4	2	6	3	8	2
QLP-3619	40	40	40	18	24	18	18	9	8	8	8	8	6	4	6	3	8	2
QLP-3661	120	120	120	60	80	60	60	30	28	28	28	28	20	14	21	15	24	10
QLP-4819	55	55	55	24	24	24	24	12	10	10	10	10	6	4	8	8	10	2
QLP-4861	165	165	165	80	80	80	80	40	35	35	35	35	20	14	28	20	30	10

See pg. 88 for bin dimensions.





CUSTOMIZE YOUR OWN UNIT!

- Select the hanging unit of your choice.
 Turn to pg. 88 and choose the bin that
- best fits your need. 3. Go to the chart at the bottom of this pac
- and determine how many bins fit on the unit you selected.
- Place your order for both unit and bins (Bins sold in carton quantities)



Hang-n-Stack Bins - Complete Packages

Comes with 2 handy 12" plastic rails ideal for mounting to any surface. Bins can hang or stack securely providing an efficient bin storage system. Available in Blue, Green, Ivory, Red, Yellow, Black and Clear. Rails available in White.

Available in:	Blue Green IvoryBlack Clear	∕ ●Red ●Yellow	
	BIN DIMENSIONS		CTN
MODEL NO.	L" x W" x H"	DESCRIPTION	WGT
HNS200	5" x 4-1/8" x 3"	6 bins + 2 rails	2 lbs
HNS210	5-3/8" x 4-1/8" x 3"	6 bins + 2 rails	2 lbs
HNS220	7-3/8" x 4-1/8" x 3"	6 bins + 2 rails	3 lbs
HNS230	10-7/8" x 5-1/2" x 5"	4 bins + 2 rails	5 lbs
HNS006	Extra Rails	2 rails	1 lb



Shown here with **48** QUS230 bins. (Bins sold separately)

QRU-16S

Single Sided Rack, 16 Rails 36"L x 15"W x 53"H Accepts 6 sizes of Ultra Bins (*up to 48 bins*) 600 lb. capacity. See chart for bin configurations. (*Bins sold separately*)

QRU-12S

Single Sided Rack, 12 Rails Accepts 12 sizes of Ultra Bins (*up to 96 bins*) 600 lb. capacity. See chart for bin configurations. (*Bins sold separately*)



QRU-12D Double Sided Rack, 12 Rails

36"L x 20"W x 53"H Accepts 12 sizes of Ultra Bins (*up to 192 bins*) 1,600 lb. capacity. See chart for bin configurations. (*Bins sold separately*)

QRU-16D

Double Sided Rack, 16 Rails Accepts 6 sizes of Ultra Bins (*up to 96 bins*) 1,600 lb. capacity. See chart for bin configurations. (*Bins sold separately*)

Ultra Rail Systems

Rails may be mounted on any suitable surface including walls, benches, inside service trucks and cabinets or on carts. Fasten securely to assure proper load bearing. Configure Rail System to meet your custom requirements. *(Bins sold separately)*



48"L x 3"H Steel Rail mounts to any surface or workbench and accepts 13 sizes of Ultra Bins (*up to 11 bins per rail*). 125 lb. load capacity. (*Bins sold separately*)



QRU-16D + QRU-MOB Double Sided Rack, 16 Rails with Mobile Kit 36"L x 20"W x 59"H Accepts 6 sizes of Ultra Bins (up to 96 bins) 500 lb. capacity. See chart for bin configurations. (Bins sold separately)

QRU-12D + QRU-MOB

Double Sided Rack, 12 Rails with Mobile Kit Accepts 12 sizes of Ultra Bins (up to 192 bins) 500 lb. capacity. See chart for bin configurations. (Bins sold separately)

	QUANTITY OF ULTRA BINS TO FIT RAIL UNITS																			
MODEL NO.	DESCRIPTION	DIMENSIONS L" x W" x H"	QUS 200	QUS 210	QUS 220	QUS 221	QUS 224	QUS 230	QUS 234	QUS 235	QUS 239	QUS 240	QUS 241	QUS 242	QUS 245	QUS 250	QUS 255	QUS 260		QUS 270
QRU-1W	48"L Steel Rail	48" x - x 3"	11	11	11	8	11	8	8	4	5	5	5	5	3	-	-	-	-	-
QRU-12S	Rack, 1 sided 12 rail	36" x 15" x 53"	96	96	96	-	-	-	-	-	24	24	24	20	-	12	12	12	20	8
QRU-16S	Rack, 1 sided 16 rail	36" x 15" x 53"	-	-	-	48	48	48	48	24	-	-	-	-	16	-	-	-	-	-
QRU-12D	Rack, 2 sided 12 rail	36" x 20" x 53"	192	192	192	-	-	-	-	-	48	48	48	40	-	24	24	24	40	16
QRU-16D	Rack, 2 sided 16 rail	36" x 20" x 53"	-	-	-	96	96	96	96	48	-	-	-	-	32	-	-	-	-	-
QRU-MOB				М	lobilize	es Dou	ble Sic	led Un	its											

See pg. 88 for bin dimensions.






Quantum's exclusive Stackable Shelf Bins are an industry first and are ideal for medium size and large or heavy item storage. These strong, durable polypropylene bins are available in 4 lengths and 3 widths. 12", 14" and 18" deep bins have a built in rear hanger which allows bin to hang from louvered panels and rails. Bins have a raised front opening when compared to any like product allowing you to truly maximize the complete bin's storage capacity. Optional cross dividers allow flexibility and keep parts organized. Waterproof bins resist rust and corrosion. Large molded in front label slots for ID labels. Autoclavable up to 250°F and resistant to extreme cold. Available in 5 colors.



Available in: Blue Ivory Glack Gray Orange

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT	DIVIDER	CTN QTY	CTN WGT
SSB423	12" x 8-1/4" x 7"	11-1/2" x 7-3/8" x 6-1/2"	6	9	DSS403	6	1
SSB425	12" x 11" x 7"	11-1/2" x 10-1/8" x 6-1/2"	6	10	DSS405	6	2
SSB441	14" x 6" x 7"	13-1/2" x 5-3/8" x 6-1/2"	6	10	DSS401	6	1
SSB443	14" x 8-1/4" x 7"	13-1/2" x 7-3/8" x 6-1/2"	12	21	DSS403	6	1
SSB445	14" x 11" x 7"	13-1/2" x 10-1/8" x 6-1/2"	6	12	DSS405	6	2
SSB461	18" x 6" x 7"	17-1/2" x 5-3/8" x 6-1/2"	6	16	DSS401	6	1
SSB463	18" x 8-1/4" x 7"	17-1/2" x 7-3/8" x 6-1/2"	6	18	DSS403	6	1
SSB465	18" x 11" x 7"	17-1/2" x 10-1/8" x 6-1/2"	6	20	DSS405	6	2
SSB483	20-1/2" x 8-1/4" x 7"	20" x 7-3/8" x 6-1/2"	6	20	DSS403	6	1
SSB485	20-1/2" x 11" x 7"	20" x 10-1/8" x 6-1/2"	6	27	DSS405	6	2



Bin Dimensions Guide L (length) W (width) H (height)

10 SIZES AND 5 COLORS AVAILABLE!





LTR-2400 **Clear Label Holder** Clear label holders and laser label inserts. Package of 25.



SSB425 Shown with optional Divider DSS405 (Sold separately)

STACKABLE SHELF BINS



STACKABLE Shelf Bin

Stackable Shelf Bin Wire Shelving Systems - Complete Packages



WR8-461 18"W x 36"L x 74"H 8 shelves and 35 SSB461 18"L x 6"W x 7"H bins



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.



WR8-463 18"W x 36"L x 74"H 8 shelves and 28 SSB463 18"L x 8-1/4"W x 7"H bins



WR8-485 21"W x 36"L x 74"H 8 shelves and 21 SSB485 20-1/2"L x 11"W x 7"H bins

COMPLETE PACKAGES

with bins!



Available Wire Units Finishes Chrome, Stainless Steel and Proform

MODEL NO.	OUTSIDE DIMENSIONS W" x L" x H"	NO. OF SHELVES	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
WR8-423	12" x 36" x 74"	8	28 SSB423	12" x 8-1/4" x 7"	114
WR8-425	12" x 36" x 74"	8	21 SSB425	12" x 11" x 7"	107
WR8-441	14" x 36" x 74"	8	35 SSB441	14" x 6" x 7"	136
WR8-443	14" x 36" x 74"	8	28 SSB443	14" x 8-1/4" x 7"	129
WR8-445	14" x 36" x 74"	8	21 SSB445	14" x 11" x 7"	122
WR8-461	18" x 36" x 74"	8	35 SSB461	18" x 6" x 7"	190
WR8-463	18" x 36" x 74"	8	28 SSB463	18" x 8-1/4" x 7"	180
WR8-465	18" x 36" x 74"	8	21 SSB465	18" x 11" x 7"	184
WR8-483	21" x 36" x 74"	8	28 SSB483	20-1/2" x 8-1/4" x 7"	198
WD0 402405	211	0	12 SSB483	20-1/2" x 8-1/4" x 7"	100
WR8-483485	21" x 36" x 74"	8	12 SSB485	20-1/2" x 11" x 7"	199
WR8-485	21" x 36" x 74"	8	21 SSB485	20-1/2" x 11" x 7"	198





HULK 24" Containers



Organize and store your large and bulky items with these strong injection molded polypropylene, stackable containers. These extra large stacking containers offer a generous 2 feet in length to store your larger items. These huge stack bins are ideal for heavy-duty, extra deep shelving and are available in a variety of widths and heights. Heavy-duty front, back and side grips allow for easy handling. Optional clear styrene plastic window increases bin capacity and provides a quick view of the bin contents. Optional dividers maximize flexibility and keep contents organized. Wide stacking ledge and anti-slide lock keep stacked bins steady and prevent forward shifting. Waterproof bins are corrosion free. Bins are autoclavable up to 250°F and are resistant to extreme cold. Available in 4 colors. See *pg. 81* to order Clear bins.







Available in: Blue Red Yellow Clear

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	X"	CTN OTY	CTN WGT	CLEAR WINDOW	CTN OTY	DIVIDER	CTN OTY
QUS950	23-7/8" x 8-1/4" x 7"	21-7/8" x 6-1/4" x 6-5/8"	19"	6	18 lbs	WUS950/970	6	DUS950	6
QUS951	23-7/8" x 8-1/4" x 9"	21-7/8" x 6-1/4" x 8-3/4"	18-3/4"	6	21 lbs	WUS951	6	DUS951	6
QUS952	23-7/8" x 11" x 7"	21-7/8" x 9" x 6-7/8"	19"	4	14 lbs	WUS952	4	DUS952	6
QUS953	23-7/8" x 11" x 10"	21-1/2" x 8-7/8" x 9-3/4"	18-3/4"	4	18 lbs	WUS953/973	4	DUS953	6
QUS954	23-7/8" x 16-1/2" x 11"	21-7/8" x 14-1/4" x 10-3/4"	18-3/4"	1	7 lbs	WUS954/974	1	DUS954	6
QUS964MOB	23-7/8" x 16-1/2" x 11"*	21-7/8" x 14-1/4" x 10-3/4"	18-3/4"	1	9 lbs	WUS954/974	1	DUS954	6
QUS955	23-7/8" x 18-1/4" x 12"	21-1/2" x 16" x 11-3/4"	17-3/4"	1	8 lbs	WUS955/975	1	DUS955	6
QUS965MOB	23-7/8" x 18-1/4" x 12"*	21-1/2" x 16" x 11-3/4"	17-3/4"	1	10 lbs	WUS955/975	1	DUS955	6

* With caster, overall height for mobile container will be increased by 3"



HULK 24" Container Wire Shelving Systems - Complete Packages



WR8-952 24"W x 36"L x 74"H 8 shelves and 21 QUS952 23-7/8"L x 11"W x 7"H bins



WR6-953 24"W x 36"L x 74"H 6 shelves and 15 QUS953 23-7/8"L x 11"W x 10"H bins



WR6-954 24"W x 36"L x 74"H 6 shelves and 10 QUS954 23-7/8"L x 16-1/2"W x 11"H bins



WR7-951

24"W x 36"L x 74"H

7 shelves and 24 QUS951

23-7/8"L x 8-1/4"W x 9"H bins

WR5-955 24"W x 42"L x 74"H 5 shelves and 8 QUS955 23-7/8"L x 18-1/4"W x 12"H bins



WR8-950952 24"W x 36"L x 74"H 8 shelves and 12 QUS950 23-7/8"L x 8-1/4"W x 7"H bins and 12 QUS952 23-7/8"L x 11"W x 7"H bins

800 lb. capacity per shelf!





WR7-20-MIX 24"W x 36"L x 74"H 7 shelves and 8 QUS950 23-7/8"L x 8-1/4"W x 7"H bins and **3 QUS952** 23-7/8"L x 11"W x 7"H bins and 4 QUS951 23-7/8"L x 8-1/4"W x 9"H bins and 3 QUS953 23-7/8"L x 11"W x 10"H bins and 2 QUS954 23-7/8"L x 16-1/2"W x 11"H bins

MOBILIZE YOUR WIRE SHELVING **DB** - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.











LARGEST & TOUGHEST BINS available in the industry!

Organize and store your large and bulky items with these strong injection molded high impact polypropylene, stackable containers. These extra large stacking containers offer a generous 2-1/2 - 3 feet in length to store your larger items. These huge stack bins are ideal for heavy-duty, extra deep shelving and are available in a variety of widths and heights. Heavy-duty front, back and side grips allow for easy handling. Wide stacking ledge and anti-slide lock keep stacked bins steady and prevent forward shifting. Waterproof bins are corrosion-free. Bins are autoclavable up to 250°F and are resistant to extreme cold. Available in 3 colors.

8 SIZES AND 3 COLORS AVAILABLE!



OUS970



HULK 30" Containers



OUS973







Clear Plastic Window

Increases bin capacity and

provides a guick view

of the bin contents.

(Sold separately)

OUS975

OUS986MOB



SIZE does matter!

						Available	in: 🔵 Blu	ie 🛑 Red 📒	Yellow
MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	X''	CTN QTY	CTN WGT	CLEAR WINDOW	CTN QTY	DIVIDER	CTN QTY
QUS970	29-7/8" x 8-1/4" x 7"	27-7/8" x 6-1/4" x 6-3/4"	25"	6	23 lbs	WUS950/970	6	DUS970	6
QUS973	29-7/8" x 11" x 10"	27-7/8" x 8-7/8" x 9-5/8"	24-3/4"	4	22 lbs	WUS953/973	4	DUS973	4
QUS974	29-7/8" x 16-1/2" x 11"	27-5/8" x 14-1/4" x 10-5/8"	24-3/4"	1	8 lbs	WUS954/974	1	DUS974	1
QUS984MOB	29-7/8" x 16-1/2" x 11"*	27-5/8" x 14-1/4" x 10-5/8"	24-3/4"	1	10 lbs	WUS954/974	1	DUS974	1
QUS975	29-7/8" x 18-1/4" x 12"	27-1/2" x 16" x 11-3/4"	23-3/4"	1	9 lbs	WUS955/975	1	DUS975	1
QUS985MOB	29-7/8" x 18-1/4" x 12"*	27-1/2" x 16" x 11-3/4"	23-3/4"	1	11 lbs	WUS955/975	1	DUS975	1
QUS976	29-7/8" x 16-1/2" x 15"	27-3/8" x 14" x 14-3/4"	23-1/2"	1	10 lbs	WUS976	1	DUS976	1
QUS986MOB	29-7/8" x 16-1/2" x 15"*	27-3/8" x 14" x 14-3/4"	23-1/2"	1	12 lbs	WUS976	1	DUS976	1

OUS986MOB * With casters, overall height for mobile container will be increased by 3"

6 SIZES AND 3 COLORS AVAILABLE!



			Availat	ple in:	Blue	Red	Yellow
MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	X"	CTN QTY	CTN WGT	DIVIDER	CTN QTY
QUS993	35-7/8" x 16-1/2" x 17-1/2"	33-1/8" x 14" x 17-1/4"	28-1/4"	1	14 lbs	DUS993	1
QUS994MOB	35-7/8" x 16-1/2" x 17-1/2"*	33-1/8" x 14" x 17-1/4"	28-1/4"	1	17 lbs	DUS993	1
QUS995	35-7/8" x 19-7/8" x 17-1/2"	33-1/8" x 17-3/8" x 17-1/4"	28-1/4"	1	15 lbs	DUS995	1
QUS996MOB	35-7/8" x 19-7/8" x 17-1/2"*	33-1/8" x 17-3/8" x 17-1/4"	28-1/4"	1	17 lbs	DUS995	1
QUS997	35-7/8" x 23-7/8" x 17-1/2"	33-1/4" x 21-3/8" x 17-1/4"	28-1/4"	1	18 lbs	DUS997	1
QUS998MOB	35-7/8" x 23-7/8" x 17-1/2"*	33-1/4" x 21-3/8" x 17-1/4"	28-1/4"	1	20 lbs	DUS997	1
* Oursell heimheten	and the second second like in successful to a						

Overall height for mobile container will be increased by 3

QUS998MOB



HULK 30" Container Wire Shelving Systems - Complete Packages



WR6-974 30"W x 36"L x 74"H 6 shelves and 10 QUS974 29-7/8"L x 16-1/2"W x 11"H bins



WR6-973 30"W x 36"L x 74"H 6 shelves and 15 QUS973 29-7/8"L x 11"W x 10"H bins

QUANTUM CHROME WIRE SHELVING SYSTEMS complete with containers!

containers

700 lb.

capacity per shelf!



WR8-970 30"W x 36"L x 74"H 8 shelves and 28 QUS970 29-7/8"L x 8-1/4"W x 7"H bins



WR5-975 30"W x 42"L x 74"H 5 shelves and 8 QUS975 29-7/8"L x 18-1/4"W x 12"H bins



MOBILIZE YOUR WIRE SHELVING DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)* Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.







HULK 36" Container Wire Shelving Systems - Complete Packages



QUANTUM CHROME WIRE SHELVING SYSTEMS complete with containers!

600 lb. capacity per shelf!



SIZE does matter!



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)* Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.



5 shelves and **8 QUS995** 35-7/8"L x 19-7/8"W x 17-1/2"H bins



5 shelves and **8 QUS997** 35-7/8"L x 23-7/8"W x 17-1/2"H bins





THE FIRST & ONLY BIN DESIGNED specifically to fit pallet rack!

RACKBIN 42" Container:



- These extra large bins offer a generous 42" (3-1/2 Feet) in length to store your larger items
- 42" length ensures no wasted space on 42" deep rack
- Heavy-duty front, back and side grips allow for easy handling
- Wide stacking ledge and anti-slide lock keep stack bins steady and prevent forward shifting
- Have eight ¼" drill hole pattern on bottom of bin for easy hole insertion for drainage and air circulation if needed
- Waterproof bins are corrosion free
- Available in 2 colors

Available in: Blue Gray

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	x	CTN QTY	CTN WGT
QRB166	41-7/8" x 16-1/2" x 17-1/2"	40-1/8" x 14" x 16-1/2"	35"	1	16 lbs
QRB176MOB	41-7/8" x 16-1/2" x 17-1/2"*	40-1/8" x 14" x 16-1/2"	35"	1	18 lbs
QRB206	41-7/8" x 19-7/8" x 17-1/2"	40-1/8" x 17-3/8" x 16-1/2"	35"	1	17 lbs
QRB216MOB	41-7/8" x 19-7/8" x 17-1/2"*	40-1/8" x 17-3/8" x 16-1/2"	35"	1	19 lbs
QRB246	41-7/8" x 23-7/8" x 17-1/2"	40-1/8" x 21-1/2" x 16-1/2"	35"	1	19 lbs
QRB256MOB	41-7/8" x 23-7/8" x 17-1/2"*	40-1/8" x 21-1/2" x 16-1/2"	35"	1	21 lbs
# 14/261	والمستعدين الاستعاد والمستعد والمتلج والمستعد والمستعد والمستعد والمستعد والمستعد والمستعد والمستعد والمستعد				

* With casters, overall height for mobile container will be increased by 3'



MODEL NO.	DIMENSIONS W" x L" x H"	NO. OF CONTAINERS	CONTAINER SIZE L" x W" x H"	SHIP WGT
WRA86-2136C-166	42" x 36" x 86"	8 QRB166	41-7/8" x 16-1/2" x 17-1/2"	272 lbs
WRA86-2142C-206	42" x 42" x 86"	8 QRB206	41-7/8" x 19-7/8" x 17-1/2"	290 lbs
WRA86-2148C-246	42" x 48" x 86"	8 QRB246	41-7/8" x 23-7/8" x 17-1/2"	326 lbs
WRA86-2154C-166	42" x 54" x 86"	12 QRB166	41-7/8" x 16-1/2" x 17-1/2"	386 lbs
WRA86-2172C-246	42" x 72" x 86"	12 QRB246	41-7/8" x 23-7/8" x 17-1/2"	502 lbs





Multipurpose, wide open hopper front provides easy access for large part storage. Ideal for multiple applications in recycling, storing parts and components. This bin will stack up to 6 bins high creating a sturdy, tall storage system. Bins are injection molded from high density polypropylene, easy to clean, resist corrosion and are impervious to most chemicals. Large label holder allows for quick identification. Optional clear window increases storage capacity and allows for quick identification of parts. Six 1/4" drill hole pattern on bottom of bin allow for easy hole insertion for drainage and air circulation. See pg. 83 to order Clear Bins.





MODEL NO.	L" x W" x H"	L" x W" x H"	Χ"	CU FT	QTY	WGT	WINDOW	QTY
QGH600	17-1/2" x 10-7/8" x 12-1/2"	15-5/8" x 8" x 12-1/4"	13-1/2"	0.98	4	12 lbs	WGH600	4
QGH700*	15-1/4" x 19-7/8" x 12-7/16"	13-5/8" x 17-1/2" x 12-1/4"	11-1/2"	1.7	3	13 lbs	WGH700	3
QGH800	17-1/2" x 16-1/2" x 12-1/2"	15-5/8" x 13-3/4" x 12-1/4"	13-1/2"	1.6	2	8 lbs	WGH800	2
*Optional label fe	or QGH700 is available, LGH700 (3 per p	oackage)						

Mobile Giant Stack & Stock Containers

• Ideal for transport of heavy and bulky parts

- Container comes with 4 swivel, 3" casters, all with brakes, allowing for up to 250 lb. mobile load capacity
- · Containers can stack with casters in place





QGH705MOB available in: OBlue Ivory Red Black Gray Clear QGH805MOB available in:
Blue
Red
Gray
Clear

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	X"	CAP CU FT	CTN QTY	CTN WGT	WINDOW	CTN QTY
QGH705MOB	15-1/4" x 19-7/8" x 12-7/16"*	13-5/8" x 17-1/2" x 12-1/4"	11-1/2"	1.7	3	22 lbs	WGH700	3
QGH805MOB	17-1/2" x 16-1/2" x 12-1/2"*	15-5/8" x 13-3/4" x 12-1/4"	13-1/2"	1.6	2	17 lbs	WGH800	2



PERFORMANCE FEATURES AT A GLANCE:

- Extra thick side walls with reinforced rib designed for strength, allowing for 100 lb. stack capacity per bin
 Large grip side handles
 Stacks 6 bins high
 Six 1/4" drill hole pattern on bottom of bin allows for easy hole insertion for drainage



Giant Stack & Stock Container Wire Shelving Systems - Complete Packages



WR5-600 18"W x 36"L x 74"H 5 shelves and 12 QGH600 17-1/2"L x 10-7/8"W x 12-1/2"H bins





MOBILIZE YOUR WIRE SHELVING DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)* Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.



WR5-700 18"W x 42"L x 74"H 5 shelves and 8 QGH700 15-1/4"L x 19-7/8"W x 12-7/16"H bins



WR5-800 18"W x 36"L x 74"H 5 shelves and 8 QGH800 17-1/2"L x 16-1/2"W x 12-1/2"H bins



800 lb. capacity per shelf!



18"W x 36"L x 74"H 5 shelves and 6 QGH600 17-1/2"L x 10-7/8"W x 12-1/2"H bins and 4 QGH800 17-1/2"L x 16-1/2"W x 12-1/2"H bins

BINS | MAGNUM BINS



PERFORMANCE FEATURES

AT A GLANCE:

MAGNUM Bins - Super Strong and Durable

PRODUCTS MADE IN THE USA

Heavy-duty, extra strong injection molded, high density polypropylene bins are ideal for transportation and storage of large and heavy components. Open hopper front allows immediate access and visibility. Ribbed reinforced walls ensure extra strength. Double wall thickness with preformed lip allows bin to interlock and provides up to 150 lbs. stack capacity. Transport these bins easily with rear molded handle. Molded in label slot. Impervious to most solvents and corrosion. Resists temperatures from -40°F to 250°F. Optional window maximizes storage and prevents spillage. Optional dividers can help in creating a Par Level Storage System. Available in 5 colors.

Available in: Blue Green Red Yellow Black

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT	DIVIDERS	CTN QTY	WINDOWS	CTN QTY
QMS531	19-3/4" x 12-3/8" x 5-7/8"	17-3/4" x 11-1/4" x 5-1/8"	6	19 lbs	DMS531	6	WMS531	6
QMS532	19-3/4" x 12-3/8" x 7-7/8"	17-3/4" x 11-1/4" x 7-1/4"	6	23 lbs	DMS532	6	WMS532	6
QMS533	19-3/4" x 12-3/8" x 11-7/8"	17-3/4" x 11-1/4" x 11"	3	15 lbs	DMS533	3	WMS533	3
QMS543	19-3/4" x 18-3/8" x 11-7/8"	17-3/4" x 17-1/4" x 11"	1	8 lbs	DMS543	1	WMS543	1
QMS743*	29" x 18-3/8" x 11-7/8"	26-3/4" x 17-1/4" x 11"	1	10 lbs				
QMS843MOB*	29" x 18-3/8" x 14-7/8"	26-3/4" x 17-1/4" x 11"	1	14 lbs				

* Includes Heavy-Duty spread bar for extra strength and support.



DLY-3018 and QMS743

2 lbs

QMS843MOB includes heavy-duty spread bar

32" Dolly Pull Rod with Handle

HANDLE-DLY

Bins sold separately

MAGNUM Bin Wire Shelving Systems - Complete Packages



800 lb. capacity per shelf!



Shipping

MOBILIZE YOUR WIRE SHELVING DB - Donut Bumper Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. **Mobile kits recommended only for shelves 18" and wider.*



WR9-531 18"W x 42"L x 74"H 9 shelves and 24 QM5531 19-3/4"L x 12-3/8"W x 5-7/8"H bins



COMPLETE PACKAGES with bins!



WR7-532 18"W x 42"L x 74"H 7 shelves and 18 QMS532 19-3/4"L x 12-3/8"W x 7-7/8"H bins



WR5-533 18"W x 42"L x 74"H 5 shelves and 12 QMS533 19-3/4"L x 12-3/8"W x 11-7/8"H bins



WR5-543 18"W x 42"L x 74"H 5 shelves and 8 QMS543 19-3/4"L x 18-3/8"W x 11-7/8"H bins



WR6-13-MIX 18"W x 42"L x 74"H 6 shelves and 4 QMS543 19-3/4"L x 18-3/8"W x 11-7/8"H bins 3 QMS533 19-3/4"L x 12-3/8"W x 11-7/8"H bins 3 QMS532 19-3/4"L x 12-3/8"W x 7-7/8"H bins 3 QMS531 19-3/4"L x 12-3/8"W x 5-7/8"H bins






Quantum's tough, durable, high density Economy Shelf Bins are the industry standard for quality. These durable polypropylene bins feature a molded-in label holder, built-in rear hanglock which allows bins to tilt out for complete access when on shelving. A wide hopper front allows complete access to the contents of the bin. Edges are reinforced for added strength. They are designed for 12", 18" and 24" deep shelf units, racks or standard shelving. Bins are impervious to most chemicals. Available in 7 colors. See pg. 84 to order Clear Bins.

Available in: ●Blue ●Green ●Ivory ●Red ●Yellow ●Black ●Clear

MODEL NO. QSB100 QSB101	L" x W" x H" 11-5/8" x 2-3/4" x 4" 11-5/8" x 4-1/8" x 4"	L" x W" x H" 10-1/4" x 1-5/8" x 4"	QTY	WGT	DIVIDER	QTY	QBC111	OBC112
-		10-1/4" x 1-5/8" x 4"						200112
QSB101	11 E/0" v / 1/0" v /"		36	13 lbs	-	-	3	0
	11-3/0 X4-1/8 X4	10-1/4" x 3" x 4"	36	17 lbs	DSB101	50	6	2
QSB102	11-5/8" x 6-5/8" x 4"	10-1/4" x 5-1/2" x 4"	30	18 lbs	DSB102	50	9	4
QSB107	11-5/8" x 8-3/8" x 4"	10-1/4" x 7-1/8" x 4"	20	15 lbs	DSB107	50	12	4
QSB109	11-5/8" x 11-1/8" x 4"	10-1/4" x 10" x 4"	8	7 lbs	DSB109	50	18	6
QSB103	17-7/8" x 4-1/8" x 4"	16-1/2" x 3" x 4"	20	13 lbs	DSB103	50	9	3
QSB104	17-7/8" x 6-5/8" x 4"	16-1/2" x 5-1/2" x 4"	20	16 lbs	DSB104	50	15	6
QSB108	17-7/8" x 8-3/8" x 4"	16-1/2" x 7-1/8" x 4"	10	11 lbs	DSB108	50	19	6
QSB110	17-7/8" x 11-1/8" x 4"	16-1/2" x 10" x 4"	8	11 lbs	DSB110	50	29	8
QSB105	23-5/8" x 4-1/8" x 4"	22-1/8" x 3" x 4"	16	13 lbs	DSB105	50	13	4
QSB106	23-5/8" x 6-5/8" x 4"	22-1/8" x 5-1/2" x 4"	8	9 lbs	DSB106	50	21	8
QSB114	23-5/8" x 8-3/8" x 4"	22-1/8" x 7-1/8" x 4"	6	9 lbs	DSB114	50	24	8
QSB116	23-5/8" x 11-1/8" x 4"	22-1/8" x 10" x 4"	6	10 lbs	DSB116	50	35	16

Individual labels are available for all Shelf Bins. For label Model No. substitute "I " for "O" in bin Model No. Ctn Otv: 50 Individual Labels

13 SIZES AND 7 COLORS AVAILABLE!



OSB116



Clear Label Holder Clear label holders and laser label inserts. Package of 25. Label holders fit all bins (except QSB100).

CLE REALE VIEW AVAILABLE on pg. 84
10° Angle 45° Angle
Extended Label Holders

Optional extended label holders are designed for larger bar code scanning. Label holders fit all Shelf Bins (except QSB100).

simplify identification!

	H" QTY
ELH410 10° Angle 4" x 2-1	/4" 24
ELH445 45° Angle 4" x 2-1	/4" 24

Divider Label Tab

Divider Label Tabs attach to existing dividers to improve the visibility of bin labels and scanning of barcodes. Package of 6.



Dividers and Bin Cups

Optional dividers fit snugly, horizontally across bins and are uniquely designed to allow for easy part labeling via individual label slots. All bins can accommodate up to 7 dividers.

Bin cups have a raised, slotted label holder for easy parts identification. The entire bin cup may be removed for easy part retrieval. Available in 2 sizes and 2 colors.

Available in:	Blue Yellow		
MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
QBC111	3-1/4" x 1-3/4" x 3"	48	4 lbs
QBC112	5-1/8" x 2-3/4" x 3"	48	7 lbs

Economy Shelf Bin Wire Shelving Systems - Complete Packages



WR12-109 12"W x 36"L x 74"H 12 shelves and 33 QSB109 11-5/8"L x 11-1/8"W x 4"H bins

WR12-110 18"W x 36"L x 74"H 12 shelves and 33 QSB110 17-7/8"L x 11-1/8"W x 4"H bins

WR12-116 24"W x 36"L x 74"H 12 shelves and 33 QSB116 23-5/8"L x 11-1/8"W x 4"H bins

MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.

800 lb.

capacity per shelf!



WR12-108 18"W x 36"L x 74"H 12 shelves and 44 QSB108 17-7/8"L x 8-3/8"W x 4"H bins

WR12-114 24"W x 36"L x 74"H 12 shelves and 44 QSB114 23-5/8"L x 8-3/8"W x 4"H bins



12 shelves and 55 QSB102 11-5/8"L x 6-5/8"W x 4"H bins WR12-104

18"W x 36"L x 74"H 12 shelves and 55 QSB104 17-7/8"L x 6-5/8"W x 4"H bins

WR12-106 24"W x 36"L x 74"H 12 shelves and 55 QSB106 23-5/8"L x 6-5/8"W x 4"H bins



Shipping

WR12-101 12"W x 36"L x 74"H 12 shelves and 77 QSB101 11-5/8"L x 4-1/8"W x 4"H bins

WR12-103 18"W x 36"L x 74"H 12 shelves and 77 QSB103 17-7/8"L x 4-1/8"W x 4"H bins

WR12-105 24"W x 36"L x 74"H 12 shelves and 77 QSB105 23-5/8"L x 4-1/8"W x 4"H bins

COMPLETE PACKAGES with bins!





Complete bin systems are available with 4 different size bins on a 12"W x 36"L x 36"H unit. This all-purpose bin center is an economical high density storage system that provides easy visibility to stored contents. Please specify.

- Easy boltless assembly
- Wire allows air to circulate as well as provides ideal product visibility
- Durable chrome finish ensures years of heavy-duty dependability and service

Available in: Blue	Green Ivory	●Red ●Yellow ●Blac	k Clear
MODEL NO.	NO. OF BINS	BIN SIZE L" x W" x H"	SHIP WGT
	12" x 36" x 36" U	nit, 6 Shelves	
WR6-36-1236-101	40 QSB101	11-5/8" x 4-1/8" x 4"	63 lbs
WR6-36-1236-102	25 QSB102	11-5/8" x 6-5/8" x 4"	50 lbs
WR6-36-1236-107	20 QSB107	11-5/8" x 8-3/8" x 4"	62 lbs
WR6-36-1236-109	15 QSB109	11-5/8" x 11-1/8" x 4"	64 lbs



WR6-36-1236-102





STORE-MORE 6" Shelf Bins



Maximize your storage space with durable, high density polypropylene bins. Quantum's exclusive STORE-MORE 6"H Shelf Bins are the industry standard for quality. These bins feature a molded-in label holder, built-in rear hang-lock which allows bins to tilt out for complete access when on shelving. A wide hopper front allows complete access to the contents of the bin. Edges are reinforced for added strength. They are designed for 12", 18" and 24" deep shelf units, racks or standard shelving. Optional dividers are a perfect solution to create a par level system. Bins are waterproof and corrosion-free. Available in 4 colors. See *pg. 85* to order Clear Bins.



Available in: Blue Red Yellow Clear

	OUTSIDE DIMENSIONS	INSIDE DIMENSIONS	CTN	CTN		CTN	NO. OF	BIN CUPS PER BIN
MODEL NO.	L" x W" x H"	L" x W" x H"	QTY	WGT	DIVIDER	QTY	QBC111	QBC112
QSB201	11-5/8" x 4-1/8" x 6"	10-1/6" x 3" x 6"	36	19 lbs	DSB201	50	6	2
QSB202	11-5/8" x 6-5/8" x 6"	10-1/6" x 5-1/2" x 6"	30	20 lbs	DSB202	50	9	4
QSB207	11-5/8" x 8-3/8" x 6"	10-1/6" x 7-1/8" x 6"	20	17 lbs	DSB207	50	12	4
QSB209	11-5/8" x 11-1/8" x 6"	10-1/6" x 10" x 6"	8	9 lbs	DSB209	50	18	6
QSB203	17-7/8" x 4-1/8" x 6"	16-1/2" x 3" x 6"	20	15 lbs	DSB203	50	9	3
QSB204	17-7/8" x 6-5/8" x 6"	16-1/2" x 5-1/2" x 6"	20	18 lbs	DSB204	50	15	6
QSB208	17-7/8" x 8-3/8" x 6"	16-1/2" x 7-1/8" x 6"	10	13 lbs	DSB208	50	19	6
QSB210	17-7/8" x 11-1/8" x 6"	16-1/2" x 10" x 6"	8	13 lbs	DSB210	50	29	8
QSB205	23-5/8" x 4-1/8" x 6"	22-1/8" x 3" x 6"	16	15 lbs	DSB205	50	13	4
QSB206	23-5/8" x 6-5/8" x 6"	22-1/8" x 5-1/2" x 6"	8	11 lbs	DSB206	50	21	8
QSB214	23-5/8" x 8-3/8" x 6"	22-1/8" x 7-1/8" x 6"	6	11 lbs	DSB214	50	24	8
QSB216	23-5/8" x 11-1/8" x 6"	22-1/8" x 10" x 6"	6	12 lbs	DSB216	50	35	16

Individual labels are available for all STORE-MORE 6" Shelf Bins. For label Model No. substitute "L" for "Q" in bin Model No. Ctn Qty: 50 Individual Labels

12 SIZES AND 3 COLORS AVAILABLE!



QSB201





OSB209



QSB206

QSB210



QSB207



QSB214







QSB204



QSB208



LTR-0813 Clear Label Holder Clear label holders and laser label inserts. Clear label holders fit all 6" Shelf Bins. Package of 25.



Extended Label Holders simplify identification!

Optional extended label holders are designed for larger bar code scanning. Label holders fit all 6" Shelf Bins.

MODEL NO.	DESCRIPTION	DIMENSIONS W" x H"	CTN QTY
ELH410	10° Angle	4" x 2-1/4"	24
ELH445	45° Angle	4" x 2-1/4"	24

Divider Label Tab

Divider Label Tabs attach to existing dividers to improve the visibility of bin labels and scanning of barcodes. Package of 6.



Dividers and Bin Cups

Optional black dividers fit snugly, horizontally across bins to create compartments. Each bin accepts up to 8 dividers. Bins have a slot at the very front allowing the open hopper to be closed off creating even more storage.

Bin cups have a raised, slotted label holder for easy parts identification. The entire bin cup may be removed for easy part retrieval. Available in 2 sizes and 2 colors.

Available in:	Blue		
MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
QBC111	3-1/4" x 1-3/4" x 3"	48	4 lbs
QBC112	5-1/8" x 2-3/4" x 3"	48	7 lbs





WR9-202



with biris:



800 lb. capacity per shelf!



MOBILIZE YOUR WIRE SHELVING DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.



WR9-209

STORE-MORE 6" Shelf Bin Wire Shelving Systems - Complete Packages

- Easy boltless assembly
- Wire allows air to circulate as well as provides ideal product visibility
- Durable chrome finish ensures years of heavy-duty dependability and service
- All welded shelf construction is supported with architectural wire trusses to provide 800 lb. capacity per shelf
- Bins are available in Blue, Yellow, Red and Clear

MODEL NO.	NO. OF BINS	BIN SIZE L" x W" x H"	SHIP WGT			
	12" x 36" x 7	4" Unit, 9 Shelves				
WR9-201	64 QSB201	11-5/8" x 4-1/8" x 6"	108 lbs			
WR9-202	40 QSB202	11-5/8" x 6-5/8" x 6"	100 lbs			
WR9-207	32 QSB207	11-5/8" x 8-3/8" x 6"	98 lbs			
WR9-209	24 QSB209	11-5/8" x 11-1/8" x 6"	96 lbs			
18" x 36" x 74" Unit, 9 Shelves						
WR9-203	64 QSB203	17-7/8" x 4-1/8" x 6"	156 lbs			
WR9-204	40 QSB204	17-7/8" x 6-5/8" x 6"	142 lbs			
WR9-208	32 QSB208	17-7/8" x 8-3/8" x 6"	143 lbs			
WR9-210	24 QSB210	17-7/8" x 11-1/8" x 6"	140 lbs			
	24" x 36" x 7	74" Unit, 9 Shelves				
WR9-205	64 QSB205	23-5/8" x 4-1/8" x 6"	182 lbs			
WR9-206	40 QSB206	23-5/8" x 6-5/8" x 6"	171 lbs			
WR9-214	32 QSB214	23-5/8" x 8-3/8" x 6"	165 lbs			
WR9-216	24 QSB216	23-5/8" x 11-1/8" x 6"	154 lbs			

STORE-MORE 6" Complete Bin Center

Complete bin systems are available with 4 different size bins on a $12^{\prime\prime}W \times 36^{\prime\prime}L \times 39^{\prime\prime}H$ unit. This all-purpose bin center is an economical high density storage system that provides easy visibility to stored contents.

MODEL NO.	NO. OF BINS	BIN SIZE L" x W" x H"	SHIP WGT				
12" x 36" x 39" Unit, 5 Shelves							
WR5-39-1236-201	32 QSB201	11-5/8" x 4-1/8" x 6"	61 lbs				
WR5-39-1236-202	20 QSB202	11-5/8" x 6-5/8" x 6"	57 lbs				
WR5-39-1236-207	16 QSB207	11-5/8" x 8-3/8" x 6"	56 lbs				
WR5-39-1236-209	12 QSB209	11-5/8" x 11-1/8" x 6"	55 lbs				





STORE-MAX 8" Shelf Bins



Quantum revolutionized the Shelf Bin market when we first introduced the 6" high Shelf Bins. Building on that success we are proud to showcase our new 8" high bins-offering 95% more storage capacity when compared to the standard 4" high bins and 65% more than the 6" high bins. The new STORE-MAX 8" Bins will truly maximize and organize your space. Manufactured from high density polypropylene, Quantum's exclusive STORE-MAX 8"H Shelf Bins are the industry standard for quality. These bins feature a molded-in label holder, built-in rear hang-lock which allows bins to tilt out for complete access when on shelving. A wide hopper front allows complete access to the contents of the bin. Edges are reinforced for added strength. They are designed for 12", 18" and 24" deep shelf units, racks or standard shelving. Optional dividers are a perfect accessory to subdivide and keep parts separated as needed. Available in 4 colors. See *pg. 86* to order Clear Bins.



new

Available in: Blue Red Yellow Clear

OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT	DIVIDER	CTN QTY	NO. OF BIN QBC111	CUPS PER BI QBC11
11-5/8" x 4-3/8" x 8"	10-1/6" x 3" x 8"	36	27 lbs	DSB801	50	6	2
11-5/8" x 6-5/8" x 8"	10-1/6" x 5-1/2" x 8"	30	26 lbs	DSB802	50	9	4
11-5/8" x 8-3/8" x 8"	10-1/6" x 7-1/8" x 8"	20	21 lbs	DSB807	50	12	4
11-5/8" x 11-1/8" x 8"	10-1/6" x 10" x 8"	8	11 lbs	DSB809	50	18	6
17-7/8" x 4-3/8" x 8"	16-1/2" x 3" x 8"	20	22 lbs	DSB803	50	9	3
17-7/8" x 6-5/8" x 8"	16-1/2" x 5-1/2" x 8"	20	26 lbs	DSB804	50	15	6
17-7/8" x 8-3/8" x 8"	16-1/2" x 7-1/8" x 8"	10	15 lbs	DSB808	50	19	6
17-7/8" x 11-1/8" x 8"	16-1/2" x 10" x 8"	8	17 lbs	DSB810	50	29	8
23-5/8" x 4-3/8" x 8"	22-1/8" x 3" x 8"	16	24 lbs	DSB805	50	13	4
23-5/8" x 6-5/8" x 8"	22-1/8" x 5-1/2" x 8"	8	13 lbs	DSB806	50	21	8
23-5/8" x 8-3/8" x 8"	22-1/8" x 7-1/8" x 8"	6	12 lbs	DSB814	50	24	8
23-5/8" x 11-1/8" x 8"	22-1/8" x 10" x 8"	6	14 lbs	DSB816	50	35	16
	L" × W" × H" 11-5/8" × 4-3/8" × 8" 11-5/8" × 6-5/8" × 8" 11-5/8" × 8-3/8" × 8" 11-5/8" × 11-1/8" × 8" 17-7/8" × 4-3/8" × 8" 17-7/8" × 6-5/8" × 8" 17-7/8" × 8-3/8" × 8" 17-7/8" × 11-1/8" × 8" 23-5/8" × 4-3/8" × 8" 23-5/8" × 6-5/8" × 8"	L"x W"x H" L"x W"x H" 11-5/8" x4-3/8" x8" 10-1/6" x 3" x8" 11-5/8" x6-5/8" x8" 10-1/6" x 5-1/2" x8" 11-5/8" x8-3/8" x8" 10-1/6" x 7-1/8" x8" 17-7/8" x4-3/8" x8" 16-1/2" x 5-1/2" x8" 17-7/8" x6-5/8" x8" 16-1/2" x 7-1/8" x8" 17-7/8" x8-3/8" x8" 16-1/2" x 7-1/8" x8" 17-7/8" x11-1/8" x8" 16-1/2" x 10" x8" 23-5/8" x4-3/8" x8" 22-1/8" x 3" x8" 23-5/8" x6-5/8" x8" 22-1/8" x 5-1/2" x 8" 23-5/8" x6-5/8" x8" 22-1/8" x 5-1/2" x 8"	L"x W"x H" L"x W"x H" QTY 11-5/8" x4-3/8" x8" 10-1/6" x3" x8" 36 11-5/8" x6-5/8" x8" 10-1/6" x5-1/2" x8" 30 11-5/8" x8-3/8" x8" 10-1/6" x7-1/8" x8" 20 11-5/8" x11-1/8" x8" 10-1/6" x7-1/8" x8" 20 17-7/8" x4-3/8" x8" 16-1/2" x3" x8" 20 17-7/8" x6-5/8" x8" 16-1/2" x5-1/2" x8" 20 17-7/8" x6-5/8" x8" 16-1/2" x7-1/8" x8" 20 17-7/8" x11-1/8" x8" 16-1/2" x7-1/8" x8" 10 17-7/8" x8-3/8" x8" 16-1/2" x7-1/8" x8" 10 17-7/8" x8-3/8" x8" 16-1/2" x7-1/8" x8" 10 17-7/8" x8-3/8" x8" 16-1/2" x7-1/8" x8" 16 23-5/8" x4-3/8" x8" 22-1/8" x3" x8" 16 23-5/8" x6-5/8" x8" 22-1/8" x5-1/2" x8" 8 23-5/8" x6-5/8" x8" 22-1/8" x5-1/2" x8" 8 23-5/8" x8-3/8" x8" 22-1/8" x5-1/2" x8" 8	L" x W" x H" L" x W" x H" QTY WGT 111-5/8" x 4-3/8" x 8" 10-1/6" x 3" x 8" 36 27 lbs 111-5/8" x 6-5/8" x 8" 10-1/6" x 5-1/2" x 8" 30 26 lbs 11-5/8" x 8-3/8" x 8" 10-1/6" x 7-1/8" x 8" 20 21 lbs 11-5/8" x 11-1/8" x 8" 10-1/6" x 7-1/8" x 8" 20 21 lbs 11-5/8" x 11-1/8" x 8" 10-1/6" x 10" x 8" 8 11 lbs 17-7/8" x 4-3/8" x 8" 10-1/2" x 3" x 8" 20 22 lbs 17-7/8" x 4-3/8" x 8" 16-1/2" x 5-1/2" x 8" 20 26 lbs 17-7/8" x 4-3/8" x 8" 16-1/2" x 7-1/8" x 8" 20 22 lbs 17-7/8" x 8-3/8" x 8" 16-1/2" x 7-1/8" x 8" 10 15 lbs 17-7/8" x 11-1/8" x 8" 16-1/2" x 10" x 8" 8 17 lbs 23-5/8" x 4-3/8" x 8" 22-1/8" x 3" x 8" 16 24 lbs 23-5/8" x 6-5/8" x 8" 22-1/8" x 5-1/2" x 8" 8 13 lbs 23-5/8" x 8-3/8" x 8" 22-1/8" x 7-1/8" x 8" 6 12 lbs	L" x W" x H" L" x W" x H" QTY WGT DIVIDER 11-5/8" x 4-3/8" x 8" 10-1/6" x 3" x 8" 36 27 lbs DSB801 11-5/8" x 6-5/8" x 8" 10-1/6" x 5-1/2" x 8" 30 26 lbs DSB802 11-5/8" x 8-3/8" x 8" 10-1/6" x 7-1/8" x 8" 20 21 lbs DSB807 11-5/8" x 11-1/8" x 8" 10-1/6" x 10" x 8" 8 11 lbs DSB809 17-7/8" x 4-3/8" x 8" 10-1/2" x 3" x 8" 20 22 lbs DSB803 17-7/8" x 4-3/8" x 8" 16-1/2" x 5-1/2" x 8" 20 26 lbs DSB804 17-7/8" x 4-3/8" x 8" 16-1/2" x 7-1/8" x 8" 10 15 lbs DSB808 17-7/8" x 8-3/8" x 8" 16-1/2" x 10" x 8" 8 17 lbs DSB808 17-7/8" x 11-1/8" x 8" 16-1/2" x 10" x 8" 8 17 lbs DSB808 17-7/8" x 4-3/8" x 8" 22-1/8" x 3" x 8" 16 24 lbs DSB808 17-7/8" x 4-3/8" x 8" 22-1/8" x 5-1/2" x 8" 8 17 lbs DSB805 23-5/8" x 4-3/8" x 8" 22-1/8" x 5-1/2" x 8" 8	L" x W" x H" L" x W" x H" QTY WGT DIVIDER QTY 11-5/8" x 4-3/8" x 8" 10-1/6" x 3" x 8" 36 27 lbs DSB801 50 11-5/8" x 6-5/8" x 8" 10-1/6" x 5-1/2" x 8" 30 26 lbs DSB802 50 11-5/8" x 8-3/8" x 8" 10-1/6" x 7-1/8" x 8" 20 21 lbs DSB807 50 11-5/8" x 11-1/8" x 8" 10-1/6" x 7-1/8" x 8" 20 21 lbs DSB809 50 17-7/8" x 4-3/8" x 8" 10-1/6" x 10" x 8" 8 11 lbs DSB803 50 17-7/8" x 4-3/8" x 8" 16-1/2" x 5-1/2" x 8" 20 21 lbs DSB804 50 17-7/8" x 4-3/8" x 8" 16-1/2" x 7-1/8" x 8" 10 15 lbs DSB808 50 17-7/8" x 8-3/8" x 8" 16-1/2" x 7-1/8" x 8" 10 15 lbs DSB808 50 17-7/8" x 11-1/8" x 8" 16-1/2" x 7-1/8" x 8" 10 15 lbs DSB810 50 23-5/8" x 4-3/8" x 8" 22-1/8" x 3" x 8" 16 24 lbs DSB805 50 23-5/8" x 6-5/8"	L"x W"xH" L"x W"xH" QTY WGT DIVIDER QTY QBC111 11-5/8" x 4-3/8" x 8" 10-1/6" x 3" x 8" 36 27 lbs DS8801 50 6 11-5/8" x 6-5/8" x 8" 10-1/6" x 5-1/2" x 8" 30 26 lbs DS8802 50 9 11-5/8" x 8-3/8" x 8" 10-1/6" x 7-1/8" x 8" 20 21 lbs DS8807 50 12 11-5/8" x 8-3/8" x 8" 10-1/6" x 7-1/8" x 8" 20 21 lbs DS8807 50 12 11-5/8" x 8-3/8" x 8" 10-1/6" x 7-1/8" x 8" 20 21 lbs DS8809 50 18 17-7/8" x 4-3/8" x 8" 10-1/2" x 5-1/2" x 3" x 8" 20 26 lbs DS8803 50 9 17-7/8" x 4-3/8" x 8" 16-1/2" x 7-1/8" x 8" 10 15 lbs DS8808 50 19 17-7/8" x 8-3/8" x 8" 16-1/2" x 7-1/8" x 8" 10 15 lbs DS8810 50 29 23-5/8" x 4-3/8" x 8" 22-1/8" x 3" x 8" 16 24 lbs DS8805 50 13 <td< td=""></td<>

Individual labels are available for all STORE-MAX 8" Shelf Bins. For label Model No. substitute "L" for "Q" in bin Model No. Ctn Qty: 50 Individual Labels

12 SIZES AND 3 COLORS AVAILABLE!



45° Angle 10° Angle

Extended Label Holders *simplify identification*!

Optional extended label holders are designed for larger bar code scanning. Label holders fit all 8" Shelf Bins.

MODEL NO.	DESCRIPTION	DIMENSIONS W" x H"	CTN QTY
ELH410	10° Angle	4" x 2-1/4"	24
ELH445	45° Angle	4" x 2-1/4"	24

Divider Label Tab

Divider Label Tabs attach to existing dividers to improve the visibility of bin labels and scanning of barcodes. Package of 6.



DLT-6



Dividers and Bin Cups

Optional black dividers fit snugly, horizontally across bins to create compartments. Each bin accepts up to 7 dividers.

Bin cups have a raised, slotted label holder for easy parts identification. The entire bin cup may be removed for easy part retrieval. Available in 2 sizes and 2 colors.

Available in:
Blue
Yellow

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
QBC111	3-1/4" x 1-3/4" x 3"	48	4 lbs
QBC112	5-1/8" x 2-3/4" x 3"	48	7 lbs







COMPLETE PACKAGES with bins!



800 lb. capacity per shelf!



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. **Mobile kits* recommended only for shelves 18" and wider.





STORE-MAX 8" Shelf Bin Wire Shelving Systems - Complete Packages

Easy boltless assembly •

new

- Wire allows air to circulate as well as provides ideal product visibility
- Durable chrome finish ensures years of heavy-duty • dependability and service
- All welded shelf construction is supported with • architectural wire trusses to provide 800 lb. capacity per shelf
- Bins are available in Blue, Red, Yellow and Clear •

MODEL NO.	NO. OF BINS	BIN SIZE L" x W" x H"	SHIP WGT			
	12" x 36" x 74	" Unit, 8 Shelves				
WR8-801	49 QSB801	11-5/8" x 4-3/8" x 8"	100 lbs			
WR8-802	35 QSB802	11-5/8" x 6-5/8" x 8"	103 lbs			
WR8-807	28 QSB807	11-5/8" x 8-3/8" x 8"	102 lbs			
WR8-809	21 QSB809	11-5/8" x 11-1/8" x 8"	101 lbs			
	18" x 36" x 74" Unit, 8 Shelves					
WR8-803	49 QSB803	17-7/8" x 4-3/8" x 8"	150 lbs			
WR8-804	35 QSB804	17-7/8" x 6-5/8" x 8"	142 lbs			
WR8-808	28 QSB808	17-7/8" x 8-3/8" x 8"	138 lbs			
WR8-810	21 QSB810	17-7/8" x 11-1/8" x 8"	141 lbs			
	24" x 36" x 74	" Unit, 8 Shelves				
WR8-805	49 QSB805	23-5/8" x 4-3/8" x 8"	194 lbs			
WR8-806	35 QSB806	23-5/8" x 6-5/8" x 8"	177 lbs			
WR8-814	28 QSB814	23-5/8" x 8-3/8" x 8"	176 lbs			
WR8-816	21 QSB816	23-5/8" x 11-1/8" x 8"	169 lbs			

STORE-MAX 8" Complete Bin Center

Complete bin systems are available with 4 different size bins on a 12"W x 36"L x 39"H unit. This all-purpose bin center is an economical high density storage system that provides easy visibility to stored contents.

MODEL NO.	NO. OF BINS	BIN SIZE L" x W" x H"	SHIP WGT				
12" x 36" x 39" Unit, 4 Shelves							
WR4-39-1236-801	21 QSB801	11-5/8" x 4-3/8" x 8"	80 lbs				
WR4-39-1236-802	15 QSB802	11-5/8" x 6-5/8" x 8"	78 lbs				
WR4-39-1236-807	12 QSB807	11-5/8" x 8-3/8" x 8"	77 lbs				
WR4-39-1236-809	9 QSB809	11-5/8" x 11-1/8" x 8"	77 lbs				





QuickPick Bin

These heavy-duty, polypropylene storage bins provide an open hopper front and back, allowing double access to stored parts. Bins stack one on top of the other, both vertically and cross-wise, and nest when empty for space efficiency. Optional dividers may be used front to back, side to side or both at the same time, dividing the bin into four sections. A molded in label holder on both the front and back of the bin allows for easy parts identification. Bins can be used on standard metal or wire shelving as well as on desks, bench tops or work stations. Available in 6 sizes and in 3 colors.

THE MOST VERSATILE BIN IN THE HOSPITAL with double sided access!

Available in: Blue Red Yellow

MODEL NO.	DIMENSIONS L" x W" x H"	CTN OTY	CTN WGT	CROSS DIVIDER	CTN OTY	LENGTH DIVIDER	CTN QTY
QP965	9-1/2" x 6-5/8" x 5"	20	15 lbs	CD965	10	LD965	10
QP1265	12-1/2" x 6-5/8" x 5"	20	19 lbs	CD1265	10	LD1265	10
QP1285	12-1/2" x 8-3/8" x 5"	20	22 lbs	CD1285	10	LD1285	10
QP1496	14" x 9-1/4" x 6-1/2"	20	26 lbs	CD1496	10	LD1496	10
QP1867	18-1/2" x 6-5/8" x 7"	10	16 lbs	CD1867	10	LD1867	10
QP1887	18-1/2" x 8-3/8" x 7"	10	18 lbs	CD1887	10	LD1887	10

Double reinforced sides add strength and prevents bin from spreading when stacked



STACK 'EM





QP1285









NEST'EM

Bins nest when empty to save space

THE MOST UNIQUE STORAGE BINS AVAILABLE!

This double open hopper bin provides front and back access to stored parts!

CREATE UP TO 4 compartments!

Dividers

QP965

QP1496

Optional dividers may be used front to back, side to side or both at the same time, dividing the bin into four sections.



QP1265 Shown with optional Dividers CD1265 / LD1265 (Sold separately)



CROSS STACK 'EM





800 lb. capacity per shelf!



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.

Heavy-Duty Wire Shelving with QuickPick Bins Complete Packages

These unique shelving packages provide "double" access to stored parts. *Quick*Pick Bins allow two users to access stored product at the same time! This ergonomic, space efficient work station is the ultimate space saver! Shelving units measure 18 "W x 36"L x 74"H and may be ordered with or without a mobile kit. These heavy-duty units offer an 800 lb. capacity per shelf. Optional dividers may be used front to back, side to side or both at the same time, dividing the bin into four sections. See chart above for ordering instructions. A molded in label holder on both the front and back of the bin allows for easy part identification. Bins are available in 3 colors.

Available in: Blue Red Yellow

MODEL NO.	NO. OF BINS	DIMENSIONS L" x W" x H"	SHIP WGT			
W7-12-30	30	12-1/2" x 6-5/8" x 5"	110 lbs			
W7-12-26	10	12-1/2" x 6-5/8" x 5"	107 lbs			
W7-12-20	16	12-1/2" x 8-3/8" x 5"	107 105			
W7-12-28	20	12-1/2" x 6-5/8" x 5"	109 lbs			
W7-12-20	8	12-1/2" x 8-3/8" x 5"	109103			
W7-12-24	24	12-1/2" x 8-3/8" x 5"	106 lbs			
W7-14-18	18	14" x 9-1/4" x 6-1/2"	105 lbs			
W7-18-30	30	18-1/2" x 6-5/8" x 7"	128 lbs			
W7-18-26	10	18-1/2" x 6-5/8" x 7"	125 lbs			
W7-18-20	16	18-1/2" x 8-3/8" x 7"	123 105			
W7-18-28	20	18-1/2" x 6-5/8" x 7"	127 lbs			
W7-10-20	8	18-1/2" x 8-3/8" x 7"	127 105			
W7-18-24	24	18-1/2" x 8-3/8" x 7"	124 lbs			
Mobile Kit						
WR-00H	Mobilizes \	Mobilizes Wire Shelving Unit				

COMPLETE PACKAGES with bins!

DOUBLE SIDED access!



QuickPick Bin Mobile Wire Cart

These heavy-duty, polypropylene storage bins provide an open hopper front and back, allowing double access to stored parts. Unit comes in a 2 or 3 shelf configuration complete with four casters (all swivel and two with brakes). Overall dimensions: 18"W x 36"L x 37-1/2"H. Mobile cart is easy to assemble. Bins are available in 3 colors. One color per unit. Length and/or Cross Dividers available on pg. 114.

Available in: Blue Red Yellow

MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
WRC2-1836-1265	10	12-1/2" x 6-5/8" x 5"	49 lbs
WRC3-1836-1265	15	12-1/2" x 6-5/8" x 5"	64 lbs
WRC2-1836-1285	8	12-1/2" x 8-3/8" x 5"	48 lbs
WRC3-1836-1285	12	12-1/2" x 8-3/8" x 5"	63 lbs
WRC2-1836-1867	10	18-1/2" x 6-5/8" x 7"	55 lbs
WRC3-1836-1867	15	18-1/2" x 6-5/8" x 7"	73 lbs
WRC2-1836-1887	8	18-1/2" x 8-3/8" x 7"	54 lbs
WRC3-1836-1887	12	18-1/2" x 8-3/8" x 7"	72 lbs



Super Tuff Euro Drawers



Super Tuff Euro Drawers are available in nine sizes and four colors and are designed for efficient organization of heavy parts, supplies, tools or equipment. Super Tuff Euro Drawers are injection molded form a virgin grade high impact polystyrene and are virtually unbreakable. With a full 12 gauge wall thickness, these heavy-duty drawers can be used on Quantum's open and closed shelf units and pick racks. Available in 4 colors.

Available in: Blue Red Yellow Gray

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT	DIVIDER	CTN QTY	NUMBER OF DIVIDER SLOTS
QED401	11-5/8" x 5-9/16" x 2-5/8"	24	17 lbs	DIV401	4	8
QED501	11-5/8" x 3-3/4" x 4-5/8"	24	19 lbs	DIV501/604	4	8
QED601	11-5/8" x 5-9/16" x 4-5/8"	24	24 lbs	DIV6123	4	8
QED701	11-5/8" x 8-3/8" x 4-5/8"	24	31 lbs	DIV701/606	4	8
QED801	11-5/8" x 11-1/8" x 4-5/8"	12	19 lbs	DIV801	4	8
QED604	17-5/8" x 3-3/4" x 4-5/8"	24	29 lbs	DIV501/604	4	15
QED602	17-5/8" x 5-9/16" x 4-5/8"	24	32 lbs	DIV6123	4	13
QED606	17-5/8" x 8-3/8" x 4-5/8"	24	46 lbs	DIV701/606	4	13
QED603	23-7/8" x 5-9/16" x 4-5/8"	12	25 lbs	DIV6123	4	18

PERFORMANCE FEATURES AT A GLANCE:

- Available in 9 sizes
- Bins are injection molded from a virgin grade high impact polystyrene and are virtually
 unbreakable
- Drawers are completely waterproof
- Drawers are oil and chemical resistan

12" Deep Euro Drawers

- Smooth front curved pull handle has ample room for pressure sensitive identification labels or bar code
- Front handle has 3/4" opening for convenient easy gripping
- Full width back ledge ensures spill free use
- Optional dividers are full height for extra holding power and prevents mixing of parts



HEAVY-DUTY DRAWERS

virtually unbreakable







Dividers Containers can be divided by length and/or width allowing a subdivision down to a 1-1/8" square compartment size. Available in Gray.



Snap On Covers Snap on covers protect contents from damage or dust during shipping and storage.



Clear Label Holder Fits any size container. Three sizes to choose from.

Clear Label Holders

			CTN
MODEL NO.	H" x W"	FITS BIN MODEL NO.	QT
LBL2X8	2" x 8"	DG91035, DG92035, DG93030	6
LBL3X5	3" x 5"	DG91050, DG92060, DG93060	6
LBL5X8	5" x 8"	DG92080, DG93080, DG93120	6
	Ĭ		

Clear Acrylic Dust Cover Inlays keep stored items visible while protecting against airborne dust and other contaminants. Cover lays inside on rim of container.

MODEL NO.	FITS BIN MODEL NO.	CTN QTY
DDC91000CL	DG91035, DG91050	10
DDC92000CL	DG92035, DG92060, DG92080	4
DDC93000CL	DG93030, DG93060, DG93080, DG93120	3



Dividable Grid Containers



Heavy-duty Dividable Grid Containers can be used in healthcare for storage, kitting and distribution applications. These containers offer the safest and most efficient method for compartmentalizing and protecting small to medium sized items. Dividers allow you to customize the container's interior to meet your exact needs. Containers and covers are available in 4 colors. See *pg. 82* to order Clear Containers.

					A	vailabl	e in: ●Blue	e 🔴 Re	d Gray	Clear
MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT	LONG DIVIDER	CTN QTY	SHORT DIVIDER	CTN QTY	COVER	CTN QTY
DG91035	10-7/8" x 8-1/4" x 3-1/2"	9-3/16" x 6-9/16" x 3"	20	24 lbs	DL91035	6	DS91035	6	COV91000	10
DG91050	10-7/8" x 8-1/4" x 5"	9-3/16" x 6-9/16" x 4-1/2"	20	32 lbs	DL91050	6	DS91050	6	COV91000	10
DG92035	16-1/2" x 10-7/8" x 3-1/2"	14-7/8" x 9-1/4" x 3"	12	23 lbs	DL92035	6	DS92035	6	COV92000	4
DG92060	16-1/2" x 10-7/8" x 6"	14-7/8" x 9-1/4" x 5-1/2"	8	20 lbs	DL92060	6	DS92060	6	COV92000	4
DG92080	16-1/2" x 10-7/8" x 8"	14-7/8" x 9-1/4" x 7-1/2"	8	27 lbs	DL92080	6	DS92080	6	COV92000	4
DG93030	22-1/2" x 17-1/2" x 3"	20-5/8" x 15-5/8" x 2-1/2"	6	20 lbs	DL93030	6	DS93030	6	COV93000	3
DG93060	22-1/2" x 17-1/2" x 6"	20-5/8" x 15-5/8" x 5-1/2"	3	16 lbs	DL93060	6	DS93060	6	COV93000	3
DG93080	22-1/2" x 17-1/2" x 8"	20-5/8" x 15-5/8" x 7-1/2"	3	19 lbs	DL93080	6	DS93080	6	COV93000	3
DG93120	22-1/2" x 17-1/2" x 12"	20-5/8" x 15-5/8" x 11-1/2"	3	23 lbs	DL93120	6	DS93120	6	COV93000	3



DG91035

DG92060

DG93060





9 SIZES AND 4 COLORS AVAILABLE!

DG91050



DG92080



DG93080

DG93030

DG92035





Clear Covers

MODEL NO.	FITS BIN MODEL NO.	CTN QTY
COV91000CL	DG91035, DG91050	10
COV92000CL	DG92035, DG92060, DG92080	4
COV93000CL	DG93030, DG93060, DG93080, DG93120	3



MADE IN THE

These heavy-duty, tough, and dependable stack and nest totes are the ultimate reusable container for storing and transporting your medical supplies. These proven containers are available in nine sizes and three colors for efficiency and inventory control. Ideal for use in Central Supply and distribution centers. Available in 3 colors.



Available in: Blue Red Gray

	OUTSIDE DIMENSIONS		INSI	DE DIMENSI	IONS		CAPACITY	CTN	CTN		CTN
MODEL NO.	L" x W" x H"	Α	В	C	D	E	(CU FT)	QTY	WGT	LID	QTY
snt180	18" x 11" x 6"	10"	16"	15-1/4"	9-3/8"	5-7/8"	0.50	6	12 lbs	LID181	6
snt185	18" x 11" x 9"	10"	16"	15-1/8"	9-1/8"	8-7/8"	0.76	6	15 lbs	LID181	6
snt190	19-1/2" x 15-1/2" x 10"	14-1/2"	17"	16"	13-1/4"	9-7/8"	1.20	6	23 lbs	LID191	6
snt195	19-1/2" x 15-1/2" x 13"	14-1/2"	17"	15-7/8"	13-3/8"	12-7/8"	1.70	6	26 lbs	LID191	6
snt200	19-1/2" x 13-1/2" x 8"	12-3/8"	17-7/8"	16-3/8"	11-1/2"	7-7/8"	0.80	6	19 lbs	LID201	6
snt225	23-1/2" x 19-1/2" x 10"	18-1/4"	20-7/8"	19-3/8"	16-7/8"	9-7/8"	2.00	3	18 lbs	LID231	3
snt230	23-1/2" x 19-1/2" x 13"	18-1/8"	20-7/8"	19-1/2"	16-7/8"	12-7/8"	2.60	3	22 lbs	LID231	3
snt240	23-1/2" x 15-1/2" x 12"	14-1/4"	20-7/8"	19-5/8"	13"	11-7/8"	1.70	3	18 lbs	LID241	3
snt300	29-1/2" x 19-1/2" x 15"	18-1/4"	26-5/8"	25-1/8"	16-5/8"	14-7/8"	3.70	3	31 lbs	LID301	3
snh010	Clear La	bel Holder -	3" x 5" (Fits	all tote size	s)			6	1 lb	-	-

9 SIZES AND 3 COLORS AVAILABLE!







snt225



PERFORMANCE FEATURES AT A GLANCE:

snt230

- Available in 9 sizes
 Standard colors: Blue, Red and Gray
 Totes are injection molded from high-density polypropylene material that complies with the USDA and FDA regulations
 stack and nest totes will not corrode, bend out of shape, are unaffected by chemicals and are waterproof
 Reusable container will stack with or without lids for maximum storage and shipping
 snt's have the unique ability to stack or they can be turned 180° to nest when empty saving valuable space
 Optional lids for totes can be secured with nylon ties
 Textured bottoms ensure safe and easy, non-slip grip in transit on conveyors

snt240



snh010

All nine sizes of totes have ability to use the optional clear label holder. It securely attaches to tote with or without lid for easy part identification.



Optional lid snaps on tightly and securely to protect container contents. As pictured, lids can be fastened and locked for added security.

A, B, C, D, E			
	Polymer [Dunnage Rack	NSF
	MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT

Bin Inside Dimensions Guide

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
	Ventilated	
362412DPP	24" x 36" x 12"	13 lbs
363612DPP	36" x 36" x 12"	22 lbs
482412DPP	24" x 48" x 12"	19 lbs
662412DPP	24" x 66" x 12"	23 lbs
663612DPP	36" x 66" x 12"	37 lbs
962412DPP	24" x 96" x 12"	34 lbs
963612DPP	36" x 96" x 12"	53 lbs
	Solid	
362412DPS	24" x 36" x 12"	17 lbs
363612DPS	36" x 36" x 12"	26 lbs
482412DPS	24" x 48" x 12"	21 lbs
662412DPS	24" x 66" x 12"	28 lbs
663612DPS	36" x 66" x 12"	49 lbs
962412DPS	24" x 96" x 12"	41 lbs
963612DPS	36" x 96" x 12"	64 lbs







WR9-36180 Shown with optional lid and label holders (Sold separately)

Chrome Wire Shelving System with Genuine stack and nest totes

Offering a whopping 800 lb. capacity per shelf, this chrome wire shelving unit with totes is a must have for archival storage, heavy-duty parts organization or inventory control applications. With three packages to choose from offering three colors choices for the bins, this unit can be used just about anywhere! Unit may be made mobile with the addition of the **WR-00H** mobile kit. See *pg. 118* for additional information and to order optional accessories.

MODEL NO.	NO. OF SHELVES	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT			
		/ire Shelving Unit W Available in Gray, Bl	lith stack and nest totes ue and Red				
WR9-36180	9	36 snt180	18" x 11" x 6"	178 lbs			
WR6-24185	6	24 snt185	18" x 11" x 9"	136 lbs			
24" x 66" x 63" Wire Shelving Unit With stack and nest totes Available in Gray, Blue and Red							
WR4-12225	4	12 snt225	23-1/2" x 19-1/2" x 10"	170 lbs			




MOBILIZE YOUR WIRE SHELVING DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel polyurethane 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and wider.



Same durable chrome wire shelving combined with Quantum's Dividable Grid Containers. These containers allow for multiple compartment configurations within each bin. Offering four different packages, these systems are ideal for small, medium and large parts storage. Unit may be made mobile with the addition of the WR-00H mobile kit. See *pg. 117* for additional information and to order optional accessories.



WR7-92080 Optional dividers a allow for multiple compartment

multiple compartment configurations within each bin

MODEL NO.	NO. OF SHELVES	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT			
		Shelving Unit With D able in Gray, Blue, Red	ividable Grid Containers and Clear				
WR9-92060	9	36 DG92060	16-1/2" x 10-7/8" x 6"	210 lbs			
WR7-92080	7	24 DG92080	16-1/2" x 10-7/8" x 8"	174 lbs			
		Shelving Unit With D able in Gray, Blue, Red	ividable Grid Containers and Clear				
WR12-93030	12	36 DG93030	22-1/2" x 17-1/2" x 3"	274 lbs			
24" x 60" x 74" Wire Shelving Unit With Dividable Grid Containers Available in Gray, Blue, Red and Clear							
WR9-93060	9	24 DG93060	22-1/2" x 17-1/2" x 6"	254 lbs			

Chrome Mobile Wire Shelving Systems with Cross Stack Tubs & Quantub Nesting Tote

These unique packages provide a storage solution for large, bulky items. These heavyduty tubs provide easy access to stored parts for assembly areas, picking stations or inventory control. With three packages to choose from, these strong durable totes provide a durable solution for most applications. See *pg. 120* for more information.

MODEL NO.	NO. OF SHELVES	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
	24" x 60" x 69" M	lobile, Wire Shelving U Available in Gray and	nit With QuanTub Totes d Blue	
MWR4-2419-9	4	12 TUB2419-9	24-1/2" x 19" x 9-1/2"	175 lbs
		obile, Wire Shelving Ur vailable in Gray, Blue a	nit With Cross Stack Tubs nd White	
MWR7-1711-8	7	24 TUB1711-8	17-1/4" x 11" x 8"	151 lbs
MWR5-1711-12	5	15 TUB1711-12	17-1/4" x 11" x 12"	118 lbs



MWR4-2419-9 These heavy-duty tubs provide easy access to stored parts for assembly areas





Manufactured of approved USDA/FDA materials, tote nests when empty or can be turned 90° to cross stack. Easy access to items when stacked. Injection molded from durable, high impact polypropylene. Easy to clean. Built in handles and bottom grooves makes handling easy. Holds up to 100 lbs. Six 1/4" drill hole pattern on bottom of bin allow for easy hole insertion for optional air flow and drainage. Available in 3 colors. 6 per carton.

Available in: Blue Gray OWhite

OUTSIDE DIMENSIONS L" x W" x H"	CAP GAL	CTN OTY	CTN WGT		CTN
			WGI	LID	QTY
17-1/4" x 11" x 8"	3.85	6	14 lbs	LID1711	6
17-1/4" x 11" x 12"	5.51	6	17 lbs	LID1711	6
23-3/4" x 17-1/4" x 8"	9.81	6	25 lbs	LID2417	6
23-3/4" x 17-1/4" x 12"	14.38	6	30 lbs	LID2417	6
25-1/8" x 16" x 8-1/2"	9.75	6	20 lbs	LID2516-8	6
Six Clear Label Holders -	о" <i>г</i> "	6	1 lb		
	23-3/4" x 17-1/4" x 12" 25-1/8" x 16" x 8-1/2"	23-3/4" x 17-1/4" x 12" 14.38 25-1/8" x 16" x 8-1/2" 9.75	23-3/4" x 17-1/4" x 12" 14.38 6 25-1/8" x 16" x 8-1/2" 9.75 6	23-3/4" x 17-1/4" x 12" 14.38 6 30 lbs 25-1/8" x 16" x 8-1/2" 9.75 6 20 lbs	23-3/4" x 17-1/4" x 12" 14.38 6 30 lbs LID2417 25-1/8" x 16" x 8-1/2" 9.75 6 20 lbs LID2516-8

5 SIZES AND 3 COLORS AVAILABLE!





snh010 3" x 5" Clear Label Holder securely attaches to totes and allows for easy part identification. Fits all tub sizes.

allows dolly to be pulled with ease



Polymer Mobile Dolly

DLY-3018 Dolly with Padded Rubber Trim available in Blue. 1,000 lbs. capacity. Interior Dimensions 24"L x 16-3/4"W Exterior Dimensions 30"L x 18"W

MODEL NO.	DESCRIPTION	CTN WGT
DLY-3018	Dolly with Padded Rubber Trim	19 lbs
HANDLE-DLY	32" Dolly Pull Rod with Handle	2 lbs
Bins sold separately.		

from high-density polypropylene. Each tote can hold up to 100 lbs. Lightweight and economical tote is easy to clean. Rolled top rim for comfortable grip. Rounded corners add strength to stress points. Totes nest when empty and prevent jamming with rib top. Six 1/4" drill hole pattern on bottom of bin allow for easy hole insertion for optional air flow and drainage. Measures 24-1/2"L x 19"W x 9-1/2"H. Available in 2 colors. 6 per carton.

	OUTSIDE DIMENSIONS	CTN	CTN
MODEL NO.	L" x W" x H"	QTY	WGT
TUB2419-9	24-1/2" x 19" x 9-1/2"	6	33 lbs



Tub Racks - Completed Packages

All-welded aluminum Tub Rack transports and stores all types of product. Carts come complete and are shipped assembled with bins. Runners allow bins to slide in and out from both sides. Bins available in 3 colors.

Available in:	Blue	Gray	OWhite
---------------	------	------	--------

MODEL NO.	DIMENSIONS L" x W" x H"	NO. OF BINS	SHIP WGT
	Tub Rack with Cr Tub Dimensions 25-1/8		
TR1-2516-8	27" x 19" x 19"	1	13 lbs
TR2-2516-8	27" x 19" x 31"	2	25 lbs
TR3-2516-8	27" x 19" x 41"	3	33 lbs
TR4-2516-8	27" x 19" x 51"	4	46 lbs
TR5-2516-8	27" x 19" x 61"	5	54 lbs
TR6-2516-8	27" x 19" x 71"	6	58 lbs



TR1-2516-8 Includes 1 TUB2516-8



TR2-2516-8 Includes 2 TUB2516-8



with bins!





TR5-2516-8 Includes 5 TUB2516-8



TR6-2516-8 Includes 6 TUB2516-8



TR4-2516-8 Includes 4 TUB2516-8



TR3-2516-8 Includes 3 TUB2516-8



Heavy-Duty Attached Top Containers Perfect for distribution and off-premises supply centers!

Strong, reliable and reusable totes are ideal for storage, distribution and order picking. Tops are permanently attached with steel hinges that interlock for stacking strength and security. Stack for maximized storage and nest when empty. Textured, non-slip bottom ensures smooth conveying. Ergonomically designed handles allow for easy lifting. Recessed lids ensure maximum load stability. Padlock eye provides security option allowing lids to be fastened and/or locked. Molded from high density, FDA approved polyethylene. Lids close securely to protect parts from dust or damage. Available in Gray.

BOTTOM

1" x W"

17" x 9-1/4"

18-15/16" x 13-1/8"

18-9/16" x 12-5/8"

18-3/8" x 12-7/8"

18-7/8" x 10-7/8"

21-1/4" x 17-5/16"

24-1/4" x 14-1/2"

22-1/8" x 13"

25-3/4" x 18-3/4"

OUTSIDE DIMENSIONS

TOP L" x W"

19-5/8" x 11-9/16"

21-3/4" x 14-7/8"

21-3/4" x 15"

21-7/8" x 15-1/8"

22-1/8" x 12-5/8"

23-7/8" x 19-3/8"

28-1/8" x 20-5/8"

NADE IN THE USA	and the second
Barrow W	ST
With My	

VOLUME CAPACITY

0 50

1.27

1.67

231

1.42

2.44

2.50

2.20

4.00

GAI

875

9.50

12.50

1725

12.25

18.25

18.75

16.50

29.92

Available in:
Gray
Custom

STACK CAP/ OTY STACKED

45 lbs / 7

65 lbs / 5

75 lbs / 5

100 lbs / 3

75 lbs / 5

85 lbs / 5

100 lbs / 4

100 lbs / 4

100 lbs / 4

WGT

4 lbs

6 lbs

7 lbs

8 lbs

6 lbs

8 lbs

8 lbs

8 lbs

13 lbs

STRONG! RELIABLE! reusable totes!



CUSTOM COLORS AVAILABLE! call for details.

9 SIZES AVAILABLE!

INSIDE DIMENSIONS

17-9/16" x 9-13/16" 16-1/4" x 8-5/8'

23-3/8" x 14-5/8" 21-1/2" x 12-5/8"

BOTTOM L" x W"

18-3/8" x 12-9/16

18" x 12-1/4"

17-7/8" x 12-1/2

18-1/2" x 10-1/8"

20-5/8" x 16-5/8"

23-3/8" x 13-3/4"

25-1/8" x 18"

TOP L" x W"

19-5/8" x 14"

19-3/4" x 14"

20" x 14-1/2"

19-7/8" x 12"

22-1/4" x 18"

25-1/8" x 15-3/8"

25-7/8" x 19-3/4"



QDC2717-12 27-5/16" x 16-9/16"

QDC2515-14 25-1/8" x 15-1/4"

QDC2012-7

MODEL NO.

ODC2012-7

QDC2115-9

QDC2115-12

ODC2115-17

QDC2420-12

QDC2820-15

QDC2213-12



QDC2115-17



QDC2515-14







QDC2213-12



QDC22717-12

QDL-2115 Distribution container has an optional 3" x 5" adhesive clear label holder which attaches securely for easy part identification. 24 per carton.



CONTAINER

HEIGHT

7-1/2"

9-5/8"

12-3/4'

17-1/4"

11-7/8"

12-1/2"

12-1/2"

13-3/4"

15-5/8"

QDC2115-12



QDC2420-12



QDC2820-15



Polymer Mobile Dolly

DLY-2415 Dolly with 1"Ledge, available in Black. 1,000 lbs. capacity. Interior Dimensions 24"L x 15"W Exterior Dimensions 28"L x 18-1/2"W

MODEL NO.	DESCRIPTION	CTN WGT
DLY-2415	Dolly with 1" Ledge	14 lbs
Bins sold separatel	у.	

122 ATTACHED TOP DISTRIBUTION CONTAINERS

1-877-285-8684 | www.bin-store.com

HOT STAMPING AVAILABLE!

call for details.





Clear compartment storage box offers 10 individualized compartments for small to medium parts storage. Perfect for bandages, gels, gauze, and medication. Manufactured of clear, see-through polypropylene.

Clear Compartment Storage Box



QB900	10-1/4" x 13" x 2-3/8"	6	8 lbs
MODEL NO.	L" x W" x H"	QTY	WGT
	OUTSIDE DIMENSIONS	CTN	CTN

10 COMPARTMENTS for small & medium parts

Portable Computer / LAN Work Center

New portable computer center and mini LAN (*local area network*) work center offers flexibility in any operation. The modular characteristics allow the unit to be adaptable to all your equipment requirements such as servers, PCs, printers, keyboards, and monitors. This system features adjustable shelves on 1" increments, quick field assembly without the use of tools, excellent strength (*up to 800 lbs. per shelf*), durable chrome finish and easy to roll locking 3" polyurethane casters.





QTB309

Clear Tip Out Bins



Space saving bin units keep small and medium sized parts organized, sorted and easy to find. These clear, break resistant injection molded plastic containers tip open smoothly to a 45° angle and are completely removable for easy access and refilling. Molded handle with slots for labels provided. Bins are easily cleaned with soap and water. Polystyrene cabinet can be stacked or wall mounted. Exterior available in 3 colors. Cups are clear. Optional dividers, locking rod and louvered panel bracket also available.

Available in: Ivory Gray OWhite

	/ /			
MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	BIN DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
QTB301	11-3/4" x 11-13/16" x 13-7/8"	8-7/8" x 11-1/16" x 13-5/8"	1	7 lbs
QTB302	11-3/4" x 23-5/8" x 13-7/8"	8-7/8" x 11-1/16" x 13-5/8"	1	14 lbs
QTB303	7-3/4" x 23-5/8" x 9-1/2"	5-7/8" x 7-3/8" x 8-5/8"	1	9 lbs
QTB304	6-5/8" x 23-5/8" x 8-1/8"	5" x 5-5/8" x 7-1/2"	1	7 lbs
QTB305	5-1/4" x 23-5/8" x 6-1/2"	3-3/4" x 4-1/4" x 5-3/4"	1	5 lbs
QTB306	3-5/8" x 23-5/8" x 4-1/2"	2-5/8" x 3-1/2" x 3-3/4"	1	2 lbs
QTB309	2-1/2" x 23-5/8" x 3-1/8"	1-3/4" x 2-3/16" x 2-1/2"	1	2 lbs
DIV303	3 Dividers	for QTB303	3	2 lbs
DIV304	4 Dividers	for QTB304	4	1 lb
QLR500	Locking Rod for 23	3-5/8"W Tip Out Bins	1	1 lb
QTB-LP-BKT	Louvered Panel Brack	et pair for Tip Out Bins	1	1 lb

TIP OUT BIN CLEAR COMPARTMENTS KEEP small items sorted and easy to find!



Comes complete with two 5-bin, four 4-bin units and two 3-bin units for 32 total compartments. Tray can be pulled out from either side for additional work space. Comes fully assembled, ready to use. Ideal for use from anesthesia to pharmacy applications. Available in White.



QTB-LP-BKT Louvered Panel Bracket Hang 23-5/8"W bin on louvered panel using bracket. Available in Beige or Gray. Panels available on pg. 94.



QLR500 Locking Rod Keeps bins from tilting open. Can be used with 23-5/8"W bins.



DIV303 and DIV304 QTB303 and QTB304 cup can use optional divider, as shown above.



QTB305



QTB304



QTB303



QTB302



QTB301



CLEAR TIP OUT BIN SYSTEMS

can be used in any application



Industrial, Mechanical and Plumbing Supplies Very handy for the garage, tool shed, service vehicle, factory, hardware and home center facilities.



QTB410 QTB410 is a one bin design, 12" wide Each QTB410 comes with **3** DIV400 clear dividers*



QTB411 QTB411 is a two bin design, each bin 12" wide Each QTB411 comes with **6** DIV400 clear dividers*



QTB412 QTB412 is a one bin design, 23-5/8" wide Each QTB412 comes with 5 DIV400 clear dividers* *Note: Dividers shown in white color for clarity.





These bins feature removable and adjustable dividers so that the clear bin can be partitioned into smaller compartments. Ideal for larger or longer items, these clear Tip Out Bins are molded from the same strong and flexible material as our standard bins. The flexibility of these bins allow the user to determine the size and volume of each storage compartment. Exterior available in 3 colors. Cups are clear.

Available in: Ivory Gray OWhite

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
QTB410	5-1/4" x 11-7/8" x 5-15/16"	1	3 lbs
QTB411	5-1/4" x 23-5/8" x 5-15/16"	1	4 lbs
QTB412	5-1/4" x 23-5/8" x 5-15/16"	1	4 lbs
DIV400	Divider For Dividable Tip Out Bins	4	1 lb

PERFORMANCE FEATURES AT A GLANCE:
Dividable Tip Out Bins are available in 3 sizes
Bins can be stacked as modular units or used individually

- Exterior housing is injection molded from high impact Polystyrene
- Clear bin cups are injection molded from a custom blend of P
- K Resin and Crystal Styrene for clarity and durability
 Compartments tip open smoothly to a 45° angle and provi
- comfortable and complete access to stored items
 The flexibility of the system allows you to customize your own
 - system to meet your specific need

Individual Tip Out Bins



These unique bins have the ability to interlock horizontally or vertically. Available in three popular sizes, these bins allow you to create your own customized Tip Out Bin storage system perfect for color coding.

Vertically QTB405 & QTB406 available in: ●Ivory ●Gray ○White QTB409 available in: ●Blue ●Red ○Yellow ○White

-		CT11	CTN
MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN OTY	CTN WGT
QTB405	5-1/4" x 4-3/4" x 6-1/4"	5	6 lbs
QTB406	3-5/8" x 4-1/16" x 4-1/4"	б	4 lbs
QTB409	2-3/8" x 2-13/16" x 3"	9	3 lbs



QTB406

QTB409



Medical Very efficient when it comes to organizing and keeping an effective inventory in hospitals, pharmacies, labs or clinics.



Playroom The smartest organizer after a hard day's play. It will help keep your child's room in order.







Clear Tip Out Bin Floor Stands - *Single, Double and Mobile Clearly your best storage solution!*

Nine pre-configured units available as pictured allowing you to purchase your Tip Out unit exactly as shown here. The flexibility of the system also allows you to customize and create your own configurations (*see chart for all possibilities*). All steel units are formed from heavy-duty 14 gauge steel and have a smooth powder coat finish ensuring years of use. Three different heights to choose from: 24", 48" or 70". Units are single sided, double sided or double sided mobile. Tip Out Bins are available in 3 colors. See *pg. 124* for bin dimensions.





QFS124-31

1 QTB304

3 QTB306

1 QTB309



QFS170-36 4 QTB303 2 QTB304 2 QTB305 1 QTB306



COMPLETE PACKAGES with Tip Out Bins!



QFS248-76 2 QTB302 2 QTB303 2 QTB304 2 QTB305 2 QTB306 4 QTB309

QFS148-38 1 QTB302 1 QTB303

1 QTB304

1 QTB305

1 QTB306

2 QTB309





Mobile Clear Tip Out Bin Floor Stands



CREATE your own configuration



QFS224-24 + QFS400 2 QTB303 2 QTB304 2 QTB305



QFS270-72 + QFS400 8 QTB303 4 QTB304 4 QTB305 2 QTB306



COMPLETE PACKAGES with Tip Out Bins!

Available in: Ivory Gray OWhite					QTY. OF BINS TO FIT UNIT				
MODEL NO.	DESCRIPTION	DIMENSIONS D" x W" x H"	CTN WGT	QTB 302	QTB 303	QTB 304	QTB 305	QTB 306	QTB 309
	Floor Stands - Single Sided (Disks and Screws Required)								
QFS124	24"H Single Sided (Workstation)	8" x 23-5/8" x 28"	11 lbs	1	2	3	3	5	8
QFS148	48"H Single Sided	8" x 23-5/8" x 52"	19 lbs	3	5	6	7	11	16
QFS170	70"H Single Sided	8" x 23-5/8" x 75"	20 lbs	5	7	8	10	15	23
Floor Stands - Double Sided (Disks and Screws Required)									
QFS224	24"H Double Sided (Workstation)	16" x 23-5/8" x 28"	21 lbs	2	4	6	6	10	16
QFS248	48"H Double Sided	16" x 23-5/8" x 52"	36 lbs	6	10	12	14	22	32
QFS270	70"H Double Sided	16" x 23-5/8" x 75"	42 lbs	10	14	16	20	30	46
Mobile Kit (Includes four casters and one handle)									
QFS400	Mobile Kit for Double Sided Units		9 lbs	-	-	-	-	-	-
		Disks and Sci	rews						
QDS300	2 Disks and 2 Screws (1 set)		1 lb	-	-	-	-	-	-

Tip Out Bins Sold Separately. 1 set of disks and screws are required per Tip Out Bin unit.



Clear Tip Out Bin Rails

Provide an easy and efficient way to build a high density expandable storage system. U-channel shaped rails allow Tip Out Bins to slide easily to any height. Each Tip Out Bin needs 2 disks and 2 screws (QDS300) in order to affix to all rails and frames. (Bins are sold separately)

				N	IO. OF B	SINS TO	FIT EAC	H FRAM	1E
MODEL NO.	DESCRIPTION	CTN QTY	CTN WGT	QTB 302	QTB 303	QTB 304	QTB 305	QTB 306	QTB 309
QTR24	Two 24"H Rails	1 Set	2 lbs	1	2	3	3	5	8
QTR48	Two 48"H Rails	1 Set	4 lbs	3	5	6	7	10	16
QTR70	Two 70"H Rails	1 Set	5 lbs	5	7	8	10	15	23

OTR24

OTR48

OTR70



Utilize rails when base of the first bin will sit on the floor

HOW TIP OUT BINS


affix to rails and frames



1. Having removed transparent compartments, insert screw corresponding to screw holes in Tip Out Bin housing.



Frames are manufactured with preset parallel distance allowing Tip Out Bins to be stacked and removed easily and efficiently. All frames have a ledge at the bottom allowing Tip Out Bins to be secured above ground level. (Bins are *sold separately*)



MODEL NO.	DESCRIPTION	CTN QTY	CTN WGT	QTB 302	QTB 303	QTB 304	QTB 305	QTB 306	QTB 309
QTF24	24"H Frame	1	3 lbs	1	2	3	3	5	8
QTF48	48"H Frame	1	5 lbs	3	5	6	7	10	16
QTF70	70"H Frame	1	7 lbs	5	7	8	10	15	23



Utilize frame when bins will be mounted above floor level



2. Insert screws and screw into disk on back of Tip Out Bin housing.



3. Insert disk into frame rails.



4. Once in place, tighten screws to affix Tip Out Bin to frame rails.



* In order to attach a Tip Out Bin unit to a rail, frame or floor stand, 1 set of disks and screws are required per Tip Out Bin unit.

MODEL NO.

QTF320

QDS300*

QLR500

QTF320-42





Available in: Ivory Gray OWhite

MODEL NO.	NO. OF BINS	NO. OF BIN CUPS
QS-304-28	28 QTB304	112
QS-305-36	36 QTB305	180
QS-306-56	56 QTB306	336
QS-309-80	80 QTB309	720
QS-305306-52	9 QTB305, 43 QTB306	303
QS-569-56	8 QTB305, 36 QTB306, 12 QTB309	364
QS-BIG-101	3 QTB302, 8 QTB303, 14 QTB304, 3 QTB305	101
OS-000	Free Stand Slider Only - NO BINS	

*All necessary hardware included with all units



QS-305306-52 18"D x 48"W x 77"H`



This system features four individual panels filled with tip out bins. Two are fixed to the back side of the system and two slide easily from left to right allowing free access to all four panels. Manufactured of tough 14 gauge steel with a baked enamel finish, the overall unit measures 18"D x 48"W x 77"H. (96" widths and 26" depths are available via special order). Bins are available in 3 colors.


Free Standing Slider Systems - Complete Packages



26"D x 51-1/4"W x 77"H



G-725 19″D x 48″W x 75″H



G-725306-56 19"D x 48"W x 75"H

Gondola Slider Systems - Complete Packages

The Gondola system provides the same versatility for orderly and efficient storage solutions in merchandising, inventory control and storing of small to medium sized parts. Slider system affixes to most standard gondolas.

Units available for purchase in the following three ways:

- Slider Frame Only (designed for fast installation on your existing 72"H Gondola). QS-725
- Slider Frame with Gondola (*no Tip Out Bins*) Overall Dimensions 19"D x 48"W x 75"H. G-725
- Slider Frame filled with Tip Out Bins with Gondola (five available combinations, see chart below). Bins are available in Ivory, Gray and White.

Available in: Ivory Gray OWhite

MODEL NO.	NO. OF BINS	NO. OF BIN CUPS
QS-725	Slider Frame Only	
G-725	Slider Frame With Gondola	
G-725304-28	28 QTB304	112
G-725305-36	36 QTB305	180
G-725306-56	56 QTB306	336
G-725309-80	80 QTB309	720
G-725569-56	8 QTB305, 36 QTB306, 12 QTB309	364

*All necessary hardware included with all units



Interlocking Storage Cabinets

Organize and store your small parts with these modular storage cabinets. Interlocking cabinets have the unique ability to interlock horizontally and vertically allowing you to customize your storage needs. Pre-drilled holes on the backside of cabinet allow for wall mounting. Cabinets are made from high impact polystyrene. Drawers are removable and will not rust or corrode. Drawers have a recessed handle and come with a slotted label holder. Drawers have seven divider slots molded in so that it may be divided into multiple compartments. Clear window allows easy identification of parts. Nine pre-configured cabinets come complete with drawers, clear windows and two dividers per drawer. Additional dividers may be purchased separately. Exterior Cabinets are available in Gray only. Drawers are available in Blue, Red, Ivory and Gray.



Cabinets have the unique ability to interlock horizontally and vertically allowing you to customize your



Available in:
Blue
Red
Ivory
Gray

MODEL NO.	DRAWERS PER CABINET	CTN QTY	CTN WGT
QIC-161	16 IDR201	1	10 lbs
QIC-122	12 IDR202	1	10 lbs
QIC-83	8 IDR203	1	9 lbs
QIC-64	6 IDR204	1	9 lbs
QIC-8143	8 IDR201, 4 IDR203	1	10 lbs
QIC-12123	12 IDR201, 2 IDR203	1	10 lbs
QIC-4163	4 IDR201, 6 IDR203	1	10 lbs
QIC-8224	8 IDR202, 2 IDR204	1	10 lbs
QIC-4244	4 IDR202, 4 IDR204	1	10 lbs

HIGH DENSITY

storage!



OIC-161

Overall Dimensions 11-3/8"D x 11-3/4"W x 11"H Unit comes with 16 IDR201. Available with Gray Cabinet and your choice of Gray, Blue, Red and Ivory for drawers.



QIC-122









QIC-64





QIC-8143



COLOR CODE your small parts!

Cabinet Drawers



Additional Drawers may be purchased separately. All drawers come complete with a clear window. Optional dividers may be purchased separately. Available in 4 colors. Please specify color.

Available in:
Blue
Red
Ivory
Gray

MODEL NO.	DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT	DIVIDER	CTN QTY	CTN WGT
IDR201	11" x 2-3/4" x 2-1/2"	24	9 lbs	DIV201	25	1 lb
IDR202	11" x 2-3/4" x 3-5/16"	24	12 lbs	DIV202	25	1 lb
IDR203	11" x 5-5/8" x 2-1/2"	24	14 lbs	DIV203	25	1 lb
IDR204	11" x 5-5/8" x 3-5/16"	24	22 lbs	DIV204	25	2 lbs







CARTS OFFER 550lb load capacity!



Polymer Utility Carts USA

Rugged, heavy-duty carts are ideal for any application. Carts will not rust, dent, chip or peel and are impervious to most chemicals, making them easy to clean. Set of 2 swivel and 2 rigid 5" x 1-1/4" heavy-duty casters allow for 550 lb. load capacity and provide a soft ride, even on rough surfaces. Comfort grip push handle allows for easy handling. Available in two sizes with a 2 or 3 shelf combination. Also available, Flat Top Shelf cart with a 2 or 3 shelf combination. All carts available in Gray.

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE SHELF DIMENSIONS L" x W"	NO. OF SHELVES	SHIP WGT			
PC3518-33	34-1/4" x 17-1/2" x 32-1/2"	29-1/4" x 15-1/4"	2	38 lbs			
PC3518-33-3	34-1/4" x 17-1/2" x 32-1/2"	29-1/4" x 15-1/4"	3	51 lbs			
PC4026-33	40" x 26" x 32-1/2"	35" x 23"	2	54 lbs			
PC4026-33-3	40" x 26" x 32-1/2"	35" x 23"	3	74 lbs			
Polymer Flat Top Shelf Cart							
PFTC4026-33-2	40" x 26" x 32-1/2"	35" x 23"	2	51 lbs			
PFTC4026-33-3	40" x 26" x 32-1/2"	35" x 23"	3	71 lbs			
Additional Shelves							
PC3518SHELF	34-1/4" x 17-1/2"	29-1/4" x 15-1/4"	1	13 lbs			
PC4026SHELF	40" x 26"	35" x 23"	1	20 lbs			

Tool Caddy

Industrial strength, hand-held caddy ideal for tools and supplies. This portable, high density polypropylene caddy has extra strength ribs for support. Deep compartments make transporting tools, supplies and loose parts easy. Available in Blue or Gray. 6 per carton.





Deep compartments are ideal for automotive parts, hardware or cleaning supplies



supplies!

polypropylene




Plastic Cart Tool Holder Attachment

MODEL NO.	DESCRIPTION	SHIP WGT
PCTH	96 Piece Tool Holder	3 lbs



Space saving tool rack is manufactured from durable polypropylene. Get organized with this tough rack that will not warp or bend even when it is loaded to capacity. Holds up to 96 items. Mounting hardware is not included.



MODEL NO.

TC-500



36" Wide All-Welded Bin Cabinets



All-Purpose cabinets provide secure storage for your valuable parts and tools. Standard performance features: ships completely assembled, ready to use, 14 gauge all-welded construction, gray baked-enamel finish which ensures years of heavy-duty service, 3 point locking handle supplied with 2 keys. To order a Beige cabinet, add BG right after cabinet prefix (*i.e.* **QSC-BG-36** or **MESH-BG-240** or **QPR-BG-101**). Bins are available in Blue, Green, Ivory, Red, Yellow, Black and Clear. See *pg. 88* for bin dimensions.

COMPLETE PACKAGES with bins!



QSC-BG-36 36"W x 24"D x 72"H. Total of 132 bins. Deep Door Model. Ship wt. 425 lbs. 48 QUS210, 48 QUS220, 18 QUS230, 12 QUS240 and 6 QUS250.



QSC-BG-36S 36"W x 24"D x 72"H. Total of 102 bins. Deep Door Model. Ship wt. 465 lbs. 48 QUS210, 48 QUS220, 6 QUS250 and 3 adjustable shelves.

Distanting and a second state of the second st
22 anna 22
222 mmmm 555
1997 (Managana) (*****

QSC-BG-64-2S-6DS

36"W x 24"D x 72"H. Total of 64 bins. Deep Door Model. Ship wt. 427 lbs.

16 QUS240, 48 QUS220, 2 adjustable interior shelves and 6 door shelves.

GRAY OR BEIGE color!



QSC-BG-36-96-4IS 36"W x 24"D x 72"H. Total of 96 bins. Deep Door Model. Ship wt. 377 lbs. 96 QUS210 and 4 adjustable interior shelves.



QSC-BG-36-FD 36"W x 18"D x 72"H. Total of 36 bins. Flush Door Model. Ship wt. 359 lbs. 18 QUS230, 12 QUS240 and 6 QUS250.

Perfect for Janitorial & Maintenance Storage



QSC-36-4IS-12DS 36"W x 24"D x 72"H. Deep Door Model. Ship wt. 308 lbs. 4 adjustable interior shelves and 12 door shelves.



HEAVY-DUTY 36" AND 60" WIDE SPECIALTY CABINETS | FACILITIES STORAGE

QPR-101

Sloped Shelf Pick Rack Flow Cabinet 36"W x 18"D x 78"H. Total of 72 bins. Flush Door Model. Ship wt. 298 lbs. Eight sloped shelves and one flat shelf hold **72 QSB101**. Additional cabinet configurations listed below. Bins available in Blue, Green, Ivory, Red, Yellow, Black and Clear.



MODEL NO.	NO. OF BINS	BIN MODEL	SHIP WGT
QPR-101	72	QSB101	298 lbs
QPR-102	45	QSB102	294 lbs
QPR-107	36	QSB107	289 lbs

See pg. 108 for bin dimensions.

QSC-QIC161


Interlocking Drawer Storage Cabinet 48"W x 24"D x 78"H. Total of 128 bins and 15 Interlocking Drawer Cabinets. Ship wt. 507 lbs. Louvered door fits **128 QUS210** bins (see pg. 88 for bin dimensions). Shelves hold 15 Interlocking Cabinets have a Gray exterior, Drawers are available in Blue, Red, Ivory and Gray. Door bins available in Blue, Green, Ivory, Red, Yellow, Black and Clear.

MODEL NO.	CABINET MODEL	NO. OF DRAWERS	SHIP WGT
QSC-QIC161	QIC-161	240	507 lbs
QSC-QIC122	QIC-122	180	507 lbs
QSC-QIC83	QIC-83	120	507 lbs
QSC-QIC64	QIC-64	90	507 lbs

See pg. 130 for cabinet and drawer dimensions.

Super-Wide Colossal Heavy-Duty Cabinets

Super-wide, colossal cabinets offer 60" widths and 84" heights allowing for maximum and efficient storage while providing superior strength and security. Standard performance features: ships completely assembled, ready to use, 14 gauge all-welded construction, gray or beige baked-enamel finish which ensures years of heavy-duty service, 3 point locking handle with provision for a padlock (not included) and 6" high legs make cabinets fork truck liftable. To order a Beige cabinet, add BG right after cabinet prefix (i.e. QSC-BG-36 or MESH-BG-240 or QPR-BG-101). Bins are available in Blue, Green, Ivory, Red, Yellow, Black and Clear. See pg. 88 for bin dimensions.




MADE IN THE

COMPLETE PACKAGES

with bins!

MESH-240

Wire Mesh Safe-View Bin Cabinet 36"W x 18"D x 78"H. Total of 36 bins. Mesh Door Model. Ship wt. 290 Ibs. Louvered back wall fits **36 QUS240**, or additional configurations listed below. Bins available in Blue, Green, Ivory, Red, Yellow, Black and Clear.



MODEL NO.	NO. OF BINS	BIN MODEL	SHIP WGT
MESH-240	36	QUS240	290 lbs
MESH-240250	20	QUS240	303 lbs
ML311-240230	8	QUS250	202 102
MESH-250	18	QUS250	288 lbs

See pg. 88 for bin dimensions

QSC-C240250

Clear-View Security Bin Cabinet 36"W x 18"D x 78"H. Total of 28 bins. Clear Door Model. Ship wt. 388 lbs. Louvered back wall fits **20 QUS240** and **8 QUS250**. Additional cabinet configurations listed below. Bins available in Blue, Green, Ivory, Red, Yellow, Black and Clear.



MODEL NO.	NO. OF BINS	BIN MODEL	SHIP WGT
QSC-C240	36	QUS240	390 lbs
OSC-C240250	20	QUS240	388 lbs
030-0240230	8	QUS250	200 ID2
QSC-C250	18	QUS250	392 lbs

See pg. 88 for bin dimensions.

GRAY OR BEIGE color!



QSC-BG-60S 60"W x 24"D x 84"H. Total of 185 bins. Flush Door Model. Ship wt. 878 lbs. 80 QUS210, 90 QUS220, 6 QUS240, 9 QUS250 and 3 adjustable shelves.



QSC-BG-60 60"W x 24"D x 84"H. Total of 227 bins. Flush Door Model. Ship wt. 860 lbs. 80 QUS210, 90 QUS220, 30 QUS230, 18 QUS240 and 9 QUS250.




48" Wide All-Welded Bin Cabinets



These 48" wide models offer all of the features of the 36", but with additional storage space. All cabinets are also available in Beige color. To order a Beige cabinet, add BG right after cabinet prefix (*i.e.* **QSC-BG-36** or **MESH-BG-240** or **QPR-BG-101**). Bins are available in Blue, Green, Ivory, Red, Yellow, Black and Clear. See *pg.* 88 for bin dimensions.

COMPLETE PACKAGES with bins!



QSC-BG-48 48"W x 24"D x 78"H. Total of 171 bins. Flush Door Model. Ship wt. 522 lbs. 64 QUS210, 64 QUS220, 24 QUS230, 13 QUS240 and 6 QUS250.



48"W x 24"D x 78"H. Total of 128 bins. Flush Door Model. Ship wt. 505 lbs.

128 QUS210 and 4 adjustable interior shelves.

GRAY OR BEIGE color!



QSC-BG-48S 48"W x 24"D x 78"H. Total of 137 bins. Flush Door Model. Ship wt. 534 lbs. 64 QUS210, 64 QUS220, 3 QUS240, 6 QUS250 and 3 adjustable shelves.



QSC-4804

48"W x 24"D x 78"H. Total of 84 bins. Flush Door Model. Ship wt. 515 lbs. 20 QUS240, 64 QUS220, 2 adjustable interior shelves and 6 door shelves.



QSC-3IS 48"W x 24"D x 78"H. Flush Door Model. Ship wt. 323 lbs. 3 adjustable shelves. 800 lb. capacity per shelf.

Perfect for Janitorial & Maintenance Storage



QSC-4IS-14DS 48"W x 24"D x 84"H. Deep Door Model. Ship wt. 572 lbs. 4 adjustable interior shelves and 14 adjustable door shelves. 800 lb. capacity per interior shelf. 60 lb. capacity per door shelf.



Adjustable Slide Bolt Leg Work Benches

PERFORMANCE FEATURES

- Putting tasks at the correct heights improves worker comfort, and increases productivity
- Steel slide-bolt bench legs enable you to position bench tops from 29" to 37-1/2" high
- Built-in bolts secure legs within a 8" sliding range
- Leg levelers included
- Custom configurations are available, call a product specialist for details

CONSTRUCTION


Available in Gray



OUSIDE DIMENSIONS D" x W" X H"	STEEL TOP MODEL NO.	SHIP WGT	HARDWOOD TOP MODEL NO.	SHIP WGT	LAMINATE TOP MODEL NO.	SHIP WGT
	29" - 37-1/2"H A	djustable	Height Slide Bolt Leg	g Work Ber	nch	
34" x 60" x 29"	-	-	LWB-3460A-HT	193 lbs	LWB-3460A-LT	204 lbs
34" x 72" x 29"	LWB-3472A-ST	191 lbs	LWB-3472A-HT	217 lbs	LWB-3472A-LT	229 lbs

• Leg levelers afford easy adaptation to uneven flooring for stability

• 9" adjustment range



Steel Flared Leg Work Benches

PERFORMANCE FEATURES

- Leg Height is 32-1/4" high, add for top thickness
- Heavy channel steel flared legs provide sturdy base for a variety of bench work tasks
- Steel cross members welded between each upright add strength and rigidity
- Base plates punched for floor bolts provide 24 square inch floor bearing surface per leg
- Custom configurations are available, call a product specialist for details

CONSTRUCTION

Available in Gray



in the industry!



LWB-346032-ST 12 Gauge Steel - 1-3/4" Thick Work Bench with Stringer, Drawer & Shelf

OUSIDE DIMENSIONS D" x W" X H"	STEEL TOP MODEL NO.	SHIP WGT	HARDWOOD TOP MODEL NO.	SHIP WGT	LAMINATE TOP MODEL NO.	SHIP WGT
32"H Steel Flared Leg Work Bench						
34" x 60" x 32"	LWB-346032-ST	160 lbs	LWB-346032-HT	182 lbs	LWB-346032-LT	193 lbs
34" x 72" x 32"	LWB-347232-ST	181 lbs	LWB-347232-HT	207 lbs	LWB-347232-LT	219 lbs



Bulk Storage Racks

Designed for the hand-loading of intermediate weight bulky items, this versatile rack system can be used in hundreds of storage applications. In addition to storing cartoned merchandise in shipping and receiving departments, it can be used for display racking in furniture and department stores, for storage of medical and dietary supplies in hospitals and more. Heavy-duty 14 gauge steel beams included.

OUSIDE DIMENSIONS D" x W" X H"	STARTER MODEL NO.	SHIP WGT	ADD-ON MODEL NO.	SHIP WGT
60"H 3-	Tier Bulk Storage I	Rack with	Wire Deck	
24" x 60" x 60"	BR60-2460-3WD	151 lbs	BRA60-2460-3WD	135 lbs
24" x 72" x 60"	BR60-2472-3WD	176 lbs	BRA60-2472-3WD	161 lbs
30" x 60" x 60"	BR60-3060-3WD	168 lbs	BRA60-3060-3WD	152 lbs
30" x 72" x 60"	BR60-3072-3WD	199 lbs	BRA60-3072-3WD	183 lbs
36" x 60" x 60"	BR60-3660-3WD	189 lbs	BRA60-3660-3WD	171 lbs
36" x 72" x 60"	BR60-3672-3WD	224 lbs	BRA60-3672-3WD	204 lbs
48" x 60" x 60"	BR60-4860-3WD	223 lbs	BRA60-4860-3WD	223 lbs
48" x 72" x 60"	BR60-4872-3WD	267 lbs	BRA60-4872-3WD	249 lbs
72"H 3-	Tier Bulk Storage	Rack with	Wire Deck	
24" x 60" x 72"	BR72-2460-3WD	156 lbs	BRA72-2460-3WD	138 lbs
24" x 72" x 72"	BR72-2472-3WD	182 lbs	BRA72-2472-3WD	164 lbs
30" x 60" x 72"	BR72-3060-3WD	179 lbs	BRA72-3060-3WD	160 lbs
30" x 72" x 72"	BR72-3072-3WD	204 lbs	BRA72-3072-3WD	185 lbs
36" x 60" x 72"	BR72-3660-3WD	191 lbs	BRA72-3660-3WD	173 lbs
36" x 72" x 72"	BR72-3672-3WD	228 lbs	BRA72-3672-3WD	208 lbs
48" x 60" x 72"	BR72-4860-3WD	229 lbs	BRA72-4860-3WD	229 lbs
48" x 72" x 72"	BR72-4872-3WD	273 lbs	BRA72-4872-3WD	252 lbs



with Wire Decking

HEAVY-DUTY 14 GAUGE

bulk storage racks!	orage racks!	bulk s
---------------------	--------------	--------

OUSIDE DIMENSIONS D" x W" X H"	STARTER MODEL NO.	SHIP WGT	ADD-ON MODEL NO.	SHIP WGT				
60"H 3-Tier Bulk Storage Rack with Solid Deck								
24" x 60" x 60"	-	-	-	-				
24" x 72" x 60"	BR60-2472-3SD	178 lbs	BRA60-2472-3SD	163 lbs				
30" x 60" x 60"	BR60-3060-3SD	167 lbs	BRA60-3060-3SD	151 lbs				
30" x 72" x 60"	-	-	-	-				
36" x 60" x 60"	BR60-3660-3SD	197 lbs	BRA60-3660-3SD	179 lbs				
36" x 72" x 60"	BR60-3672-3SD	232 lbs	BRA60-3672-3SD	214 lbs				
48" x 60" x 60"	BR60-4860-3SD	244 lbs	BRA60-4860-3SD	219 lbs				
48" x 72" x 60"	BR60-4872-3SD	278 lbs	BRA60-4872-3SD	259 lbs				
72"H 3-Tier Bulk Storage Rack with Solid Deck								
24" x 60" x 72"	-	-	-	-				
24" x 72" x 72"	BR72-2472-3SD	183 lbs	BRA72-2472-3SD	165 lbs				
30" x 60" x 72"	BR72-3060-3SD	172 lbs	BRA72-3060-3SD	154 lbs				
30" x 72" x 72"	-	-	-	-				
36" x 60" x 72"	BR72-3660-3SD	215 lbs	BRA72-3660-3SD	195 lbs				
36" x 72" x 72"	BR72-3672-3SD	236 lbs	BRA72-3672-3SD	216 lbs				
48" x 60" x 72"	BR72-4860-3SD	243 lbs	BRA72-4860-3SD	222 lbs				
48" x 72" x 72"	BR72-4872-3SD	283 lbs	BRA72-4872-3SD	262 lbs				



with Solid Steel Decking



MODEL NO.	SHELF D" x W"	SHIP WGT				
	39"H Open Shelving					
39-1236-4	12" x 36"	45 lbs				
39-1836-4	12 x 30 18" x 36"	63 lbs				
39-1842-4	18" x 42"	71 lbs				
	39"H Open Shelving					
39-1236-5	12" x 36"	53 lbs				
39-1836-5	12 x 36"	75 lbs				
39-1842-5	18" x 42"	85 lbs				
	39"H Open Shelving					
39-1236-6	12" x 36"	61 lbs				
39-1836-6	12 x 36"	87 lbs				
39-1842-6	18" x 42"	99 lbs				
	75"H Open Shelving					
75-1236-4	12" x 36"	55 lbs				
75-1836-4	18" x 36"	69 lbs				
75-1842-4	18" x 42"	85 lbs				
5 Shelf, 75"H Open Shelving Unit						
75-1236-5	12" x 36"	66 lbs				
75-1836-5	18" x 36"	79 lbs				
75-1842-5	18" x 42"	91 lbs				
6 Shelf, 75"H Open Shelving Unit						
75-1236-6	12" x 36"	73 lbs				
75-1836-6	18" x 36"	89 lbs				
75-1842-6	18" x 42"	101 lbs				
7 Shelf, 7	75"H Open Shelving	Unit				
75-1236-7	12" x 36"	80 lbs				
75-1836-7	18" x 36"	99 lbs				
75-1842-7	18" x 42"	113 lbs				
8 Shelf, 7	75"H Open Shelving	Unit				
75-1236-8	12" x 36"	87 lbs				
75-1836-8	18" x 36"	109 lbs				
75-1842-8	18" x 42"	125 lbs				



MODEL NO.	SHELF D" x W"	SHIP WGT					
4 Shelf, 39"H Closed Shelving Unit							
CL39-1236-4	12" x 36"	71 lbs					
CL39-1836-4	18" x 36"	94 lbs					
5 Shelf, 39"H Closed Shelving Unit							
CL39-1236-5	12" x 36"	79 lbs					
CL39-1836-5	18" x 36"	106 lbs					
6 Shelf, 3	9"H Closed Shelving	Unit					
CL39-1236-6	12" x 36"	87 lbs					
CL39-1836-6	18" x 36"	118 lbs					
4 Shelf, 75"H Closed Shelving Unit							
CL75-1236-4	12" x 36"	90 lbs					
CL75-1836-4	18" x 36"	115 lbs					
5 Shelf, 75"H Closed Shelving Unit							
CL75-1236-5	12" x 36"	103 lbs					
CL75-1836-5	18" x 36"	126 lbs					
6 Shelf, 75"H Closed Shelving Unit							
CL75-1236-6	12" x 36"	110 lbs					
CL75-1836-6	18" x 36"	136 lbs					
7 Shelf, 7	5"H Closed Shelving	Unit					
CL75-1236-7	12" x 36"	117 lbs					
CL75-1836-7	18" x 36"	146 lbs					
8 Shelf, 7	5"H Closed Shelving	Unit					
CL75-1236-8	12" x 36"	124 lbs					
CL75-1836-8	18" x 36"	156 lbs					





75-1836-6



CL75-1836-6

Open & Closed Steel Shelving

- Heavy-duty, high grade shelving units are easy to clean and will not rust or corrode
- Shelving Units are 39"H or 75"H and are available in three different shelf sizes
- Shelving has a smooth powder coat finish
- 400 lb. shelf capacity



CLOSED SHELVING DUST FREE & SECURE STORAGE!





Units on this page are

also available on

Wire Shelving

see pg. 91

Steel Shelving Systems - Complete Packages

These economical high density bin storage steel systems include heavyduty giant stack bins with open hopper fronts for easy access. Optional clear windows maximize capacity, prevent spillage and convert the bin to a true tote. Optional dividers keep contents organized - available on pg. 88. Heavy-duty, high grade shelving with 400 lb. capacity per shelf. Bins available in Blue, Green, Ivory, Red, Yellow, Black and Clear.

EW

12" Deep Systems



QSBU-239 12"D x 36"W x 75"H 8 shelves and 28 QUS239 10-3/4"L x 8-1/4"W x 7"H bins



QSBU-240 12"D x 36"W x 75"H 8 shelves and 28 QUS240 14-3/4"L x 8-1/4"W x 7"H bins





QSBU-250 12"D x 36"W x 75"H 8 shelves and 14 QUS250 14-3/4"L x 16-1/2"W x 7"H bins



COMPLETE PACKAGES

with bins!

QSBU-255 18"D x 36"W x 75"H 8 shelves and 21 QUS255 16"L x 11"W x 8"H bins (Windows sold separately)

18" Deep Systems



QSBU-260 18"D x 36"W x 75"H 6 shelves and 15 QUS260 18"L x 11"W x 10"H bins (Windows and dividers sold separately)



QSBU-265 18"D x 36"W x 75"H 7 shelves and 24 QUS265 18"L x 8-1/4"W x 9"H bins



QSBU-270 18"D x 36"W x 75"H 6 shelves and 10 QUS270 18"L x 16-1/2"W x 11"H bins



Steel Shelving Systems - Complete Packages

COMPLETE PACKAGES

with bins!



Units on this side of page are also available on Wire Shelving see pg. 105

Shipping

18" Deep Systems



QSBU-600 18"D x 36"W x 75"H 6 shelves and 15 QGH600

17-1/2"L x 10-7/8"W x 12-1/2"H bins



QSBU-700 18"D x 42"W x 75"H 6 shelves and 10 QGH700 15-1/4"L x 19-7/8"W x 12-7/16"H bins

QSBU-600800 18"D x 36"W x 75"H 6 shelves, 6 QGH600 17-1/2"L x 10-7/8"W x 12-1/2"H bins and 6 OGH800 17-1/2"L x 16-1/2"W x 12-1/2"H bins



QSBU-800 18"D x 36"W x 75"H 6 shelves and 10 QGH800 17-1/2"L x 16-1/2"W x 12-1/2"H bins



MSU-16-MIX 18"D x 42"W x 75"H 7 shelves, 4 QMS543 19-3/4"L x 18-3/8"W x 11-7/8"H bins, 3 QMS533 19-3/4"L x 12-3/8"W x 11-7/8"H bins, 6 QMS532 19-3/4"L x 12-3/8"W x 7-7/8"H bins, and **3 QMS531** 19-3/4"L x 12-3/8"W x 5-7/8"H bins



MSU-533 18"D x 42"W x 75"H 6 shelves and 15 QMS533 19-3/4"L x 12-3/8"W x 11-7/8"H bins

18" Deep Systems



MSU-532 18"D x 42"W x 75"H 8 shelves and 21 QMS532 19-3/4"L x 12-3/8"W x 7-7/8"H bins



MSU-543 18"D x 42"W x 75"H 6 shelves and 10 QMS543 19-3/4"L x 18-3/8"W x 11-7/8" bins



HULK 24" Container Steel Shelving Systems - Complete Packages



2475-950 24"D x 36"W x 75"H **8 shelves** and **28 QUS950** 23-7/8"L x 8-1/4"W x 7"H bins



2475-951 24"D x 36"W x 75"H **7 shelves** and **24 QUS951** 23-7/8"L x 8-1/4"W x 9"H bins



2475-952 24"D x 36"W x 75"H **8 shelves** and **21 QUS952** 23-7/8"L x 11"W x 7"H bins



2475-953 24"D x 36"W x 75"H **6 shelves** and **15 QUS953** 23-7/8"L x 11"W x 10"H bins

COMPLETE PACKAGES with containers!





Units on this page are also available on Wire Shelving see pg. 99



2475-954 24"D x 36"W x 75"H **6 shelves** and **10 QUS954** 23-7/8"L x 16-1/2"W x 11"H bins



2475-950952 24"D x 36"W x 75"H 8 shelves and 12 QUS950 23-7/8"L x 8-1/4"W x 7"H bins and 12 QUS952 23-7/8"L x 11"W x 7"H bins



2475-953954 24"D x 36"W x 75"H **6 shelves** and **9 QU5953** 23-7/8"L x 11"W x 10"H bins and **4 QU5954** 23-7/8"L x 16-1/2"W x 11"H bins



2475-20-MIX 24"D x 36"W x 75"H 7 shelves and 8 QUS950 23-7/8"L x 8-1/4"W x 7"H bins and 3 QUS952 23-7/8"L x 11"W x 7"H bins and 4 QUS951 23-7/8"L x 8-1/4"W x 9"H bins and 3 QUS953 23-7/8"L x 11"W x 10"H bins and 2 QUS954 23-7/8"L x 16-1/2"W x 11"H bins





Dust Free and Secure Storage! Open and Closed Shelving Systems with Super Tuff Drawers Complete Packages

Save time locating parts using our tough Euro Drawers with our sturdy open or closed steel shelving. 36" wide x 75" or 39" high units offer heavy-duty, high grade shelving with a 400 lb. capacity per shelf. Closed shelving provides a dust free environment for stored parts. Shelving is Gray, drawers are available in Blue, Red, Yellow or Gray.

COMPLETE PACKAGES with Bins!

MORE ECONOMICAL SOLUTION compared to higher cost steel drawer units

HEAVY-DENSITY HEAVY-DUTY storage

Heavy- Density Heavy-Duty Storage!



1239-601 (No Side or Back Panels)

Available in:
Blue
Red
Yellow
Gray

1275-401* 108 QED401 1275-501 108 QED501 1275-601 72 QED601 1275-701 48 QED701 1275-801 36 QED801 1275-000 UN Open 18" x 36" x 1875-602 72 QED602 1875-604 108 QED604 1875-624 36 QED602	3-3/4" x 4-5/8" 5-9/16" x 4-5/8" 8-3/8" x 4-5/8" 11-1/8" x 4-5/8" IT - NO BINS :75", 13 Shelf Unit 5-9/16" x 4-5/8" 4 3-3/4" x 4-5/8"	SHIP WGT 190 173 150 149 147 87 87 213 245 229					
1275-401* 108 QED401 1275-501 108 QED501 1275-601 72 QED601 1275-701 48 QED701 1275-801 36 QED801 1275-000 UN Open 18" x 36" x 1875-602 72 QED602 1875-604 108 QED604 1875-624 36 QED602	5-9/16" x 2-5/8" 3-3/4" x 4-5/8" 5-9/16" x 4-5/8" 11-1/8" x 4-5/8" 11-1/8" x 4-5/8" 11-1/8" x 4-5/8" 17 - NO BINS 75", 13 Shelf Unit 5-9/16" x 4-5/8" 4 3-3/4" x 4-5/8" 5-9/16" x 4-5/8"	173 150 149 147 87 213 245					
1275-501 108 QED501 1275-601 72 QED601 1275-701 48 QED701 1275-801 36 QED801 1275-000 UN Open 18" x 36" x 1875-602 72 QED602 1875-604 108 QED604 1875-624 36 QED602	3-3/4" x 4-5/8" 5-9/16" x 4-5/8" 8-3/8" x 4-5/8" 11-1/8" x 4-5/8" IT - NO BINS :75", 13 Shelf Unit 5-9/16" x 4-5/8" 4 3-3/4" x 4-5/8" 5-9/16" x 4-5/8"	173 150 149 147 87 213 245					
1275-601 72 QED601 1275-701 48 QED701 1275-801 36 QED801 1275-000 UN Open 18" x 36" x 1875-602 72 QED602 1875-604 108 QED604 1875-624 36 QED602	5-9/16" x 4-5/8" 8-3/8" x 4-5/8" 11-1/8" x 4-5/8" IT - NO BINS iT - NO BINS i 75", 13 Shelf Unit 5-9/16" x 4-5/8" 4 3-3/4" x 4-5/8" 5-9/16" x 4-5/8"	150 149 147 87 213 245					
1275-701 48 QED701 1275-801 36 QED801 1275-000 UN Open 18" x 36" x 1875-602 72 QED602 1875-604 108 QED604 1875-624 36 QED602	8-3/8" x 4-5/8" 11-1/8" x 4-5/8" IT - NO BINS :75", 13 Shelf Unit 5-9/16" x 4-5/8" 4 3-3/4" x 4-5/8" 5-9/16" x 4-5/8"	149 147 87 213 245					
1275-801 36 QED801 1275-000 UN Open 18" x 36" x 1875-602 72 QED602 1875-604 108 QED604 1875-624 ³⁶ QED602	11-1/8" x 4-5/8" IT - NO BINS 5-9/16" x 4-5/8" 4 3-3/4" x 4-5/8" 5-9/16" x 4-5/8"	147 87 213 245					
1275-000 UN Open 18" x 36" x 1875-602 72 QED602 1875-604 108 QED604 1875-624 ³⁶ QED602	IT - NO BINS 75", 13 Shelf Unit 5-9/16" x 4-5/8" 3 -3/4" x 4-5/8" 5-9/16" x 4-5/8"	87 213 245					
Open 18" x 36" x 1875-602 72 QED602 1875-604 108 QED604 1875-624 36 QED602	2 75", 13 Shelf Unit 5-9/16" x 4-5/8" 4 3-3/4" x 4-5/8" 5-9/16" x 4-5/8"	213 245					
1875-602 72 QED602 1875-604 108 QED602 1875-624 36 QED602	5-9/16" x 4-5/8" 4 3-3/4" x 4-5/8" 5-9/16" x 4-5/8"	245					
1875-604 108 QED604 36 QED602	4 3-3/4" x 4-5/8" 5-9/16" x 4-5/8"	245					
36 QED602	5-9/16" x 4-5/8"						
1875-624		229					
	3-3/4" x 4-5/8"	229					
1875-606 48 QED606	8-3/8" x 4-5/8"	204					
1875-000 UN	IT - NO BINS	114					
Open 24" x 36" x 75", 13 Shelf Unit							
2475-603 72 QED603	5-9/16" x 4-5/8"	330					
Open 12" x 36" x 39", 7 Shelf Unit							
1239-401** 54 QED401	5-9/16" x 2-5/8"	100					
1239-601 36 QED601	5-9/16" x 4-5/8"	78					
1239-000 UN	IT - NO BINS	49					
Open 18" x 36":	x 39", 7 Shelf Unit						
1839-602 36 QED602	5-9/16" x 4-5/8"	113					
1839-604 54 QED604	3-3/4" x 4-5/8"	129					
18 QED602	5-9/16" x 4-5/8"	121					
1839-624 27 QED604	3-3/4" x 4-5/8"	121					
1839-000 UN	IT - NO BINS	63					
Open 24" x 36"	x 39", 7 Shelf Unit						
2439-603 36 QED603	5-9/16" x 4-5/8"	163					
Unit includes 19 shelves. ** Unit includes 10) shelves.						

	NO. OF	BIN SIZE	SHIP
MODEL NO.	BINS	W" x H"	WGT
C	osed 12" x 36" x 7	'5", 13 Shelf Unit	
CL1275-401*	108 QED401	5-9/16" x 2-5/8"	231
CL1275-501	108 QED501	3-3/4" x 4-5/8"	215
CL1275-601	72 QED601	5-9/16" x 4-5/8"	192
CL1275-701	48 QED701	8-3/8" x 4-5/8"	171
CL1275-801	36 QED801	11-1/8" x 4-5/8"	189
CL1275-000	UNIT	- NO BINS	129
c	losed 18" x 36" x 3	75", 13 Shelf Unit	
CL1875-602	72 QED602	5-9/16" x 4-5/8"	266
CL1875-604	108 QED604	3-3/4" x 4-5/8"	287
CL1875-624	36 QED602	5-9/16" x 4-5/8"	276
CL18/3-024	54 QED604	3-3/4" x 4-5/8"	270
CL1875-606	48 QED606	8-3/8" x 4-5/8"	237
CL1875-000	UNIT	167	
C	osed 24" x 36" x 7	'5", 13 Shelf Unit	
CL2475-603	72 QED603	5-9/16" x 4-5/8"	360
	Closed 12" x 36" x	39", 7 Shelf Unit	
CL1239-401**	54 QED401	5-9/16" x 2-5/8"	121
CL1239-601	36 QED601	5-9/16" x 4-5/8"	99
CL1239-000	UNIT	- NO BINS	70
	Closed 18" x 36" x	39", 7 Shelf Unit	
CL1839-602	36 QED602	5-9/16" x 4-5/8"	139
CL1839-604	54 QED604	3-3/4" x 4-5/8"	155
CL1839-624	18 QED602	5-9/16" x 4-5/8"	147
CL1839-024	27 QED604	3-3/4" x 4-5/8"	147
CL1839-000	UNIT	- NO BINS	89
	Closed 24" x 36" x	39", 7 Shelf Unit	
CL2439-603	36 QED603	5-9/16" x 4-5/8"	198

* Unit includes 19 shelves. ** Unit includes 10 shelves.



Shelf Bin Steel Shelving Systems Complete Packages

Economical small parts storage steel systems keep parts easily accessible. Open hopper front bins with label area provide fast access to stored items. This all-in-one unit is easy to clean and will not rust or corrode. Heavy-duty, high grade shelving offers a 400 lb. capacity per shelf. 36" wide shelving has a smooth powder coat finish. Bins are available in Blue, Green, Ivory, Red, Yellow, Black and Clear.



Available in:
Blue Green Ivory
Red Yellow
Black

/wandbie ini.	Clear		Diack
MODEL NO.	NO. OF BINS	BIN SIZE L" x W' x H"	SHIP WGT
	12" x 36" x 7	5" Unit, 13 Shelves	
1275-100	144 QSB100	11-5/8" x 2-3/4" x 4"	139 lbs
1275-101	96 QSB101	11-5/8" x 4-1/8" x 4"	117 lbs
1275-102	60 QSB102	11-5/8" x 6-5/8" x 4"	115 lbs
1275-107	48 QSB107	11-5/8" x 8-3/8" x 4"	120 lbs
1275-109	36 QSB109	11-5/8" x 11-1/8" x 4"	119 lbs
1275-000	Shelving	Unit - No Bins	87 lbs
	12" x 36" x 3	39" Unit, 7 Shelves	
1239-100	72 QSB100	11-5/8" x 2-3/4" x 4"	75 lbs
1239-101	48 QSB101	11-5/8" x 4-1/8" x 4"	67 lbs
1239-102	30 QSB102	11-5/8" x 6-5/8" x 4"	63 lbs
1239-107	24 QSB107	11-5/8" x 8-3/8" x 4"	64 lbs
1239-109	18 QSB109	11-5/8" x 11-1/8" x 4"	65 lbs
1239-000	Shelving	Unit - No Bins	49 lbs
	18" x 36" x 7	5" Unit, 13 Shelves	
1875-103	96 QSB103	17-7/8" x 4-1/8" x 4"	161 lbs
1875-104	60 QSB104	17-7/8" x 6-5/8" x 4"	155 lbs
1875-108	48 QSB108	17-7/8" x 8-3/8" x 4"	161 lbs
1875-110	36 QSB110	17-7/8" x 11-1/8" x 4"	158 lbs
1875-000	Shelving	Unit - No Bins	113 lbs
	18" x 36" x 3	39" Unit, 7 Shelves	
1839-103	48 QSB103	17-7/8" x 4-1/8" x 4"	87 lbs
1839-104	30 QSB104	17-7/8" x 6-5/8" x 4"	84 lbs
1839-108	24 QSB108	17-7/8" x 8-3/8" x 4"	87 lbs
1839-110	18 QSB110	17-7/8" x 11-1/8" x 4"	86 lbs
1839-000	Shelving I	Unit - No Bins	63 lbs





REAR 'V' LOCK enables bins to be hung from shelf above when in use



Economical small parts storage systems keep parts easily accessible!

Color code products to simplify order picking and inventory control!

COMPLETE PACKAGES with bins!

Units on this page are also available on Wire Shelving see pg. 109



142 SHELF BIN STEEL SHELVING SYSTEMS

Available in: Blue Green Ivory Red Yellow Black Clear

Shipping

	eleal		
MODEL NO.	NO. OF BINS	BIN SIZE L" x W" x H"	SHIP WGT
	BENCH RACKS 12" x 36	" x 23" Unit, 3 Shelves	
QPRHA-100	36 QSB100	11-5/8" x 2-3/4" x 4"	41 lbs
QPRHA-101	24 QSB101	11-5/8" x 4-1/8" x 4"	38 lbs
QPRHA-102	15 QSB102	11-5/8" x 6-5/8" x 4"	36 lbs
QPRHA-107	12 QSB107	11-5/8" x 8-3/8" x 4"	36 lbs
QPRHA-109	9 QSB109	11-5/8" x 11-1/8" x 4"	37 lbs
QPRHA-000	BENCH RAG	CK ONLY - NO BINS	
SIN	GLE SIDED RACKS 12" x	36" x 60" Unit, 8 Shelves	
QPRS-100	96 QSB100	11-5/8" x 2-3/4" x 4"	99 lbs
QPRS-101	64 QSB101	11-5/8" x 4-1/8" x 4"	85 lbs
QPRS-102	40 QSB102	11-5/8" x 6-5/8" x 4"	80 lbs
QPRS-107	32 QSB107	11-5/8" x 8-3/8" x 4"	81 lbs
QPRS-109	24 QSB109	11-5/8" x 11-1/8" x 4"	83 lbs
QPRS-000	RACK ON	NLY - NO BINS	
DOU	JBLE SIDED RACK 24" x	36" x 60" Unit, 16 Shelves	
QPRD-100	192 QSB100	11-5/8" x 2-3/4" x 4"	195 lbs
QPRD-101	128 QSB101	11-5/8" x 4-1/8" x 4"	169 lbs
QPRD-102	80 QSB102	11-5/8" x 6-5/8" x 4"	158 lbs
QPRD-107	64 QSB107	11-5/8" x 8-3/8" x 4"	160 lbs
QPRD-109	48 QSB109	11-5/8" x 11-1/8" x 4"	163 lbs
QPRD-000	RACK ON	NLY - NO BINS	
QDU-00	MOBILE KIT - Mobiliz	zes all double sided units	
All Dealth Chief In	the second state of a state ball of the state of	the end data of the bits life. To the	000100

*All Double Sided Units available as Mobile Units with addition of Mobile Kit. Twelve QSB100, eight QSB101, five QSB102, four QSB107, five QSB103, five QUS230, three QUS235, and two QUS245 fit across a standard 36° wide pick rack shelf.

SLOPED SHELVES! EASY ACCESS! Most Popular & Versatile Storage Systems Sold!

Economy Shelf Bin Sloped Shelving Systems



Pick Racks provide a convenient high density, easy access, sloped shelving system, available as bench units, single and double sided free standing and mobile units. Unit comes complete with Economical Shelf Bins. Sloped shelving unit keeps small and medium sized parts easily accessible. Open hopper front bins with label area, provide fast access to stored items. This all-in-one unit is easy to clean and will not rust or corrode. See chart for configurations. Bins are available in Blue, Green, Ivory, Red, Yellow, Black and Clear. One bin color per unit.



QPRD-102 + QDU-00 Mobile, Double Sided Pick Rack 1,000 lb. capacity.



QPRD-107 Double Sided Pick Rack 800 lb. capacity.



QPRS-101 Single Sided Pick Rack 400 lb. capacity.

FACILITIES STORAGE | ULTRA STACK AND HANG COMPLETE PACKAGE UNITS



Single & Double Sided Rail Units Complete Packages

Single Sided Unit: 36"L x 15"W x 53"H. 250 lb. capacity. Available in 4 different configurations.

Double Sided Unit: $36^{\prime\prime}L \times 20^{\prime\prime}W \times 53^{\prime\prime}H$. 500 lb. capacity. Available in 4 different configurations. Mobilize double sided unit with the addition of **QRU-MOB**. Bins are available in Blue, Green, Ivory, Red, Yellow, Black and Clear.

QRU-16S-220230240



MODEL NO.	NO. OF BINS	BIN DIMENSION L" x W" x H"	SHIP WGT
Single Sided Rail	System 3	36"L x 15"W x 53"H With	Bins
QRU-12S-220-96	96	7-3/8" x 4-1/8" x 3"	82 lbs
QRU-16S-230-48	48	10-7/8" x 5-1/2" x 5"	108 lbs
QRU-12S-240-24	24	14-3/4" x 8-1/4" x 7"	102 lbs
	16	7-3/8" x 4-1/8" x 3"	
QRU-16S-220230240	18	10-7/8" x 5-1/2" x 5"	108 lbs
	12	14-3/4" x 8-1/4" x 7"	
Double Sided Rail	System	36"L x 20"W x 53"H With	Bins
QRU-12D-220-192	192	7-3/8" x 4-1/8" x 3"	113 lbs
QRU-16D-230-96	96	10-7/8" x 5-1/2" x 5"	155 lbs
QRU-12D-240-48	48	14-3/4" x 8-1/4" x 7"	153 lbs
QRU-MOB	Mobili	zes double sided units	25 lbs

Bench Racks - Complete Packages

Bench Racks: $36''L \times 8''W \times 19''H$ and $27''L \times 8''W \times 21''H$. Both bench racks are available in 3 pre-configured choices. Bench racks can be joined together to form continuous systems. Bins are available in Blue, Green, Ivory, Red, Yellow, Black and Clear.

QBR-3619-210-32

Louvered Panel - Complete Packages

Louvered Panels: $18"L \times 19"H$, $36"L \times 19"H$, $36"L \times 61"H$ and $48"L \times 61"H$. Each available in 3 configurations. Louvered Panels are available in Gray or Oyster White color. To order a Oyster White Louvered Panel add HC to the model number (*i.e.* **QLP-1819HC-210-18**). Bins are available in Blue, Green, Ivory, Red, Yellow, Black and Clear.

QLP-1819-220-16



MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
Bench Rac	k 27"L x 8'	'W x 21"H With Bins	
QBR-2721-210-24	24	5-3/8" x 4-1/8" x 3"	23 lbs
QBR-2721-220-24	24	7-3/8" x 4-1/8" x 3"	25 lbs
QBR-2721-230-12	12	10-7/8" x 5-1/2" x 5"	28 lbs
Bench Rac	k 36"L x 8'	"W x 19"H With Bins	
QBR-3619-210-32	32	5-3/8" x 4-1/8" x 3"	29 lbs
QBR-3619-220-32	32	7-3/8" x 4-1/8" x 3"	31 lbs
QBR-3619-230-18	18	10-7/8" x 5-1/2" x 5"	37 lbs

MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
Louvered I	Panel 18"L	x 19"H With Bins	
QLP-1819-210-16	16	5-3/8" x 4-1/8" x 3"	11 lbs
QLP-1819-220-16	16	7-3/8" x 4-1/8" x 3"	12 lbs
QLP-1819-230-9	9	10-7/8" x 5-1/2" x 5"	16 lbs
Louvered I	Panel 36"L	x 19"H With Bins	
QLP-3619-210-32	32	5-3/8" x 4-1/8" x 3"	22 lbs
QLP-3619-220-32	32	7-3/8" x 4-1/8" x 3"	24 lbs
QLP-3619-230-18	18	10-7/8" x 5-1/2" x 5"	30 lbs
Louvered I	Panel 36"L	x 61"H With Bins	
QLP-3661-220-120	120	7-3/8" x 4-1/8" x 3"	80 lbs
QLP-3661-230-60	60	10-7/8" x 5-1/2" x 5"	90 lbs
QLP-3661-240-28	28	14-3/4" x 8-1/4" x 7"	96 lbs
Louvered I	Panel 48"L	x 61"H With Bins	
QLP-4861-220-165	165	7-3/8" x 4-1/8" x 3"	115 lbs
QLP-4861-230-80	80	10-7/8" x 5-1/2" x 5"	127 lbs
QLP-4861-240-35	35	14-3/4" x 8-1/4" x 7"	130 lbs

MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
QMD-36H-220	240	7-3/8" x 4-1/8" x 3"	174 lbs
QMD-36H-230	120	10-7/8" x 5-1/2" x 5"	212 lbs
QMD-36H-240	56	14-3/4" x 8-1/4" x 7"	208 lbs
OMD-36H-230240	72	10-7/8" x 5-1/2" x 5"	217 lbs
QIVID-30H-230240	24	14-3/4" x 8-1/4" x 7"	217 105



Mobile Double Sided Louvered Rack Unit *Complete Packages*

Louvered Rack Unit: 36"L x 25"W x 72"H Mobile unit 1,200 lb. capacity. Bins available in Blue, Green, Ivory, Red, Yellow, Black and Clear.

QMD-36H-230240

COMPLETE PACKAGES with bins!



	2.27
ULTRA STACK AND HANG COMPLETE PACKAGE UNITS	

M1836C47RE-5 - M2460C47RE-5... 55

	MODEL NO	
1	1006DHB - 1606DHB	
	1017HBC - 1035HBC	
	1224C - 1272C	
	1236P - 1272P	38
	1236S - 1272S	38
	1239-000 - 1239-109	142
	1239-401 - 1239-601	141
	1275-000 - 1275-109	142
	1275-401 - 1275-801	141
	149DC - 2012DC	15,48
	1424C - 1472C	38
	1430S - 1472S	38
	1436BC - 204812BC	48
	1436P - 1472P	38
	1436SG - 1472SG	39
	1436SS- 1472SS	39
	1617HBC - 1635HBC	7
	1824C - 1872C	38
	1824S - 1872S	
	1824SG - 1872SG	
	1824SS - 1872SS	39
	1826TR	
	1830P - 1872P	
	183614DE - 246014DE	
	183614PC - 246014PC	
		74
		74
	1836BC6C - 2448BC6C	
	1836DS - 2460DS	
	1836FC - 2460FC	
	1836FE - 2460FE	
	1836FS - 2460FS	
	1836SL - 2448SL	
	1836SL6C - 2448SL6C	
		77
	1839-000 - 1839-110	
	1839-602 - 1839-624	
	1875-000 - 1875-110	
	1875-602 - 1875-624	
	18-M-HAMP	
	18TB - 36TB	
2	2026TRGY - 2026TRWT	
	2124C - 2172C	
	2124S - 2172S	
	2124SG - 2172SG	
	2124SS - 2172SS	
	2130P - 2172P	38
	2424C - 2472C	38
	2424S - 2472S	38
	2424SG - 2472SG	39
	2424SS - 2472SS	39
	2430P - 2472P	38
	243660EPC - 246060EPC	60
	2436-63SEC	60
	2439-603 - 2475-603	141
	2448-63SEC	60
	2460-63SEC	60
	2475-20-MIX - 2475-954	140
3	3036C - 3072C	38

	3036P - 3072P	38		B
	3036S - 3072S	38		BI
	362412DPP - 963612DPP	73,118		BI
	362412DPS - 963612DPS	73,118		B
	3636C - 3672C	36		
	3636P - 3672P	36		B
	3636S - 3672S			•••
	36BH - 60BH			B
	39-1236-4 - 39-1842-6			•••
	52RT - 84RT			BI
	75-1236-4 - 75-1842-8			
Α	AD54-1236C - AD54-3672C			B
	AD54-1236C-5 - AD54-3672C-5		С	
	AD54-1236P - AD54-3672P			C.
	AD54-1236P-5 - AD54-3672P-5			C.
	AD54-1236S - AD54-3672S			C.
	AD54-1236S-5 - AD54-3672S-5			C.
	AD54-1436SG - AD54-2472SG			C.
	AD54-1436SG-5 - AD54-2472SG-5. AD63-1236C - AD63-3672C			C.
	AD63-1236C-5 - AD63-3672C-5			C.
	AD63-1236P - AD63-3672P			C
	AD63-1236P-5 - AD63-3672P-5			0
	AD63-1236S - AD63-3672S			0
	AD63-1236S-5 - AD63-3672S-5			0
	AD63-1436SG - AD63-2472SG			c
	AD63-1436SG-5 - AD63-2472SG-5			c
	AD74-1236C - AD74-3672C			c
	AD74-1236C-5 - AD74-3672C-5			c
	AD74-1236P - AD74-3672P			c
	AD74-1236P-5 - AD74-3672P-5			С
	AD74-1236S - AD74-3672S			С
	AD74-1236S-5 - AD74-3672S-5	42		С
	AD74-1436SG - AD74-2472SG	46		С
	AD74-1436SG-5 - AD74-2472SG-5.	47		С
	AD86-1236C - AD86-3672C	43		С
	AD86-1236C-5 - AD86-3672C-5	43	D	D
	AD86-1236P - AD86-3672P	43		D
	AD86-1236P-5 - AD86-3672P-5	43		D
	AD86-1236S - AD86-3672S	43		D
	AD86-1236S-5 - AD86-3672S-5	43		D
	AD86-1436SG - AD86-2472SG	46		D
	AD86-1436SG-5 - AD86-2472SG-5.	47		D
	A-MC-AA34-33369	25		D
	A-MC-AA39-33369	27		D
	A-MC-CB	27		D
	A-MC-IV	27		D
	A-MC-OTH	27		D
	A-MC-PR	25		D
	A-MC-SUH			D
В	BC212434M1 - BC212434M1CL			D
	BC212439M2 - BC212439M2CL			D
	BC212469M1 - BC212469M1CL			D
	BC212469M2 - BC212469M2CL			D
	BC212469M - BC212469M11			D
	BC212439M4 - BC212439M7			D
	BC214045M1D - BC214045M14D			D
	BC214069M1D - BC214069M22D			D
	BC216045M1T - BC216045M21T			D
	BC216069M1T - BC216069M33T	07		D

	BL36 - BL72	77	
	BL36S - BL72S		
	BLH3C - BLH32C		
	BR60-2460-3WD	10	
	BR72-4872-3WD	136	
	BR60-2472-3SD	150	
		100	
	BR72-4872-3SD	136	
	BRA60-2460-3WD		
	BRA72-4872-3WD	136	
	BRA60-2472-3SD		
	BRA72-4872-3SD	136	
	BSK1824C - BSK2460C	50	
2	CAN-34-36BH-230	15	
	CAN-34-48BH-230	15	
	CAN-34-60BH-230	15	
	CAN-34-1436BC-PWB	15	
	CAN-34-1448BC-PWB		
	CAN-34-203612BC-PWB		
	CAN-34-2036BC-PWB		
	CAN-34-204812BC-PWB		
	CAN-34-2048BC-PWB		
	CB14 - CB24		
	CC183663 - CC247263	61	
	CC183663CV - CC247263CV	61	
	CC183674 - CC247274	61	
	CC183674CV - CC247274CV	61	
	CD965 - CD1887	114	
	CL1239-000 - CL1239-601	141	
	CL1275-000 - CL1275-801	141	
	CL1839-000 - CL1839-624	141	
	CL1875-000 - CL1875-624		
	CL2439-603 - CL2475-603		
	CL39-1236-4 - CL39-1836-6		
	CL75-1236-4 - CL75-1836-8		
	COV210 - COV240		
	COV91000 - COV93000CL		
)	DB	79	
	DB1836C - DB2460C	76	
	DB1836S - DB2460S	76	
	DCB14 - DCB24	14	
	DDC91000CL - DDC93000CL	117	
	DDS-24	76	
	DG91035 - DG93120	117	
	DG91035CL - DG93120CL	82	
	DH8	77	
	DIV12 - DIV36	77	
	DIV12S - DIV36S		
	DIV18SL - DIV24SL		
	DIV201 - DIV204		
	DIV201 - DIV204		
	DIV400		
	DIV401 - DIV801		ļ
	DL91035 - DL93120		
	DLT-6		
	DLY-2415	122	
	DLY-3018	106,120	
	DMS531 - DMS543	106	
	DS18-24	76	
	DS91035 - DS93120	117	
	DSB101 - DSB116	108	

DSB201 - DSB216	. 110
DSB801 - DSB816	. 112
DSS401 - DSS405	. 96
DUS200 - DUS270	. 88
DUS950 - DUS955	. 98
DUS970 - DUS976	. 100
DUS993 - DUS997	. 100
DWB14 - DWB24	. 14
E EL-12406	73
ELH410 - ELH445	. 108,110
EP126 - EP228	76
EP126S - EP228S	76
ESD-DC - ESD-SS	. 78
F FG - FP	78
G G-725	. 129
G-725304-28	129
G-725305-36	129
G-725306-56	129
G-725309-80	
G-725569-56	
GR24 - GR60	
GSP-2448 - GSP-2472	
GSP-5HOOK-16	
GSP-B12128	
GSP-HOOK6	
GSP-HOOK10	
GSP-SB12128	
GSP-SS2215	
GSP-WMHD	
H HANDLE-DLY	,
HB18C - HB60C	
HB18S - HB60S	
HBL3C - HBL32C	
HD18 - HD36	
HD18-2 - HD36-3	
HNS006	
HNS200 - HNS230	
IDR201 - IDR204	
K KEYBD	
L LBL2X8 - LBL5X8	
L LBL2X8 - LBL5X8 LD965- LD1887	. 117
	. 117 . 114
LD965- LD1887	. 117 . 114 . 104
LD965- LD1887 LGH700	. 117 . 114 . 104 . 76
LD965- LD1887 LGH700 LH3B	. 117 . 114 . 104 . 76 . 76
LD965- LD1887 LGH700 LH3B LH3C - LH69C	. 117 . 114 . 104 . 76 . 76 . 76
LD965- LD1887 LGH700 LH3B LH3C - LH69C LHA3C.	. 117 . 114 . 104 . 76 . 76 . 76 . 120
LD965- LD1887 LGH700 LH3B LH3C - LH69C LHA3C LID1711 - LID2516-8	. 117 . 114 . 104 . 76 . 76 . 76 . 120 . 118
LD965- LD1887 LGH700 LH3B LH3C - LH69C LHA3C LID1711 - LID2516-8 LID181 - LID301	. 117 . 114 . 104 . 76 . 76 . 76 . 120 . 118 . 87
LD965- LD1887 LGH700. LH3B LH3C - LH69C LHA3C. LID1711 - LID2516-8 LID181 - LID301. LTR-0813.	. 117 . 114 . 104 . 76 . 76 . 76 . 120 . 118 . 87 . 87
LD965- LD1887 LGH700 LH3B LH3C - LH69C LHA3C LID1711 - LID2516-8 LID181 - LID301 LTR-0813 LTR-1253 - LTR-2400	. 117 114 . 104 76 76 . 120 . 118 . 87 . 87 . 135
LD965- LD1887 LGH700 LH3B LH3C - LH69C LHA3C LID1711 - LID2516-8 LID181 - LID301 LTR-0813 LTR-0813 LTR-1253 - LTR-2400 LWB-3460A-HT - LWB-3472A-ST	. 117 114 . 104 76 76 76 . 120 . 118 .87 . 135 135
LD965- LD1887 LGH700 LH3B LH3C - LH69C LHA3C LID1711 - LID2516-8 LID1711 - LID301 LTR-0813. LTR-1253 - LTR-2400 LWB-3460A-HT - LWB-3472A-ST LWB-346032-HT - LWB-347232-ST	. 117 114 . 104 . 76 . 76 . 76 . 120 . 118 . 87 . 87 . 135 . 135 . 74
LD965- LD1887 LGH700 LH3B LH3C - LH69C LHA3C LID1711 - LID2516-8 LID181 - LID301 LTR-0813 LTR-1253 - LTR-2400 LWB-3460A-HT - LWB-3472A-ST LWB-346032-HT - LWB-347232-ST M M18366DE - M24606DE	. 117 114 . 104 76 76 76 . 120 . 118 .87 .135 135 74 .49
LD965- LD1887 LGH700 LH3B LH3C - LH69C LHA3C LID1711 - LID2516-8 LID181 - LID301 LTR-0813 LTR-1253 - LTR-2400 LWB-3460A-HT - LWB-3472A-ST LWB-346032-HT - LWB-347232-ST M18366DE - M24606DE M1836BC6C - M2448BC6C	. 117 . 114 . 104 . 76 . 76 . 76 . 120 . 118 . 87 . 135 . 135 . 135 . 74 . 49 . 52
LD965- LD1887 LGH700 LH3B LH3C - LH69C LHA3C LID1711 - LID2516-8 LID181 - LID301 LTR-0813 LTR-1253 - LTR-2400 LWB-3460A-HT - LWB-3472A-ST LWB-346032-HT - LWB-347232-ST M M18366DE - M24606DE M1836BC6C - M2448BC6C M1836C46 - M2460C46	. 117 . 114 . 104 . 76 . 76 . 76 . 120 . 118 . 87 . 135 . 135 . 135 . 135 . 135 . 135 . 52 . 53
LD965- LD1887 LGH700 LH3B LH3C - LH69C LHA3C LID1711 - LID2516-8 LID181 - LID301 LTR-0813 LTR-1253 - LTR-2400 LWB-3460A-HT - LWB-3472A-ST LWB-346032-HT - LWB-347232-ST M M18366DE - M24606DE M1836BC6C - M2448BC6C M1836C46 - M2460C46 M1836C46-5 - M2460C46-5	. 117 . 114 . 104 . 76 . 76 . 76 . 120 . 118 . 87 . 135 . 135 . 135 . 54
LD965- LD1887 LGH700 LH3B LH3C - LH69C LHA3C LID1711 - LID2516-8 LID181 - LID301 LTR-0813 LTR-1253 - LTR-2400 LWB-3460A-HT - LWB-3472A-ST LWB-346032-HT - LWB-347232-ST M M18366DE - M24606DE M18366DE - M2460C46 M1836C46 - M2460C46 M1836C46-5 - M2460C46-5 M1836C46RE - M2460C46RE	. 117 . 114 . 104 . 76 . 76 . 76 . 120 . 118 . 87 . 135 . 135 . 135 . 74 . 49 . 52 . 53 . 54 . 55
LD965- LD1887 LGH700 LH3B LH3C - LH69C LHA3C LID1711 - LID2516-8 LID181 - LID301 LTR-0813 LTR-1253 - LTR-2400 LWB-3460A-HT - LWB-3472A-ST LWB-346032-HT - LWB-347232-ST M18366DE - M24606DE M18366DE - M2460C46 M1836C46 - M2460C46 M1836C46-5 - M2460C46FE M1836C46RE - M2460C46RE M1836C46RE-5 - M2460C46RE	. 117 . 114 . 104 . 76 . 76 . 120 . 118 . 87 . 135 . 135 . 135 . 74 . 49 . 52 . 53 . 54 . 55 . 52
LD965- LD1887 LGH700 LH3B LH3C - LH69C LHA3C LID1711 - LID2516-8 LID1711 - LID2516-8 LID181 - LID301 LTR-0813 LTR-1253 - LTR-2400 LWB-346032-HT - LWB-3472A-ST LWB-346032-HT - LWB-347232-ST M M18366DE - M24606DE M18366C6 - M24606DE M1836C46 - M2460C46 M1836C46- S - M2460C46 M1836C46RE - M2460C46RE M1836C46RE-5 - M2460C46RE M1836C46RE-5 - M2460C46RE M1836C467 - M2460C47	. 117 . 114 . 104 . 76 . 76 . 120 . 118 . 87 . 135 . 135 . 135 . 74 . 49 . 52 . 53 . 54 . 55 . 52 . 53

		W1030C4711E-3 - W2400C4711E-3	55
		M1836CG46 - M2460CG46	52
		M1836CG46-5 - M2460CG46-5	53
		M1836CG46RE - M2460CG46RE	56
		M1836CG46RE-5	
		M2460CG46RE-5	
		M1836CG47 - M2460CG47	52
		M1836CG47-5 - M2460CG47-5	53
		M1836CG47RE - M2460CG47RE	56
)		M1836CG47RE-5	
		M2460CG47RE-5	57
		M1836SG46 - M2460SG46	52
		M1836SG46-5 - M2460SG46-5	53
		M1836SG47 - M2460SG47	
		M1836SG47-5 - M2460SG47-5	
		M1836SL34C-M2448SL34C	
		M1836SL6C - M2448SL6C	62
		M2036BD - M2048BD	48
		M2430CLAN	123
		M2436-69SEC - M2460-69SEC	60
		M2436C46E - M2460C46E	54
		M2436C46E-5 - M2460C46E-5	
		MD1836C46RE - MD2460C46RE	
			54
		MD1836C46RE-5	
		MD2460C46RE-5	55
		MD1836CG46RE	
		MD2460CG46RE	56
		MD1836CG46RE-5	
		MD2460CG46RE-5	57
)		MD1836C47RE - MD2460C47RE	
		MD1836C47RE-5	
		MD2460C47RE-5	55
			55
		MD1836CG47RE	
		MD2460CG47RE	56
		MD1836CG47RE-5	
		MD2460CG47RE-5	57
		MD2436-70SEC - MD2460-70SEC	60
		MESH-240 - MESH-250	133
		MSU-16-MIX	139
		MSU-532 - MSU-543	139
		MWR4-2419-9	
		MWR5-1711-12	
		MWR7-1711-8	
		MWRS-5-92035 - MWRS-5-92080	
		MWRS-7-103 - MWRS-7-110	
		MWRS-7-602 MWRS-7-606	
	Ρ	P6C - P96C	39
		P6P - P86P	39
		P6S - P86S	39
		PC3518-33 - PC3518-33-3	
		PC3518SHELF	,
		PC4026-33 - PC4026-33-3	
		PC4026SHELF	
		PCL1 - PCL2	
		PCTH	131
		PFTC4026-33-2 - PFTC4026-33-3	33,131
		PH18 - PH36	77
		PH18S - PH36S	77
		PS-A2475-7S	17
		PS-A2475-8PT	

INDEX

PS-A2475-8WB 17
PS-DBC-14PT19
PS-DBC-7WB7S19
PS-DC2214
PS-P1874-1A7
PS-P2674-1A9
PS-PA1874-1A7
PS-PA674-1A922
PS-PD2674-2A8T6S23
PS-PDBC-1821
PS-PDH20
PS-PDL
PS-PLD2 - PS-PLD8
PS-PLH
PS-PMT16244 - PS-PMT16248 20,23
,
PS-PSBC-9
PS-PSD2 - PS-PSD8
PS-PT16242 - PS-PT16244 20,23
PS-PT2674-2A18T5S23
PS-PTS 20
PS-S2475-7S17
PS-S2475-8PT 17
PS-S2475-8WB
PS-SBC58-6PT
PS-SBC58-6S18
PS-SBC58-6WB 18
PS-SE - PS-SSE20
PS-TS22184C20
PS-TS22184WT 20
PS-WB22143 - PSWB22148 20
PS-WBLD-3 - PS-WBLD-8
PS-WBLD-3 - PS-WBLD-8
PS-WBSD-3 - PS-WBSD-8 20
PS-WBSD-3 - PS-WBSD-8
PS-WBSD-3 - PS-WBSD-8
PS-WBSD-3 - PS-WBSD-820 PS-WS2414
PS-WBSD-3 - PS-WBSD-8
PS-WBSD-3 - PS-WBSD-820 PS-WS2414
PS-WBSD-3 - PS-WBSD-8

0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -
QFS124 - QFS270 127
QFS124-31126
QFS148-38126
QFS170-36126
QFS224-24+QFS400127
QFS224-24126
QFS248-76+QFS400127
QFS248-76126
QFS270-72+QFS400127
QFS270-72126
QFS400
QGH600104
QGH600CL
QGH700 104
QGH700CL
QGH705MOB 104
QGH705MOBCL
QGH800 104
QGH800CL 83
QGH805MOB 104
QGH805MOBCL83
QIC-12123 130
QIC-122130
QIC-161130
QIC-4163130
QIC-4244 130
QIC-64 130
QIC-8143 130
QIC-8224 130
QIC-83 130
QLP-1819 - QLP-1819HC 12,94
QLP-1819-210-16
QLP-1819-230-9 144
OLP-1861 OLP-1861HC 12.94
QLP-1861 - QLP-1861HC 12,94
QLP-272112,94
QLP-272112,94 QLP-361212,94
QLP-2721
QLP-272112,94 QLP-361212,94 QLP-3619 - QLP-3619HC12,94 QLP-3619-210-32
QLP-272112,94 QLP-361212,94 QLP-3619 - QLP-3619HC12,94 QLP-3619-210-32 QLP-3619-230-18 144
QLP-2721
QLP-2721. 12,94 QLP-3612. 12,94 QLP-3619 - QLP-3619HC. 12,94 QLP-3619-210-32.
QLP-2721. 12,94 QLP-3612. 12,94 QLP-3619 - QLP-3619HC. 12,94 QLP-3619-210-32.
QLP-2721. 12,94 QLP-3612. 12,94 QLP-3619 - QLP-3619HC. 12,94 QLP-3619-210-32.
QLP-2721. 12,94 QLP-3612. 12,94 QLP-3619 - QLP-3619HC. 12,94 QLP-3619-210-32.
QLP-2721. 12,94 QLP-3612. 12,94 QLP-3619 - QLP-3619HC. 12,94 QLP-3619-210-32. QLP-3619-230-18 144 QLP-3661-240-28 QLP-3661-220-120. QLP-3661-240-28 QLP-3661-220-120. QLP-3661-240-28 QLP-4861-220-165. QLP-4861-240-35 QLP-4861-220-165. QLP-4861-240-35 144 QLP-36510C. 10,92 QMB510C. 10,92 QMB530C. 10,92 QMB535C. 10,92 QMB539C. 10,92
QLP-2721. 12,94 QLP-3612. 12,94 QLP-3619 - QLP-3619HC. 12,94 QLP-3619-210-32.
QLP-2721. 12,94 QLP-3612. 12,94 QLP-3619 - QLP-3619HC. 12,94 QLP-3619 - QLP-3619HC. 12,94 QLP-3619-230-18 144 QLP-3661-202-320-18 144 QLP-3661-202-120. QLP-3661-240-28 144 QLP-3661-220-120. QLP-3661-240-28 144 QLP-4861-220-165. QLP-4861-240-35 144 QLP-4861-220-165. QLP-4861-240-35 144 QLRS500. 10,92 QMB510C. 10,92 QMB530C. 10,92 QMB530C. 10,92 QMB539C. 10,92 QMB530C. 10,92 QMB540C. 10,92 QMB550C. 10,92 QMB550C. 10,92 QMB550C. 10,92 QMB560C. 10,92 QMB560C. 10,92
QLP-2721. 12,94 QLP-3612. 12,94 QLP-3619 - QLP-3619HC. 12,94 QLP-3619-210-32.
QLP-2721. 12,94 QLP-3612. 12,94 QLP-3619 - QLP-3619HC. 12,94 QLP-3619-210-32.
QLP-2721. 12,94 QLP-3612. 12,94 QLP-3619 - QLP-3619HC. 12,94 QLP-3619-210-32.
QLP-2721. 12,94 QLP-3612. 12,94 QLP-3619 - QLP-3619HC. 12,94 QLP-3619-210-32.

QMS533	106
QMS543	106
QMS743	106
QMS843MOB	106
QP965 - QP1887	114
QPR-101 - QPR-107	133
QPRD-000 - QPRD-109	143
QPRHA-000 - QPRHA-109.	143
QPRS-000 - QPRS-109	143
QRB166 - QRB256MOB	103
QRU-12D	95
QRU-12D-220-192	144
QRU-12D-240-28	144
QRU-12S	
QRU-12S-220-96	
QRU-12S-240-24	
QRU-16D	
QRU-16D-230-96	
QRU-16S	
QRU-16S-220230240	
QRU-16S-230-48	
QRU-1W	
QRU-MOB	
QS-000	
QS-304-28	
	129
QS-305-36	
QS-306-56	
QS-309-80	
QS-569-56	
QS-725	
QSB100 - QSB116	
QSB100CL - QSB116CL	
QSB201 - QSB216	
QSB201CL - QSB216CL	
QSB801 - QSB816	
QSB801CL - QSB816CL	
QS-BIG-101	
QSBU-239 - QSBU-270	
QSBU-600	
QSBU-600800	
QSBU-700	
QSBU-800	
QSC-36-4IS-12DS	132
QSC-3IS	
QSC-4803	133
QSC-4804	133
QSC-4IS-14DS	
QSC-BG-36	132
QSC-BG-36-96-4IS	132
QSC-BG-36-FD	132
QSC-BG-36S	132
QSC-BG-48	133
QSC-BG-48S	133
QSC-BG-60	133
QSC-BG-60S	133
QSC-BG-64-2S-6DS	132
QSC-C240	133
QSC-C240250	133
QSC-C250	133

QSC-QIC122133
QSC-QIC161133
QSC-QIC64 133
QSC-QIC83 133
QSMC 44-4
QTB301 - QTB309 124
QTB405 - QTB412 125
QTB-LP-BKT 124
QTF24 - QTF70 128
QTF320128
QTF320-42 128
QTR24 - QTR70 128
QUS200
QUS200CL 80
QUS210 88
QUS210CL 80
QUS220
QUS220CL
QUS221
QUS221CL
QUS224
QUS224CL
QUS230
QUS230CL
QUS2300L
QUS234CL 80
QUS234CL
QUS235CL
QUS239
QUS239CL
QUS240
QUS240CL
QUS241
QUS241CL
QUS242
QUS242CL 80
QUS245 88
QUS245CL 80
QUS250 88
QUS250CL 80
QUS255 88
QUS255CL 80
QUS260 88
QUS260CL 80
QUS265 88
QUS265CL 80
QUS270 88
QUS270CL 80
QUS275MOB 88
QUS275MOBCL 80
QUS95098
QUS950CL 81
QUS95198
QUS951CL 81
QUS95298
QUS952CL 81
QUS95398
QUS953CL 81
QUS95498
QUS954CL 81

	QUS955	98
	QUS955CL	81
	QUS964MOB	98
	QUS964MOBCL	81
	QUS965MOB	98
	QUS965MOBCL	81
	QUS970	100
	QUS973	100
	QUS974	
	QUS975	
	QUS976	100
	QUS984MOB	
	QUS985MOB	100
	QUS986MOB	
	QUS993	
	QUS994MOB	100
	QUS995	100
	QUS996MOB	100
	QUS997	100
	QUS998MOB	100
	QVTRK	68
	QVTRK-2-72EST	
	QVTRK-3-240EST	69
s	SCH1 - SCH1-5	
Č	SD36C - SD60C	
	S-HOOK	
	SL12 - SL30	
	SL12S - SL30S	
	S-MC-A36-6666	
	S-MC-A4080G-20	29
	S-MC-A42G-9	28
	S-MC-A5780G-12	29
	S-MC-A60-CSC10	30
	S-MC-A60-SC16	30
	S-MC-A60G-15	29
	S-MC-A70GL-9	28
	S-MC-A70GR-9	28
	S-MC-A7480G-12	29
	S-MC-CAP	27
	S-MC-S1GBH	
	S-MC-SCH	
	S-MC-SESR	
	S-MC-SESK	
	S-MC-SFWS	
	S-MC-SWB	
	snh010	
	snt180 - snt300	
	SSB423 - SSB485	
	S-SC-182448B-5	30
	S-SC-182460B-5	30
	S-SC-182492E-10	30
	S-SC-182492E-5	30
	S-SC-1836-1S5D7CM	31
	S-SC-1836-1S5DBC	31
	S-SC-1836-1S7CM	
	S-SC-1836-5S25D	
	S-SC-1836-6S4CM	
	S-SC-183692E-16	
	S-SC-183692E-8	
	S-SC-1842-1S7CM	
	0-00-1042-1070W	51

WRCSL5-63-1836-104.....

	S-SC-1842-1S7D9CM	31
	S-SC-1842-1S7DBC	
	S-SC-1842-5S25D	31
	S-SC-1842-6S4CM	31
	S-SC-184292E-18	30
	S-SC-184292E-9	30
	S-SC-2436-1S5D7CM	31
	S-SC-2436-1S7CM	31
	S-SC-2436-2S4D22	31
	S-SC-2436-5S25D	31
	S-SC-HFVU	30
	SST-2436U - SST-2472U	35
	SST-MOB	35
т	TBC-32WT	124
	TC-19 - TC-39	72
	TC-500	123,131
	TR1-2516-8 - TR6-2516-8	121
	TR-96	131
	TS32C - TS62C	72
	TTK-8 - TTK-21	71
	TTK-C18 - TTK-C24	
	TTK-E18 - TTK-E24	
	TTK-M18 - TTK-M24	
	TUB1711-12	
	TUB1711-8	
	TUB2417-12	
	TUB2417-8	
	TUB2419-9	
	TUB2516-8	
	UB10	
0	UH18 - UH24	
	UH18S - UH24S	
10/	W7-12-24 - W7-18-30	
**	WGH600 - WGH800	
	WK	· ·
	WLP-1836C	
	WLP-3036C	,
	WLP-3048C	,
	WLP-DMC - WLP-OSC	11,93
	W-MC-232436-5	24
	W-MC-AB42-33669	
	W-MC-AC45-333669	
	W-MC-CBB	
	W-MC-CR	
	W-MC-GBH	
	W-MC-IV	
	W-MC-OTB	
	W-MC-SH	
	W-MC-SI43-4699	
	W-MC-SR1	
	W-MC-SP43-43669	
	WMS531 - WMS543	
	W-PC-STUD	
	W-PLB	39
	W-PLI	39
	WR-00CO	79
	WR-00H	79
	WR-00HS	
	WR10-230240	91
	WR10-230240CL	80

WR12-101 - WR12-116	
WR12-101CL - WR12-116CL	84
WR12-93030	119
WR12-93030CL	82
WR-3	79
WR4-12225	119
WR4-39-1236-801	
WR4-39-1236-809	113
WR4-39-1236-801CL	
WR4-39-1236-809CL	86
WR5-270	
WR5-270CL	
WR5-36MSBA	
WR5-36MSBA-MOB	48
WR5-39-1236-201	
WR5-39-1236-209	111
WR5-39-1236-201CL	
WR5-39-1236-209CL	85
WR54-1236C - WR54-3672C	40
WR54-1236C-5 - WR54-3672C-5.	40
WR54-1236P - WR54-3672P	40
WR54-1236P-5 - WR54-3672P-5.	40
WR54-1236S - WR54-3672S	40
WR54-1236S-5 - WR54-3672S-5	40
WR54-1436SG - WR54-2472SG.	46
WR54-1436SG-5	
WR54-2472SG-5	47
WR5-533	
WR5-543	107
WR5-600 - WR5-800	
WR5-600CL - WR5-800CL	
WR5-955	
WR5-955CL	
WR5-975	
WR5-993 - WR5-997	102
WR6-13-MIX	107
WR6-24185	119
WR6-260	
	91
WR6-260CL	80
	80
WR6-260CL	80 80
WR6-260CL WR6-265CL	80 80 41
WR6-260CL WR6-265CL WR63-1236C - WR63-3672C	80 80 41 41
WR6-260CL WR6-265CL WR63-1236C - WR63-3672C WR63-1236C-5 - WR63-3672C-5. WR63-1236P - WR63-3672P	80 80 41 41 41
WR6-260CL WR6-265CL WR63-1236C - WR63-3672C WR63-1236C-5 - WR63-3672C-5. WR63-1236P - WR63-3672P WR63-1236P-5 - WR63-3672P-5.	80 80 41 41 41 41 41
WR6-260CL WR63-1236C - WR63-3672C WR63-1236C - WR63-3672C-5. WR63-1236C - WR63-3672C-5. WR63-1236P - WR63-3672P-5. WR63-1236S - WR63-3672S	80 80 41 41 41 41 41 41
WR6-260CL WR63-1236C - WR63-3672C WR63-1236C - WR63-3672C-5. WR63-1236C - WR63-3672C-5. WR63-1236P - WR63-3672P-5. WR63-1236S - WR63-3672S WR63-1236S-5 - WR63-3672S-5.	80 80 41 41 41 41 41 41 41
WR6-260CL WR6-265CL WR63-1236C - WR63-3672C WR63-1236C-5 - WR63-3672C-5. WR63-1236P - WR63-3672P WR63-1236P-5 - WR63-3672P-5. WR63-1236S - WR63-3672S WR63-1436SG - WR63-2472SG.	80 80 41 41 41 41 41 41 41
WR6-260CL WR6-265CL WR63-1236C - WR63-3672C WR63-1236C - WR63-3672C-5. WR63-1236P - WR63-3672P-5. WR63-1236P-5 - WR63-3672P-5. WR63-1236S - WR63-3672S WR63-1236S-5 - WR63-3672S-5. WR63-1436SG - WR63-2472SG WR63-1436SG-5	80 80 41 41 41 41 41 41 41 41 46
WR6-260CL WR6-265CL WR63-1236C - WR63-3672C WR63-1236C-5 - WR63-3672C-5. WR63-1236P - WR63-3672P-5. WR63-1236P-5 - WR63-3672P-5. WR63-1236S-5 - WR63-3672S-5. WR63-1236S-5 - WR63-3672S-5. WR63-1436SG - WR63-2472SG WR63-1436SG-5 WR63-2472SG-5	80 80 41 41 41 41 41 41 41 41 46
WR6-260CL WR6-265CL WR63-1236C - WR63-3672C WR63-1236C - WR63-3672C.5. WR63-1236P - WR63-3672P.5. WR63-1236P-5 - WR63-3672P.5. WR63-1236S - WR63-3672S WR63-1236S - WR63-3672S.5. WR63-1436SG - WR63-2472SG WR63-1436SG-5 WR63-2472SG.5 WR63-2472SG.5 WR63-2472SG.5	80 80 41 41 41 41 41 41 41 46 47
WR6-260CL	80 80 41 41 41 41 41 41 41 46 47
WR6-260CL	80 80 41 41 41 41 41 41 41 46 47 109
WR6-260CL	80 80 41 41 41 41 41 41 41 46 47 109 84
WR6-260CL	80 80 41 41 41 41 41 41 41 46 47 109 84
WR6-260CL	80 80 41 41 41 41 41 41 41 46 47 109 84 99
WR6-260CL	80 80 41 41 41 41 41 41 41 46 47 109 84 99 81
WR6-260CL	80 80 41 41 41 41 41 41 41 46 47 109 84 99 81 81
WR6-260CL	80 80 41 41 41 41 41 41 41 41 46 47 109 84 99 81 81 99
WR6-260CL	80 80 41 41 41 41 41 41 41 41 46 47 109 84 99 81 81 99 81
WR6-260CL	80 80 41 41 41 41 41 41 41 41 41 46 47 109 84 99 81 81 99 81 101

WR6-974	101
WR7-20-MIX	99
WR7-20-MIXCL	81
WR7-245CL	80
WR74-1236C - WR74-3672C	42
WR74-1236C-5 - WR74-3672C-5.	42
WR74-1236P - WR74-3672P	42
WR74-1236P-5 - WR74-3672P-5.	42
WR74-1236S - WR74-3672S	42
WR74-1236S-5 - WR74-3672S-5.	42
WR74-1248-101102	64
WR74-1248-110101	64
WR74-1248-66102	64
WR74-1260-101102	64
WR74-1260-143101	64
WR74-1260-88102	64
WR74-1272-101102	64
WR74-1272-110102	64
WR74-1272-176101	64
WR74-1436SG - WR74-2472SG	46
WR74-1436SG-5	
WR74-2472SG-5	47
WR74-1848-103104	
WR74-1848-110103	
WR74-1848-66104	
WR74-1860-103104	
WR74-1860-143103	
WR74-1860-88104	
WR74-1872-103104	
WR74-1872-110104	
WR74-1872-176103	
WR74-2448-105106	
WR74-2448-110105	
WR74-2448-66106	
WR74-2460-105106	
WR74-2460-143105	
WR74-2460-88106	
WR74-2472-105106	
WR74-2472-110106	
WR74-2472-176105	
WR7-532 WR7-92080	
WR7-92080CL	
WR7-951	
WR7-951CL	
WR8-239	
WR8-239CL	
WR8-240	
WR8-240CL	
WR8-250	
WR8-250CL	
WR8-255	
WR8-255CL	
WR8-423 - WR8-485	
WR86-1236C - WR86-3672C	
WR86-1236C-5 - WR86-3672C-5.	
WR86-1236P - WR86-3672P	
WR86-1236P-5 - WR86-3672P-5.	
WR86-1236S - WR86-3672S	
WR86-1236S-5 - WR86-3672S-5	43

WR86-1436SG - WR86-2472SG.	
WR86-1436SG-5	
WR86-2472SG-5	47
WR8-801 - WR8-816	113
WR8-801CL - WR8-816CL	. 86
WR8-950 - WR8-952	99
WR8-950CL - WR8-952CL	. 81
WR8-970	. 101
WR9-201 - WR9-216	111
WR9-201CL - WR9-216CL	. 85
WR9-36180	119
WR9-531	. 107
WR9-92060 - WR9-93060	. 119
WR9-92060CL - WR9-93060CL	82
WRA86-2136C-166	
WRA86-2172C-246	103
WRC-1836-2 - WRC-1836-2G	
WRC-1836-3 - WRC-1836-3G	
WRC-1842-2 - WRC-1842-2G	
WRC-1842-3 - WRC-1842-3G	
WRC-1848-2 - WRC-1848-2G	
WRC-1848-3 - WRC-1848-3G	
WRC-1848-3 - WRC-1848-3G WRC2-1836-1265	JZ
	445
WRC2-1836-1887	115
WRC2-36-3036-976	
WRC-2436-2 - WRC-2436-2G	
WRC-2436-3 - WRC-2436-3G	
WRC-2442-2 - WRC-2442-2G	
WRC-2442-3 - WRC-2442-3G	
WRC-2448-2 - WRC-2448-2G	32
WRC-2448-3 - WRC-2448-3G	32
WRC2-63-3036-974976	
WRC3-1836-1265	
WRC3-1836-1887	115
WRC5-63-2436-93060	66
WRC5-63-2436-93060CL	66
WRC5-63-2448-93060	66
WRC5-63-2448-93060CL	66
WRC5-63-2460-93060	66
WRC5-63-2460-93060CL	66
WRC74-1824CSG-5BSK	
WRC74-2460CSG-5BSK	50
WRC9-63-2448-105	65
WRC-BC2448	65
WRCGR-63-2436	
WRCGR-63-2448	
WRCGR-63-2460	
WR-CH	
WRC-IT1824	
WRC-LPSW1863	
WRCPL-63-2460	
WRCPL-63-2460-955	
WRCS4-63-2436EP	
WRC34-03-2436EP WRCS4-74-2460EP	50
WRCS4-63-2436EP-5	
WRCS4-74-2460EP-5	29
WRCSL5-63-1836	
WRCSL5-63-2448	63
WRCSL5-63-1836EP	
WRCSL5-63-2448EP	63

WRCSL5-63-2448EP-106 63 WRCSL5-74-1836-10422063 63 WRCSL5-74-1836-10422063 63 WRCSL5-74-1848-10422063 64 WRCSL5-74-1848-10422063 64 WRCSU5-74-1848-10422063 67 WRDS4-63-2436EP		
WRCSL5-74-1836-10422063 WRCSL5-74-1836-10423063 WRCSL5-74-1848-10422063 WRCSL5-74-1848-10422063 WRCSU5-74-1848-10422063 WRCSU5-74-1848-10422063 WRDBS4-63-2436EP		
WRCSL5-74-1836-10423063 WRCSL5-74-1848-10422063 WRCSL5-74-1848-10422063 WRCSL5-74-1848-10422063 WR-D24W		
WRCSL5-74-1848-10422063 WRC-SW2448	WRCSL5-74-1836-104220	.63
WRC-SW2448	WRCSL5-74-1836-104230	.63
WR-D24W	WRCSL5-74-1848-104220	.63
WRDBS4-63-2436EP. WRDBS4-74-2460EP.5 WRDBS4-63-2436EP-5. WRDBS4-74-2460EP.5 WRGR-63-2436 - WRGR-63-2460. WR-PS. 79 WR-RG. WR-PS. WRS2486-2472SS WRS5-86-2472SS WRS5-86-2472SS WRS5-92035 - WRS5-92080. C2 WRS-7-103 - WRS-7-100. WRS-7-602 - WRS-7-606. WRSAD454-1436SS. WRAD54-86-2472SS WRSAD5-54-1436SS. WRAD55-86-2472SS WRSAD5-54-1436SS. WRAD55-86-2472SS WRSAD5-54-1436SS. WRAD55-86-2472SS WRSC3-42-2436FS. WRAD55-86-2472SS WRSC3-42-2436FS. WRAD5-86-2472SS WRSC4-54-2436FS. WRADS5-86-2472SS WRSC3-42-2406FS.	WRC-SW2448	34
WRDBS4-74-2460EP 58 WRDBS4-63-2436EP-5	WR-D24W	67
WRDBS4-63-2436EP-5	WRDBS4-63-2436EP	
	WRDBS4-74-2460EP	58
WRGR-63-2436 - WRGR-63-246051 WR-PS	WRDBS4-63-2436EP-5	
WR-PS. 79 WR-RG. 79 WR-RG. 79 WR-RG. 79 WR-S24W. 66-67 WRS4-54-1436SS.	WRDBS4-74-2460EP-5	59
WR-RG. 79 WR-S24W. 66-67 WRS4-54-1436SS.	WRGR-63-2436 - WRGR-63-2460	51
WR-S24W. 66-67 WRS4-54-1436SS.	WR-PS	79
WRS4-54-1436SS. WRS5-54-1436SS. WRS5-54-1436SS. WRS5-86-2472SS WRS5-92035 - WRS-5-92080. WRS-7-103 - WRS-7-110. 62 WRS-7-602 - WRS-7-606. WRS5-86-2472SS WRS45-41436SS. WRS45-41436SS. WRS45-41436SS. WRS405-54-1436SS-5. WRS05-86-2472SS WRS05-86-2472SS WRS346-2472SS WRS342-2436FS. S5 WRSC3-42-2448FS. S5 WRSC4-54-2436FS. S5 WRSC4-54-2448FS. S5 WRSC4-54-2460FS. S5 WRSC4-54-2406FS. S6 WRSC4-54-2406FS. S5 WRSC4-54-2406FS. WRSC4-54-2406FS. S5 WRSC4-54-2406FS. S6 WRSC4-54-2406FS. S7 WRSC4-54-2406FS. S8 WRSC4-54-2406FS. S7 WRSC4-54-2406FS. S7 WRSC4-54-2406F	WR-RG	.79
WRS4-54-1436SS. WRS5-54-1436SS. WRS5-54-1436SS. WRS5-86-2472SS WRS5-92035 - WRS-5-92080. WRS-7-103 - WRS-7-110. 62 WRS-7-602 - WRS-7-606. WRS5-86-2472SS WRS45-41436SS. WRS45-41436SS. WRS45-41436SS. WRS405-54-1436SS-5. WRS05-86-2472SS WRS05-86-2472SS WRS346-2472SS WRS342-2436FS. S5 WRSC3-42-2448FS. S5 WRSC4-54-2436FS. S5 WRSC4-54-2448FS. S5 WRSC4-54-2460FS. S5 WRSC4-54-2406FS. S6 WRSC4-54-2406FS. S5 WRSC4-54-2406FS. WRSC4-54-2406FS. S5 WRSC4-54-2406FS. S6 WRSC4-54-2406FS. S7 WRSC4-54-2406FS. S8 WRSC4-54-2406FS. S7 WRSC4-54-2406FS. S7 WRSC4-54-2406F	WR-S24W	66-67
WRS4-86-2472SS 44 WRS5-54-1436SS WRS5-86-2472SS 45 WRS-5-92035 - WRS-5-92080 62 WRS-7-103 - WRS-7-110 62 WRS-7-602 - WRS-7-606 62 WRS-7-602 - WRS-7-606 62 WRS-7-602 - WRS-7-606 62 WRSAD4-54-1436SS	WRS4-54-1436SS	
WRS5-54-1436SS. WRS5-86-2472SS 45 WRS-7-103 - WRS-7-92080		44
WRS5-86-2472SS 45 WRS-5-92035 - WRS-5-92080 62 WRS-7-103 - WRS-7-100 62 WRS-7-602 - WRS-7-606 62 WRSAD4-54-1436SS WRADS4-86-2472SS WRSAD5-54-1436SS-5 WRADS5-86-2472SS WRSC3-42-2436FS 35 WRSC3-42-2436FS 35 WRSC3-42-2448FS 35 WRSC4-54-2448FS 35 WRSC4-54-2460FS 35 WRSC4-54-2448FS 35 WRSC4-54-2448FS 35 WR-SP 77 WR-WMB 77 WS-1218DSHC - WS-1248DSHC 9 WS-D818ADHC - WS-D848HC 7 WS-D518ADHC - W		
WRS-5-92035 - WRS-5-92080		45
WRS-7-103 - WRS-7-110. 62 WRS-7-602 - WRS-7-606. 62 WRSAD4-54-1436SS.		
WRS-7-602 - WRS-7-606 62 WRSAD4-54-1436SS		
WRSAD4-54-1436SS. WRADS4-86-2472SS WRSAD5-54-1436SS-5WRADS5-86-2472SS-5 WRSAD5-54-1436SS-5WRADS5-86-2472SS-5 WRSC3-42-2436FS. SS WRSC3-42-2436FS. WRSC3-42-2406FS. SS WRSC4-54-2436FS. WRSC4-54-2436FS. SS WRSC4-54-2436FS. WRSC4-54-2436FS. SS WRSC4-54-2448FS. WRSC4-54-2440FS. SS WRSC4-54-2440FS. WRSC4-54-2440FS. SS WRSC4-54-2448FS. WRSC4-54-2440FS. WRSC4-54-2440FS. WRSC4-54-2440FS. WRSC4-54-2440FS. WRSC4-54-2440FS. SS WRSC4-54-2440FS. WRSC4-54-2440FS. SS WRSC4-54-2440FS. SS WRSC4-54-2440FS. WRSC4-54-2440FS. WRSC4-54-2440FS. WS-1218DSHC - WS-1248DSHC. WS-DS18ADHC - WS-DS48HC. WS-HBBA. WS-HBBA. WS-HBBA.		
WRADS4-86-2472SS 44 WRSAD5-54-1436SS-5WRADS5-86-2472SS-5 45 WRSC3-42-2436FS		62
WRSAD5-54-1436SS-5		
WRADS5-86-2472SS-5 45 WRSC3-42-2436FS		
WRSC3-42-2436FS. 35 WRSC3-42-2448FS. 35 WRSC3-42-2460FS. 35 WRSC4-54-2436FS. 35 WRSC4-54-2436FS. 35 WRSC4-54-2436FS. 35 WRSC4-54-2436FS. 35 WRSC4-54-2436FS. 35 WRSC4-54-2448FS. 35 WRSC4-54-2406FS. 35 WRSC4-54-2400FS. 35 WRSC4-54-2400FS. 35 WRSC4-54-2400FS. 35 WRSC5 WRSC5 WR-SP. 77 WR-SS - WR-SSCO. 77 WR-WMB. 77 WS-1218DSHC - WS-1248DSHC. 9 WS-DS18ADHC - WS-DS18HC. 7 WS-DS36ADHC - WS-DS48HC. 7 WS-PM36HC - WS-HB48HC. 9 WS-HBB - WS-HBBA. 9 WS-HBB - WS-HBBA. 9 WS-HBB - WS-HBBA. 9 WS-HBB - WS-HBBA. 9 WS-HBA - WS-S184C. 7 WS-S718-4S3L - WS-SS18-7S 8 WS-SS18-4S3L - WS-SS36-7S 8 WS-SS18ADHC - WS-SS48HC. 7		
WRSC3-42-2448FS. 35 WRSC3-42-2460FS. 35 WRSC4-54-2436FS. 35 WRSC4-54-2448FS. 35 WRSC4-54-2448FS. 35 WRSC4-54-2448FS. 35 WRSC4-54-2448FS. 35 WRSC4-54-2448FS. 35 WRSC4-54-2460FS. 35 WRSC4-54-2460FS. 35 WRSC4-54-2460FS. 35 WRSC4-54-2460FS. 35 WRSC4-54-2460FS. 35 WRSC3 77 WRSDS WR-SSNE WR-SP. 77 WR-SP. 77 WR-SP. 9 WS-1218DSHC - WS-1248DSHC. 9 WS-DS18ADHC - WS-DS18HC. 7 WS-DS36ADHC - WS-HB48HC. 9 WS-HBB - WS-HBBA. 9 WS-HBB - WS-HBBA. 9 WS-HBA 9		
WRSC3-42-2460FS. 35 WRSC4-54-2436FS. 35 WRSC4-54-2448FS. 35 WRSC4-54-2448FS. 35 WRSC4-54-2448FS. 35 WRSC4-54-2460FS. 35 WRSC4-54-2460FS. 35 WR-SP. 77 WR-SS - WR-SSCO. 77 WR-WMB. 77 WS-S1218DSHC - WS-1248DSHC. 9 WS-D180SHC - WS-1248DSHC. 9 WS-D180C - WS-1848DSHC. 9 WS-DS18ADHC - WS-DS18HC. 7 WS-DS36ADHC - WS-DS36HC. 7 WS-DS48ADHC - WS-DS48HC. 7 WS-HB36HC - WS-HB48HC. 9 WS-HBB - WS-HBBA. 9 WS-HBB - WS-HBBA. 9 WS-HBA - WS-HB48HC. 7 WS-SN184DS - WS-SN18-TS. 8 WS-SS18-4S3L - WS-SS18-TS. 8 WS-SS18-4S3L - WS-SS18-TS. 8 WS-SS18ADHC - WS-SS36HC. 7 WS-SS18ADHC - WS-SS36HC. 7 WS-SS48ADHC - WS-SS48HC. 7 WS-VTH. 9		
WRSC4-54-2436FS. 35 WRSC4-54-2448FS. 35 WRSC4-54-2460FS. 77 WRSDS WR-SSCO. 77 WR-WB. 77 WS-1218DSHC - WS-1248DSHC. 9 WS-DS18ADHC - WS-DS18HC. 7 WS-DS36ADHC - WS-DS48HC. 7 WS-HB36HC - WS-HB48HC. 7 WS-HB40C - WS-PM48HC. 7 WS-SR9C. 9 WS-HTH. 9 WS-SS18-4S31 - WS-SS18-7S. 8 WS-SS18ADHC - WS-SS18HC. 7 WS-SS18ADHC - WS-SS36HC. 7 WS-SS36ADHC - WS-SS48HC. 7 WS-SS48ADHC - WS-SS48HC. 7		
WRSC4-54-2448FS. 35 WRSC4-54-2460FS. 35 WR-SP. 77 WR-SS - WR-SSCO. 77 WR-SS - WR-SSCO. 77 WR-WMB. 77 WS-1218DSHC - WS-1248DSHC. 9 WS-1818DSHC - WS-1248DSHC. 9 WS-DR10C. 9 WS-DS18ADHC - WS-DS18HC. 7 WS-DS36ADHC - WS-DS48HC. 7 WS-B36ADHC - WS-DS48HC. 7 WS-HB36HC - WS-HB48HC. 9 WS-HBB - WS-HBBA. 9 WS-HBB - WS-HBAHC. 7 WS-SN18-ADHC - WS-SN18-TS. 8 WS-SS18-4S3L - WS-SS18-TS. 8 WS-SS18ADHC - WS-SS66-TS. 8 WS-SS36ADHC - WS-SS36HC. 7 WS-SS36ADHC - WS-SS36HC. 7 WS-SS48ADHC - WS-SS48HC. 7 WS-SS48ADHC - WS-SS48HC. 7	WRSC3-42-2460FS	35
WRSC4-54-2460FS. 35 WR-SP. 77 WR-SS - WR-SSCO. 77 WR-SS - WR-SSCO. 77 WR-SS - WR-SSCO. 77 WS-1218DSHC - WS-1248DSHC. 9 WS-1218DSHC - WS-1248DSHC. 9 WS-1818DSHC - WS-1248DSHC. 9 WS-DS18ADHC - WS-1848DSHC. 9 WS-DS36ADHC - WS-DS36HC. 7 WS-DS48ADHC - WS-DS48HC. 7 WS-HB36HC - WS-HB48HC. 9 WS-HBB - WS-HBBA. 9 WS-HDS6 - WS-HDS12. 9 WS-HTH. 9 WS-SS18-4S3L - WS-SS18-7S. 8 WS-SS18ADHC - WS-S36HC. 7 WS-SS18ADHC - WS-S36HC. 7 WS-SS36ADHC - WS-S36HC. 7 WS-SS16ADHC - WS-S36HC. 7 WS-SS36ADHC - WS-S36HC. 7 WS-SS48ADHC - WS-S36HC. 7 WS-SS48ADHC - WS-S36HC. 7 WS-SS48ADHC - WS-S36HC. 7 WS-SS48ADHC - WS-S36HC. 7 WS-VTH. 9		
WR-SP. 77 WR-SS - WR-SSCO. 77 WR-WMB. 77 WS-1218DSHC - WS-1248DSHC. 9 WS-1218DSHC - WS-1248DSHC. 9 WS-1818DSHC - WS-1848DSHC. 9 WS-DS18ADHC - WS-DS18HC. 7 WS-DS36ADHC - WS-DS36HC. 7 WS-DS48ADHC - WS-DS48HC. 7 WS-HB36HC - WS-HB48HC. 9 WS-HBB - WS-HBBA. 9 WS-HBB - WS-HBBA. 9 WS-HBK - WS-PM48HC. 7 WS-SR9C. 9 WS-SS18-4S3L - WS-SS18-7S. 8 WS-SS18ADHC - WS-SS66-7S. 8 WS-SS36ADHC - WS-SS36HC. 7 WS-SS48ADHC - WS-SS48HC. 7 WS-SS48ADHC - WS-SS48HC. 7 WS-SS48ADHC - WS-SS48HC. 7 WS-SS48ADHC - WS-SS48HC. 7 WS-SVTH. 9		
WR-SS - WR-SSCO	WRSC4-54-2460FS	35
WR-WMB	WR-SP	77
WS-1218DSHC - WS-1248DSHC 9 WS-1818DSHC - WS-1848DSHC 9 WS-DR10C	WR-SS - WR-SSCO	77
WS-1818DSHC - WS-1848DSHC 9 WS-DR10C	WR-WMB	77
WS-DR10C	WS-1218DSHC - WS-1248DSHC	9
WS-DS18ADHC - WS-DS18HC7 WS-DS36ADHC - WS-DS36HC7 WS-DS48ADHC - WS-DS48HC7 WS-DS48ADHC - WS-DS48HC7 WS-HB36HC - WS-HB48HC9 WS-HBB - WS-HBBA9 WS-HDS6 - WS-HDS129 WS-HBHK - WS-PM48HC7 WS-SH18HC - WS-PM48HC7 WS-SS18-4S3L - WS-SS18-TS8 WS-SS18-4S3L - WS-SS18-TS8 WS-SS36-4S3L - WS-SS36-TS8 WS-SS36ADHC - WS-SS36HC7 WS-SS48ADHC - WS-SS48HC7 WS-SS48ADHC - WS-SS48HC7 WS-VTH	WS-1818DSHC - WS-1848DSHC	9
WS-DS36ADHC - WS-DS36HC7 WS-DS48ADHC - WS-DS48HC7 WS-HB36HC - WS-HB48HC9 WS-HBB - WS-HBBA9 WS-HDS6 - WS-HDS129 WS-HTH9 WS-PM18HC - WS-PM48HC7 WS-SS18-4S3L - WS-SS18-TS8 WS-SS18-4S3L - WS-SS18-TS8 WS-SS16-4S3L - WS-SS18HC7 WS-SS36ADHC - WS-SS36-TS8 WS-SS36ADHC - WS-SS36HC7 WS-SS48ADHC - WS-SS48HC7 WS-SS48ADHC - WS-SS48HC7 WS-SV48ADHC - WS-SS48HC7	WS-DR10C	9
WS-DS48ADHC - WS-DS48HC7 WS-HB36HC - WS-HB48HC9 WS-HBB - WS-HBA9 WS-HDS6 - WS-HDS129 WS-HTH9 WS-PM18HC - WS-PM48HC7 WS-SS18-4S3L - WS-SS18-7S8 WS-SS18-4S3L - WS-SS18-7S8 WS-SS18-4S3L - WS-SS18-7S8 WS-SS36-4S3L - WS-SS36-7S8 WS-SS36ADHC - WS-SS36HC7 WS-SS48ADHC - WS-SS48HC7 WS-SS48ADHC - WS-SS48HC7 WS-SV48ADHC - WS-SS48HC7	WS-DS18ADHC - WS-DS18HC	7
WS-HB36HC - WS-HB48HC	WS-DS36ADHC - WS-DS36HC	7
WS-HBB - WS-HBBA	WS-DS48ADHC - WS-DS48HC	7
WS-HDS6 - WS-HDS12	WS-HB36HC - WS-HB48HC	9
WS-HTH	WS-HBB - WS-HBBA	9
WS-PM18HC - WS-PM48HC7 WS-SS18-4S3L - WS-SS18-7S8 WS-SS18-4S3L - WS-SS18HC7 WS-SS36-4S3L - WS-SS36-7S8 WS-SS36-4S3L - WS-SS36-7S7 WS-SS36ADHC - WS-SS36HC7 WS-SS48ADHC - WS-SS36HC7 WS-SS48ADHC - WS-SS36HC7 WS-SS48ADHC - WS-SS48HC7 WS-SV48ADHC - WS-SS48HC7	WS-HDS6 - WS-HDS12	9
WS-PM18HC - WS-PM48HC7 WS-SS18-4S3L - WS-SS18-7S8 WS-SS18-4S3L - WS-SS18HC7 WS-SS36-4S3L - WS-SS36-7S8 WS-SS36-4S3L - WS-SS36-7S7 WS-SS36ADHC - WS-SS36HC7 WS-SS48ADHC - WS-SS36HC7 WS-SS48ADHC - WS-SS36HC7 WS-SS48ADHC - WS-SS48HC7 WS-SV48ADHC - WS-SS48HC7	WS-HTH	9
WS-SR9C		
WS-SS18-4S3L - WS-SS18-7S		9
WS-SS18ADHC - WS-SS18HC7 WS-SS36-4S3L - WS-SS36-7S8 WS-SS36ADHC - WS-SS36HC7 WS-SS48ADHC - WS-SS48HC7 WS-VTH9		
WS-SS36-4S3L - WS-SS36-7S 8 WS-SS36ADHC - WS-SS36HC 7 WS-SS48ADHC - WS-SS48HC 7 WS-VTH		
WS-SS36ADHC - WS-SS36HC 7 WS-SS48ADHC - WS-SS48HC 7 WS-VTH		
WS-SS48ADHC - WS-SS48HC 7 WS-VTH 9		
WS-VTH9		
WUS221 - WUS270 88		
WUS950 - WUS955 98		
WUS970 - WUS976 100	WUS970 - WUS976	100











P. O. Box 14-0932 Coral Gables, Florida 33114

TOLL FREE 1-877-285-8684 PHONE 786-446-8795 FAX 1-877-285-8685



sales@bin-store.com www.bin-store.com

HEALTHCARE STORAGE SOLUTIONS

- New Construction & Expansion
- Materials Management & Supply Chain
- Sterile Processing & Supply
- Surgical Services
- Cath Lab, Endoscopy, IR and more
- Design Assistance & Installation Services

CATALOG No.: 0913V1 ©2013 BIN-STORE.COM

SV1 COM